

Trade name :

3C Sealants Low Mod Silicone

02-03-2020

Version (Revision) :

1.0

Date :

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING			
1.1. Product identifier.	Product Name: Low Mod Silicone		
1.2. Relevant identified uses of the substance or mixture and uses advised against.	Identified uses: Cartridge applied sealant and adhesive. Uses advised against: Any other use than the advised purpose.		
1.3. Details of the supplier of the datasheet.	County Construction Chemicals LTD. Unit 4, Chingford Ind. Centre Hall Lane London E4 8DJ	Tel: 020 8524 1931 Fax: 020 8529 0103 E-mail: <u>info@countyconchem.co.uk</u>	
1.4. Emergency Phone Number (UK Office Hours Only: 9am to 5pm)	Tel: 020 8524 1931 E-mail: <u>info@countyconchem.co.uk</u>		
SECTION 2. HAZARDS IDENTIFICATION			
2.1. Classification of the substance or mixture.			
2.1.1. Classification according to regulation (EC) No 1272/2008 [CLP].	This mixture does not meet the criter regulation (EC) No 1272/2008 [CLP].	a for classification in accordance with	
2.2. Label elements.			
2.2.1. Classification according to regulation (EC) No 1272/2008 [CLP].	This mixture does not meet the criter regulation (EC) No 1272/2008 [CLP].	a for classification in accordance with	
	Signal word; Not applicable		
	 Hazard statements; Not applicable Precautionary Statements; P271 – Use only outdoors or in well ventilated area. Additional information: Special labelling instructions; EUH210 - Safety data sheet available upon request. EUH208 - Contains; Methyltrimethoxysilane; N-(3-(Trimethoxysilyl) propyl)- 1,2-ethanediamine. May produce an allergic reaction. Other hazards: This product contains dodecamethylcyclohexasiloxane (D6) that has been identified by the Member State Committee of ECHA as fulfilling the vPvB criteria laid down in Annex XIII to Regulation (EC) No 1907/2006. See Section 12 for additional information. This product contains decamethylcyclopentasiloxane (D5) that has been identified by the Member State Committee of ECHA as fulfilling the vPvB criteria laid down in Annex XIII to Regulation (EC) No 1907/2006. See Section 12 for additional information. This product contains decamethylcyclopentasiloxane (D5) that has been identified by the Member State Committee of ECHA as fulfilling the vPvB criteria laid down in Annex XIII to Regulation (EC) No 1907/2006. See Section 12 for additional information. 		



Trade name :

3C Sealants Low Mod Silicone

Version (Revision) :

1.0

Date :

02-03-2020

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Description of mixture: Silicone elastomer and auxiliary products.

Hazardous ingredients: PBT and vPvB substance

Name	CAS No.	EC No.	REACH Registration No.	% (weight)	Classification according to Regulation (EC) No 1278/2008 (CLP).
Dodecamethylcyclohexasiloxane	540-97-6	208-762-8	-	≥0.02 - ≤0.31	Not classified
Decamethylcyclopentasiloxane	541-02-6	208-764-9	-	≥0.01 - ≤0.10	Not classified

Additional information: For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4. FIRST AID MEASURES			
4.1. Description of first aid measures			
Following inhalation:	Move person to fresh air, if effects occur, seek medical advice.		
Following skin contact:	Wash with plenty of soap and water for 10-15 minutes. Seek medical advice		
	in case of irritation.		
Following eye contact:	Flush eyes thoroughly with water for several minutes. Remove contact lenses		
	after initial 1-2 minutes and continue flushing for several more minutes. Seek		
	medical advice in case of irritation.		
Following ingestion:	No emergency medical treatment necessary.		
4.2. Most important symptoms and effects, both acute and delayed.	No further data available.		
4.3. Indication of any immediate medical attention and special treatment	Further toxicology information is available in SECTION 11.		
needed.			
SECTION 5. FIREFIGHTING MEASURES			
5.1. Extinguishing media			
Suitable extinguishing media:	Water spray, dry chemical, alcohol-resistant foam, carbon dioxide or sand.		
Unsuitable extinguishing media:	None known.		
5.2 Special beyonds evision from the substance or minture			
5.2. Special hazards arising from the substance or mixture Hazardous combustion products:	Metal oxides, Formaldehyde, Carbon oxides, Silicon oxides.		
Unusual Fire and Explosion Hazards:	Exposure to combustion products may be a hazard to health.		

Trade name :



3C Sealants Low Mod Silicone 1.0 Version (Revision) : Date : 02-03-2020 5.3. Advice for firefighters Use extinguishing measures that are appropriate to local circumstances and **Fire Fighting Procedures:** the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Wear self-contained breathing apparatus for firefighting if necessary. Use Special protective equipment for firefighters: personal protective equipment. **SECTION 6. ACCIDENTAL RELEASE MEASURES** 6.1. Personal precautions, protective equipment and emergency procedures. 6.1.1. For non-emergency personnel. **Protective equipment:** Wear personal protective equipment (see SECTION 8). Keep unprotected persons away. Avoid contact with skin and eyes. Avoid **Emergency procedures:** inhaling mists and vapours. 6.2. Environmental precautions: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. 6.3. Methods and material for containment and cleaning up. 6.3.1. For containment: Soak up with inert absorbent material. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the clean-up of releases. You will need to determine which regulations are applicable. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped. 6.3.2. For cleaning up: Clean up remaining materials from spill with suitable absorbent. 6.3.3. Other information: Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. 6.4. Reference to other sections See SECTION 7, 8, 11, 12 and 13. **SECTION 7. HANDLING AND STORAGE** 7.1. Precautions for safe handling: Take care to prevent spills, waste and minimize release to the environment. Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation. See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.



Trade name :

Date :

3C Sealants Low Mod Silicone

02-03-2020

Version (Revision) :

1.0

 7.2. Conditions for safe storage, including any incompatibilities.
 Keep in properly labelled containers. Store in accordance with local regulations.
Do not store with the following product types: Strong oxidizing agents.

 7.3. Specific end use(s).
 Cartridges applied sealant and adhesive. See the technical data sheet on this product for further information.

 SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION
 8.1. Control parameters

Maximum airborne concentrations at the workplace: This mixture does not contain any substances that require to be monitored in the workplace.

Name	CAS No.	Туре	Mg/m ³	ppm	
8.2. Exposure control					
8.2.1. Appropriate engineering controls:		Avoid contact v	Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Do		
		not eat, drink o	r smoke when handling. Wa	ash hands at the end of work and	
		before eating.			
8.2.2. Personal protection equipment					
8.2.2.1. Eye face protection:		Safety glasses	with side shields.		
8.2.2.2. Skin protection:		Chemical resis	tant gloves. After handling;	make sure the skin is cleaned and	
		protected.			
8.2.2.3. Respiratory protection:				I. In case of strong exposure	
			erature with no ventilation):	Organic vapour cartridge, type A.	
8.2.2.4. Thermal hazards:		Not applicable			
8.2.3. Environmental exposure controls:		Prevent materi	al from entering surface wa	ters or soil.	



1.0

Version (Revision) :

Trade name :

3C Sealants Low Mod Silicone

Date :

02-03-2020

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES					
9.1 Inform	nation on basic physical and chemical properties.				
a)	Appearance: Paste	k)	Vapour pressure: No data available.		
b)	Odour: None	I)	Vapour density: No data available.		
c)	Odour Threshhold: No data available.	m)	Relative Density: 1.52g/ml (Water =1)		
d)	pH: Not applicable.	n)	Solubility (ies): Insoluble		
e)	Melting point / freezing point: No data available.	o)	Partition coefficient: n-octanol / water: No data available.		
f)	Initial boiling point and boiling range: No data available.	p)	Auto-ignition temperature: No data available.		
g)	Flash point: No data available.	q)	Decomposition temperature: No data available.		
h)	Evaporation rate: No data available.	r)	Viscosity: No data available.		
i)	Flammability (solid, gas): Not classified as a flammability	s)	Explosive properties: No data available.		
	hazard.	t)	Oxidising properties: None		
j)	Upper / lower flammability or explosive limits: No data				
	available.				
9.2 Other	r Information:	No furthe	r data available.		
SECTIO	ON 10. STABILITY AND REACTIVITY	1			
10.1 Rea	ctivity	Not classified as a reactivity hazard.			
	mical stability	Stable under normal condition.			
10.3 Possibility of Hazardous Reactions		Can react with strong oxidising agents.			
10.4 Con	10.4 Conditions to Avoid		None known.		
10.5 Inco	mpatible Materials	Oxidising agents.			
10.6 Haza	ardous decomposition products	Formaldehyde.			
	······				



1.0

Version (Revision) :

Trade name :

12.4. Mobility in soil:

12.6. Other adverse effects:

12.7. Additional information:

12.5. Results of PBT and vPvB testing:

3C Sealants Low Mod Silicone

Date :

02-03-2020

SECTION 11. TOXICOLOGICAL INFORMATION			
11.1 Information on toxicological effects			
Acute toxicity:			
Acute oral toxicity:	Very low toxicity if swallowed. Harmful effects not anticipated from		
	swallowing small amounts. LD50, Rat, >5000 mg/kg estimated.		
Acute dermal toxicity:	Prolonged skin contact is unlikely to result in absorption of harmful amounts.		
	LD50, Rabbit, >2000 mg/kg estimated.		
Acute inhalation toxicity:	Brief exposure (minutes) is not likely to cause adverse effects. Vapour from		
	heated material may cause respiratory irritation. LC50 not determined.		
Skin corrosion/irritation:	Prolonged exposure not likely to cause adverse effects.		
Serious eye damage/eye irritation:	May cause slight temporary eye irritation. May cause mild eye discomfort.		
Skin sensitisation:	Contains components that have caused allergic skin sensitisation in guinea		
	pigs.		
Specific Target Organ System Toxicity (Single and repeated):	Available data suggests this material is not an STOT-SE toxicant.		
Carcinogenicity:	For this family of materials: Did not cause cancer in long-term animal studies		
	that used routes of exposure considered relevant to industrial handling.		
	Positive results have been reported in other studies using routes of exposure		
	not relevant to industrial handling.		
	Contains an additional component(s) that is/are encapsulated in the product		
	and are not expected to be released under normal processing conditions or		
	foreseeable emergency.		
Mutagenicity:	For similar material(s): Did not cause birth defects or any other fetal effects in		
	laboratory animals.		
Teratogenicity:	For similar material (s); did not cause birth defects or any other fetal effects in		
	laboratory animals.		
Toxicity for reproduction:	For similar material(s): In animal studies, did not interfere with reproduction.		
Further toxicological information:	Based on physical properties, not likely to be an aspiration hazard.		
SECTION 12. ECOLOGICAL INFORMATION			
12.1. Toxicity:	No damaging effects to aquatic organisms are expected.		
12.2. Persistence and degradability:	Biologically not readily biodegradable.		
12.3. Bioaccumulative potential:	Potential to bioaccumulate is low.		

Mobility in soil of dodecamethylcyclohexasiloxane is high. Other components are relatively immobile.

> 、*/*//// _ _

Meet the current REACh Annex XIII criteria for vPvB.

None known.

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS



Trade name :

Date :

3C Sealants Low Mod Silicone

02-03-2020

Version (Revision) :

1.0

Air – ICAO-

TI/IATA-DGR

Not regulated

13.1. Waste treatment methods: Observe local regulations. 13.1.1. Product / packaging disposal: Waste codes / waste designations according to LoW: Dispose of in accordance with local regulations. Do not empty product into drains. According to the European catalogue, waste codes are not product specific, but application specific. The user should assign waste codes, preferably in discussion with the waste disposal authorities. 13.1.2. Waste treatment-relevant information: No data available. 13.1.3. Sewage disposal-relevant information: No data available. 13.1.4. Other disposal recommendations: No data available. **SECTION 14. TRANSPORT INFORMATION** Sea - IMGD Road ADR Railway RID Code 14.1. UN Number Not regulated Not regulated Not regulated 14.2. UN proper shipping name Not regulated Not regulated Not regulated 14.3. Transport hazard class(es) Not regulated Not regulated Not regulated 14.4. Packing Group Not regulated Not regulated Not regulated 14.5. Environmental hazards Not regulated Not regulated Not regulated 14.6. Special precautions for user Not regulated Not regulated Not regulated 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the Not regulated Not regulated Not regulated IBC code" **SECTION 15. REGULATORY INFORMATION** 15.1 Safety, health and environmental regulations / legislation specific National and local regulations must be observed. for the substance or mixture: For labelling information see SECTION 2. This product contains only components that have been either pre-registered, 15.1.1. REACh Regulation (EC) No 1907/2006: registered, are exempt from registration, are regarded as registered or are not subject to registration according to Regulation (EC) No. 1907/2006 (REACH)., The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the



1.0

Version (Revision) :

Trade name :

3C Sealants Low Mod Silicone

Date :

02-03-2020

	buyer's/user's responsibility to ensure that his/her understanding of the	
	regulatory status of this product is correct.	
15.1.2. Restrictions on the manufacture, placing on the market and use:	The following substance/s contained in this product is/are subject through	
	Annex XVII of REACH regulation to restrictions on the manufacture, placing	
	on the market and use when present in certain dangerous substances,	
	mixtures and articles. Users of this product have to comply with the	
	restrictions placed upon it by the aforementioned provision: CAS 541-02-6,	
	Decamethylcyclopentasiloxane. Restriction status: listed in REACH Annex	
	XVII. Restricted uses: See Commission Regulation (EU) No 2018/35 for	
	Conditions of restriction. Number on the list: 70.	
15.1.3. Authorisation status under REACH:	The following substance/s contained in this product might be or is/are subject	
	to authorization in accordance with REACH: CAS 540-97-6;	
	Dodecamethylcyclohexasiloxane, CAS 541-02-6; Decamethylpentasiloxane.	
	Authorisation status; both listed in the candidate list of Substances of Very	
	High Concern.	
15.2 Chemical Safety Assessment.	Not applicable.	
SECTION 16. OTHER INFORMATION		

Indication of changes:

Section changed from previous version: None

Abbreviations / Acronyms used:

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS# - Chemical Abstracts Service number.

PBT - Persistent, Bioaccumulative and Toxic substance.

VPvB - Very Persistent and Very Bioaccumulative.

UN - United Nations.

REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.

Relevant R-phrases and/or H-statements (number and full text): According to Regulation (EC) No 1278/2008 (CLP/ GHS);

This product is not classified as dangerous according to EC criteria.

This Product Safety Data Sheet was prepared in compliance with article 31 and Annex II of the EU REACH regulation as well as their relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

This product should only be used as stated in CCC literature. It is the responsibility of the persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose of or in any way come in to contact with the product. If the recipient subsequently produces a formulation containing the CCC product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the CCC Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH regulation.

All information and instructions provided in the Product Safety Data Sheet are based on the current state of scientific and technical knowledge at the date indicated on the present Product Safety Data Sheet. CCC shall not be held responsible for any defect in the product covered by this Product Safety Data Sheet, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.