

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 3/18/2022 Supersedes version of: 2/3/2022 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : 3C Multi-Use Adhesive & sealant

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

County Construction Chemicals Ltd Unit 4, Chingford Industrial Centre Hall Lane GB– E4 8DJ London United Kingdom T 020 8524 1931

info@countyconchem.co.uk - www.countyconchem.co.uk

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Acute Hazard, Category 1 H400

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS09

CLP Signal word : Warning

Hazard statements (CLP) : H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents/container to a hazardous or special waste collection point.

EUH-statements : EUH208 - Contains Dioctyltinbis(acetylacetonate), 3-(2-

aminoethylamino)propyltrimethoxysilane, N-(2-aminoethyl)-N'-[3-

(trimethoxysilyl)propyl]ethylenediamine, Reaction mass of bis(1,2,2,6,6-pentamethyl-4-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium dioxide (Note W)(Note 10)	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2 REACH-no: 01-2119489379- 17	≥1-<5	Carc. 2, H351
Phenyltrimethoxysilane	CAS-No.: 2996-92-1 EC-No.: 221-066-9 REACH-no: 01-2119964479-	≥ 1 - < 2.5	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 STOT RE 2, H373
3-(2-aminoethylamino)propyltrimethoxysilane	CAS-No.: 1760-24-3 EC-No.: 217-164-6 REACH-no: 01-2119970215- 39	≥ 0.5 – < 1	Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335
Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	CAS-No.: 1065336-91-5 EC-No.: 915-687-0 REACH-no: 01-2119491304- 40	≥ 0.1 – < 0.5	Skin Sens. 1A, H317 Repr. 2, H361f Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
N-(2-aminoethyl)-N'-[3- (trimethoxysilyl)propyl]ethylenediamine	CAS-No.: 35141-30-1 EC-No.: 252-390-9	≥ 0.1 – < 0.5	Eye Dam. 1, H318 Skin Sens. 1, H317
methanol substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	≥ 0.1 – < 0.5	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
Dioctyltinbis(acetylacetonate)	CAS-No.: 54068-28-9 EC-No.: 483-270-6 REACH-no: 01-0000020199- 67	≥ 0.1 – < 0.5	Skin Sens. 1, H317 STOT SE 2, H371
Zinc pyrithione	CAS-No.: 13463-41-7 EC-No.: 236-671-3 EC Index-No.: 613-333-00-7 REACH-no: 01-2119511196- 46	< 0.5	Repr. 1B, H360D Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Oral), H301 STOT RE 1, H372 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=10)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
3-(2-aminoethylamino)propyltrimethoxysilane	CAS-No.: 1760-24-3 EC-No.: 217-164-6 REACH-no: 01-2119970215- 39	(2.5 ≤C < 100) Eye Irrit. 2, H319 (2.5 ≤C < 100) Skin Sens. 1, H317
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	(3 ≤C < 10) STOT SE 2, H371 (10 ≤C < 100) STOT SE 1, H370

Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Take victim to fresh air, in a quiet place and if necessary take medical advice. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: After contact with skin, wash immediately and thoroughly with water and soap. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). If you feel unwell, seek medical advice. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. All extinguishing media allowed.

Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Strong water jet. Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide. Nitrogen oxides. Hydrocarbons. Toxic fumes.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Precautionary measures fire : Do not breathe vapours. Evacuate unnecessary personnel. Exercise caution when fighting

any chemical fire.

Firefighting instructions : Cool down the containers exposed to heat with a water spray. Use water spray or fog for

cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire

fighting water from entering the environment.

Protection during firefighting : Wear a self contained breathing apparatus. Do not enter fire area without proper protective

equipment, including respiratory protection.

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate air ventilation. Spills of this product present a serious slipping hazard. Do

not touch or walk on the spilled product.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip rescue crew with proper protection. Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Do not allow into drains or water courses. Avoid sub-soil penetration. Notify authorities if product enters sewers or public waters. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Cover spill with non combustible material, e.g.: sand, earth, vermiculite. Collect all waste in

suitable and labelled containers and dispose according to local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage.

Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Ensure adequate ventilation, especially in confined areas.

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Take off immediately all contaminated clothing and wash it before reuse. Wash hands and other

exposed areas with mild soap and water before eating, drinking or smoking and when

leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool and well-ventilated place. Keep only in the original container in a cool,

well ventilated place away from : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

3/18/2022 (Revision date) EN (English) 4/18

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

methanol (67-56-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Methanol	
IOEL TWA	260 mg/m³	
IOEL TWA [ppm]	200 ppm	
Remark	Skin Skin	
	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	266 mg/m³	
WEL TWA (OEL TWA) [2]	200 ppm	
WEL STEL (OEL STEL)	333 mg/m³	
WEL STEL (OEL STEL) [ppm]	250 ppm	
Titanium dioxide (13463-67-7)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	10 mg/m³ inhalable dust 4 mg/m³ respirable dust	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses		With side shields	EN 166

8.2.2.2. Skin protection

Hand protection:

Time of penetration is to be checked with the glove producer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear. Wear protective gloves.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,1		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

Ensure there is adequate ventilation. Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not allow to enter into surface water or drains.

Consumer exposure controls:

Avoid contact with skin and eyes.

Other information:

Viscosity, kinematic

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Paste.

Colour : According to product specification.

Odour : characteristic. Odour threshold : No data available : No data available pН Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available : No data available Auto-ignition temperature : No data available Decomposition temperature Flammability (solid, gas) : Non flammable. : No data available Vapour pressure : No data available Relative vapour density at 20 °C Relative density : No data available Density 1.47 g/cm³ Water: Insoluble Solubility Partition coefficient n-octanol/water (Log Pow) No data available

3/18/2022 (Revision date) EN (English) 6/18

: No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

Moisture. Heat. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

No decomposition if stored normally. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (ilinalation)	Not classified	
Zinc pyrithione (13463-41-7)		
LD50 oral rat	269 mg/kg	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	1.03 mg/l/4h	
ATE CLP (oral)	221 mg/kg bodyweight	
ATE CLP (gases)	100 ppmv/4h	
Dioctyltinbis(acetylacetonate) (54068-28-9)		
LD50 oral rat	2500 mg/kg	
LD50 dermal rat	> 2000 mg/kg (OECD 402 method)	
ATE CLP (oral)	2500 mg/kg bodyweight	
methanol (67-56-1)		
LD50 oral rat	1187 – 2769 mg/kg bodyweight Animal: rat	
LD50 oral	1187 – 2769 mg/kg	
LD50 dermal rat	300 mg/kg	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

methanol (67-56-1)		
LD50 dermal rabbit	15800 – 17100 mg/kg	
LC50 Inhalation - Rat	128.2 mg/l/4h	
LC50 Inhalation - Rat [ppm]	64000 ppm/4h	
LC50 Inhalation - Rat (Vapours)	128.2 mg/l/4h	
ATE CLP (oral)	100 mg/kg bodyweight	
ATE CLP (dermal)	300 mg/kg bodyweight	
ATE CLP (gases)	700 ppmv/4h	
3-(2-aminoethylamino)propyltrimethoxysilane	(1760-24-3)	
LD50 oral rat	2295 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	1.49 – 2.44 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
LC50 Inhalation - Rat (Dust/Mist)	> 1.49 mg/l/4h	
ATE CLP (oral)	2295 mg/kg bodyweight	
N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl	ethylenediamine (35141-30-1)	
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	1.49 mg/l/4h	
Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5)		
LD50 oral rat	3230 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), 95% CL: 2615 - 4247	
LD50 dermal rat	> 3170 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
ATE CLP (oral)	3230 mg/kg bodyweight	
Titanium dioxide (13463-67-7)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)	
LD50 dermal rat	> 10000 mg/kg	
LD50 dermal rabbit	> 10000 mg/kg	
LC50 Inhalation - Rat	> 6.82 mg/l	
LC50 Inhalation - Rat (Dust/Mist)	> 6.82 mg/l/4h	
Phenyltrimethoxysilane (2996-92-1)		
LD50 oral rat	1049 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), 95% CL: 550 - 2000	
LD50 dermal rabbit	3014 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 1920 - 5128	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Phenyltrimethoxysilane (2996-92-1)			
ATE CLP (oral)	550 mg/kg bodyweight		
Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitisation Additional information	 : Not classified : Based on available data, the classification criteria are not met : Not classified : Based on available data, the classification criteria are not met : Not classified : Mixture Raw material (OECD 406 method) Does not cause cutaneous sensitisation for guinea-pigs Based on available data, the classification criteria are not met 		
Germ cell mutagenicity Additional information Carcinogenicity Additional information Reproductive toxicity Additional information	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 		
Zinc pyrithione (13463-41-7)			
LOAEL (animal/male, F0/P)	2.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)		
LOAEL (animal/female, F0/P)	1.4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)		
LOAEL (animal/male, F1)	2.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)		
LOAEL (animal/female, F1)	1.4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)		
NOAEL (animal/male, F0/P)	1.4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)		
NOAEL (animal/female, F0/P)	0.7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)		
NOAEL (animal/male, F1)	1.4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)		
NOAEL (animal/female, F1)	0.7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)		
methanol (67-56-1)			
NOAEL (animal/male, F0/P)	< 1000 mg/kg bodyweight Animal: mouse, Animal sex: male		
STOT-single exposure Additional information	Not classified Based on available data, the classification criteria are not met		
Dioctyltinbis(acetylacetonate) (54068-28-9			
STOT-single exposure	May cause damage to organs (immune system) (if swallowed).		
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)			
STOT-single exposure	May cause respiratory irritation.		
STOT-repeated exposure Additional information	: Not classified : Based on available data, the classification criteria are not met		
Zinc pyrithione (13463-41-7)			
LOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)		
NOAEL (oral, rat, 90 days)	0.5 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Zinc pyrithione (13463-41-7)			
NOAEL (dermal, rat/rabbit, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)		
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.		
3-(2-aminoethylamino)propyltrimethoxysilane	e (1760-24-3)		
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)		
NOAEL (dermal, rat/rabbit, 90 days)	≥ 1545 mg/kg bodyweight Animal: rat		
N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine (35141-30-1)		
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight/day		
Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5)			
NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))		
Phenyltrimethoxysilane (2996-92-1)			
LOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard : Additional information : Potential adverse human health effects and :	Not classified Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met		
symptoms	based on available data, the diagonication officina are not met		

SECTION 12: Ecological information

12.1. Toxicity

(chronic)

LC50 - Fish [1]

: Very toxic to aquatic life. Harmful to aquatic life with long lasting effects. Ecology - water

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

Zinc pyrithione (13463-41-7) LC50 - Fish [1] 0.4 mg/l Test organisms (species): Cyprinodon variegatus LC50 - Fish [2] 2.6 µg/l Test organisms (species): Pimephales promelas EC50 - Crustacea [1] 8.2 µg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] 0.051 mg/l (OECD 201 method) EC50 72h - Algae [2] 0.0013 mg/l ErC50 algae 0.051 mg/l (OECD 201 method) NOEC chronic fish 0.00125 mg/l (OECD 215 method) NOEC chronic crustacea 0.0022 mg/l (OECD 211 method) NOEC chronic algae 0.0149 mg/l (OECD 201 method) Dioctyltinbis(acetylacetonate) (54068-28-9)

86 mg/l (OECD 203 method)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dioctyltinbis(acetylacetonate) (54068-28-9)	
EC50 - Crustacea [1]	58.6 mg/l (OECD 202 method)
EC50 72h - Algae [1]	300 mg/l Scenedesmus subspicatus
methanol (67-56-1)	
LC50 - Fish [1]	15400 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	18260 mg/l (OECD 202 method)
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	22000 mg/l Pseudokirchneriella subcapitata
ErC50 algae	16912 mg/l ulva pertusa
NOEC (chronic)	208 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	7900 mg/l Oryzias latipes
3-(2-aminoethylamino)propyltrimethoxysilane	(1760-24-3)
LC50 - Fish [1]	597 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	81 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	126 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	352 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	8.8 mg/l (OECD 201 method)
NOEC (chronic)	> 1 mg/l
NOEC chronic algae	3.1 mg/l (OECD 201 method)
N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine (35141-30-1)
LC50 - Fish [1]	597 (OECD 203 method)
EC50 - Crustacea [1]	81 mg/l (OECD 202 method)
EC50 72h - Algae [1]	126 mg/l Test method EU C.3
NOEC chronic crustacea	> 1 mg/l (OECD 211 method)
Reaction mass of bis(1,2,2,6,6-pentamethyl-4-(1065336-91-5)	piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate
LC50 - Fish [1]	0.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	1.68 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	0.42 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Titanium dioxide (13463-67-7)	
LC50 - Fish [1]	155 mg/l Test organisms (species): other:Japanese Medaka
LC50 - Fish [2]	> 10000 mg/l
EC50 - Crustacea [1]	19.3 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	27.8 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1000 mg/l
EC50 - Other aquatic organisms [2]	61 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Titanium dioxide (13463-67-7)		
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	> 100 mg/l pseudokirchneriella subcapitata	
NOEC (chronic)	≥ 2.92 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic algae	5600 mg/l	
Phenyltrimethoxysilane (2996-92-1)		
LC50 - Fish [1]	> 0.074 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	> 0.0029 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 0.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
12.2. Persistence and degradability		
3C Multi-Use Adhesive & sealant		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Zinc pyrithione (13463-41-7)		
Biodegradation	> 85 % (OECD 303 method)	
methanol (67-56-1)		
Persistence and degradability	Readily biodegradable.	
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)		
Biodegradation	39 % (OECD 301A method)	
Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5)		
Biodegradation	(OECD 301F method)	
Titanium dioxide (13463-67-7)		
Persistence and degradability	Not readily biodegradable.	
12.3. Bioaccumulative potential		
3C Multi-Use Adhesive & sealant		
Bioaccumulative potential	Not established.	
Zinc pyrithione (13463-41-7)		
Partition coefficient n-octanol/water (Log Pow)	at 20 °C	
Partition coefficient n-octanol/water (Log Kow)	1.21 (OECD 107 method)	

Bioaccumulative potential Not established. Zinc pyrithione (13463-41-7) Partition coefficient n-octanol/water (Log Pow) at 20 °C Partition coefficient n-octanol/water (Log Kow) 1.21 (OECD 107 method) methanol (67-56-1) Bioconcentration factor (BCF REACH) < 10 Partition coefficient n-octanol/water (Log Pow) -0.77 Bioaccumulative potential Low bioaccumulation potential. Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5) Partition coefficient n-octanol/water (Log Pow) 2.37 – 2.77 (OECD 107 method)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Titanium dioxide (13463-67-7)		
BCF - Fish [1] 352		
Phenyltrimethoxysilane (2996-92-1)		
Bioaccumulative potential Not potentially bioaccumulable.		

12.4. Mobility in soil

Zinc pyrithione (13463-41-7)		
Surface tension 73 mN/m		
Dioctyltinbis(acetylacetonate) (54068-28-9)		
Surface tension 32.3 mN/m at 20 °C		

12.5. Results of PBT and vPvB assessment

3C Multi-Use Adhesive & sealant

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

N-(2-aminoethyl)-N'-[3- (trimethoxysilyl)propyl]ethylenediamine (35141-30-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number	14.1. UN number			
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
Transport document descr	Transport document description			
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
14.3. Transport hazard of	class(es)			
9	9	9	9	9
		1 1 1 1 1 1 1 1 1 1		
14.4. Packing group	14.4. Packing group			
111	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5kg Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3
Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions : TP33

(ADR)

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V13
Special provisions for carriage - Bulk (ADR) : VC1, VC2
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90

Tunnel restriction code (ADR) : -EAC code : 2Z

Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG): 5 kgExcepted quantities (IMDG): E1Packing instructions (IMDG): LP02, P002Special packing provisions (IMDG): PP12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : BK1, BK2, BK3, T1

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T* B**

Equipment required (ADN) : PP, A***

Number of blue cones/lights (ADN) : 0

Additional requirements/Remarks (ADN) : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. ** * Only in the case of

transport in bulk.

Rail transport

Classification code (RID) : M7

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3
Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W13
Special provisions for carriage – Bulk (RID) : VC1, VC2
Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out: methanol

SECTION 16: Other information

Indication of changes:

Composition/information on ingredients. Hazards identification. Transport information.

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
IOELV	Indicative Occupational Exposure Limit Value	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:		
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	

Data sources : ECHA (European Chemicals Agency). REGULATION (EC) No 1272/2008 OF THE

EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on

classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Supplier's safety documents.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the

packaging.

Other information : None.

Full text of H- and EUH-statements:		
Acute toxicity (inhal.), Category 2		
Acute toxicity (dermal), Category 3		
Acute toxicity (inhal.), Category 3		
Acute toxicity (oral), Category 3		
Acute toxicity (oral), Category 4		
Hazardous to the aquatic environment — Acute Hazard, Category 1		
Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Carcinogenicity, Category 2		
Contains Dioctyltinbis(acetylacetonate), 3-(2-aminoethylamino)propyltrimethoxysilane, N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine, Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.		
Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.		
Serious eye damage/eye irritation, Category 1		
Serious eye damage/eye irritation, Category 2		
Flammable liquids, Category 2		
Flammable liquids, Category 3		
Highly flammable liquid and vapour.		
Flammable liquid and vapour.		
Toxic if swallowed.		
Harmful if swallowed.		
Toxic in contact with skin.		
May cause an allergic skin reaction.		
Causes serious eye damage.		
Causes serious eye irritation.		
Fatal if inhaled.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:		
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
H360D	May damage the unborn child.	
H361f	Suspected of damaging fertility.	
H370	Causes damage to organs.	
H371	May cause damage to organs.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 1B	Reproductive toxicity, Category 1B	
Repr. 2	Reproductive toxicity, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 1	Specific target organ toxicity — single exposure, Category 1	
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aquatic Acute 1	atic Acute 1 H400 Calculation method	
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.