

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: SMOOTH FINISH 2 IN 1 PART B Trade Code: CCC0084 MRY3-CADP-KTC4-6DGP UFI:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Hardener for epoxy systems

Uses advised against: Not intended for consumer use

1.3. Details of the supplier of the safety data sheet

Company: County Construction Chemicals Ltd. Unit 4 Chingford Industrial Centre, Hall Lane London, E4 8DJ

Responsable:

1.4. Emergency telephone number

020 8524 1931

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Skin Corr. 1B Causes severe skin burns and eye damage.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1 May cause an allergic skin reaction.

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) No 1272/2008 (CLP):

Pictograms and Signal Words



Hazard statements

- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/clothing and eye/face protection.
- P301+P330+P33 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- 1

8

P303+P361+P35 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. 3

P305+P351+P33 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Contains:

3-aminomethyl-3,5,5trimethylcyclohexylamine

2,2,4(or 2,4,4)-trimethylhexane-1,6diamine

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3epoxypropane, reaction products with mphenylenebis(methylamine)

m-phenylenebis(methylamine)

phenol, styrenated

Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

Ν

3.2. Mixtu Mixture ide	res	PART B		
Hazardous	s components within the meanin	g of the CLP regu	lation and related classification:	
Qty	Name	Ident. Numb.	Classification	Registration Number
≥7 - <10 %	benzyl alcohol	CAS:100-51-6 EC:202-859-9 Index:603-057-	Acute Tox. 4, H332 Acute Tox. 4, H302 Eye Irrit. 2, H319	01-2119492630-38-xxxx
		00-5	Acute Toxicity Estimate: ATE - Inhalation (Vapours): 11mg/l	
≥7 - <10	4,4'-Isopropylidenediphenol,	CAS:113930-69-	Skin Corr. 1B, H314; Eye Dam. 1,	01-2119965162-39-xxxx
%	oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with m- phenylenebis(methylamine)	1 EC:500-302-7	H318; Skin Sens. 1, H317; Aquatic Chronic 2, H411	
≥5 - <7 %	3-aminomethyl-3,5,5- trimethylcyclohexylamine	CAS:2855-13-2 EC:220-666-8 Index:612-067- 00-9	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317	01-2119514687-32-xxxx
			Specific Concentration Limits: $C \ge 0.001\%$: Skin Sens. 1A H317	
			Acute Toxicity Estimate: ATE - Oral: 1030mg/kg bw	
≥5 - <7 %	phenol, styrenated	CAS:61788-44-1 EC:262-975-0	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411	01-2119980970-27-xxxx
≥5 - <7 %	2,4,6- tris(dimethylaminomethyl)phenol	CAS:90-72-2 EC:202-013-9	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319	01-2119560597-27-xxxx
		1ndex:603-069- 00-0	Acute Toxicity Estimate: ATE - Oral: 500mg/kg bw	
≥1 - <2.5 %	m-phenylenebis(methylamine)	CAS:1477-55-0 EC:216-032-5	Acute Tox. 4, H332; Acute Tox. 4, H302; Skin Corr. 1B, H314; Eye	Dam. 1, H318; Skin Sens. 1B, H317; Aquatic Chronic 3, H412, EUH071

01-21194801 50-50xxxx

≥1 - <2.5	2,2,4(or 2,4,4)-trimethylhexane-	CAS:25513-64-8	Acute Tox. 4, H302; Skin Corr. 1A,	01-2119560598-25-xxxx
%	1,6-diamine	EC:247-063-2	H314; Eye Dam. 1, H318; Skin Sens. 1A, H317	
≥0.5 - <1 %	Oligomerisation and alkylation reaction products of 2- phenylpropene and phenol	EC:700-960-7	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	01-2119555274-38-xxxx
≥0.5 - <1 %	salicylic acid	CAS:69-72-7 EC:200-712-3 Index:607-732- 00-5	Acute Tox. 4, H302; Eye Dam. 1, H318; Repr. 2, H361d	01-2119486984-17-xxxx
≥0.3 - <0.5 %	Silica crystalline, quartz (respirable fraction)	CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372	Exempted

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Remove contaminated clothing immediatley and dispose off safely.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

The symptoms and effects are as expected from the hazards as shown in section 2.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

CO2, powder extinguisher, foam, water spray.

Extinguishing media which must not be used for safety reasons:

Water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Do not inhale explosion and/or combustion gases (carbon monoxide, carbon dioxide, nitrogen oxides).

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Material suitable for collection: inert absorbent material (e.g. sand, vermiculite) After the product has been recovered, rinse the area and materials involved with water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

See chapter 10.5

Instructions as regards storage premises: Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

See chapter 1.2

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection 8.1. Control parameters

Community Occupational Exposure Limits (OEL)

	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Notes
benzyl alcohol CAS: 100-51-6	AGW	GERMANY		22	5	44	10	Inhalable fraction and v
	MAK	GERMANY		22.000	5.000	44.000	10.000	Inhalable fraction and v
	NDS	POLAND		240.000				
	SUVA	SWITZERLAN D		22.000	5.000			
	MV	SLOVENIA		22.000	5.000	44.000	10.000	Skin
	TLV	CZECHIA		40.000	8.880	80.000	17.760	
m- phenylenebis (methylamine) CAS: 1477-55-0	ACGIH		С				0.018	Skin - Eye, skin, and GI
	MAK	AUSTRIA		0.100				
	VLEP	BELGIUM				0.100		
	VLEP	FRANCE				0.100		
	SUVA	SWITZERLAN D		0.100				
	MV	SLOVENIA		0.100				
Silica crystalline, quartz (respirable fraction) CAS: 14808-60-7	ACGIH			0.025				(R), A2 - Pulm fibrosis, cancer
	EU			0.1				
	МАК	AUSTRIA		0.050				
	VLEP	FRANCE		0.100				Respirable aerosol
	ÁК	HUNGARY		0.150				Respirable aerosol
	NDS	POLAND		0.100				
	VLA	SPAIN		0.050				
	SUVA	SWITZERLAN D		0.150				Respirable aerosol
	MAC	NETHERLAND)	0.075				Respirable dust

GVI	CROATIA	0.100
MV	SLOVENIA	0.150
IPRV	LITHUANIA	0.100

Predicted No Effect Concentration (PNEC) values

	PNEC Limit	Exposure Route	Exposure Frequency	Remark
benzyl alcohol CAS: 100-51-6	1 mg/l	Fresh Water		
	0.1 mg/l	Marine water		
	39 mg/l	Microorganisms in sewage treatments		
	5.27 mg/kg	Freshwater sediments		
	0.527 mg/kg	Marine water sediments		
	0.456 mg/kg	Soil (agricultural)		
4,4'- Isopropylidenediphenol, oligomeric reaction products with 1-chloro- 2,3-epoxypropane, reaction products with m- phenylenebis (methylamine) CAS: 113930-69-1	0 mg/l	Marine water		
	C A	0.001		
	S : 6 1 7	mg/1 8.889 mg/l		
	8 8 -	461000 mg/kg		
	4 4	461000		
	- 1	u mg/kg		
		923000 mg/kg		
3-aminomethyl-3,5,5- trimethylcyclohexylamine CAS: 2855-13-2		0.06 mg/l		
		0.006 mg/l		
		3.18 mg/l		
		5.784 mg/kg		
		0.578 mg/kg		
		1.121 mg/kg		
phenol, styrenated		0.0115		

Fresh	Soil (agricultural)
Water	Fresh Water
M	
C r	Marine water
o o r g	Microorganisms in sewage treatments
a n i	Freshwater sediments
s m s	Marine water sediments
i n s	Soil (agricultural)
e w	Fresh Water
a g	
e t r	
e a	
t m	
e n +	
S	
M a	
r i	
e	
a t	
e r	
s e	
a i m	
e	
t s	
F	
r e	
h w	
a t	
e r	
s e	
u i m	
e n	
t s	

0.00115 Marine water mg/l

	1.564 mg/kg	Freshwater sediments
	0.1564 mg/kg	Marine water sediments
	0.3052 mg/kg	Soil (agricultural)
2,4,6- tris	0.046 mg/l	Fresh Water
(dimethylaminomethyl) phenol		
CAS: 90-72-2		
	0.005 mg/l	Marine water
	0.2 mg/l	Microorganisms in sewage treatments
	0.262 mg/kg	Freshwater sediments
	0.026 mg/kg	Marine water sediments
	0.025 mg/kg	Soil
m- phenylenebis (methylamine)	0.009 mg/l	Marine water
CAS. 1477-55-0	0.094 mg/l	Fresh Water
	0.043 mg/kg	Marine water sediments
	0.43 mg/kg	Freshwater sediments
	0.045 mg/kg	Soil (agricultural)
	10 mg/l	Microorganisms in sewage treatments
2,2,4(or 2,4,4)- trimethylhexane-1,6- diamine	0.01 mg/l	Marine water
CAS: 25513-64-8		
	0.102 mg/l	Fresh Water
	72 mg/l	Microorganisms in sewage treatments
	0.622 mg/kg	Freshwater sediments
	0.062 mg/kg	Marine water sediments
	10 mg/kg	Soil (agricultural)
Oligomerisation and alkylation reaction products of 2- phenylpropene and phenol	1.4 µg/l	Marine water

14 µg/l Fresh Water

	2.4 mg/l	Microorganisms in sewage treatments
	1064 mg/kg	Freshwater sediments
	106 mg/kg	Marine water sediments
	212 mg/kg	Soil
salicylic acid CAS: 69-72-7	0.2 mg/l	Fresh Water
	0.02 mg/l	Marine water
	162 mg/l	Microorganisms in sewage treatments
	1.42 mg/kg	Freshwater sediments
	0.142 mg/kg	Marine water sediments
	0.166 mg/kg	Soil (agricultural)

Derived No Effect Level (DNEL) values

	Worker Industr	Worker Profess	Consu mer	Exposure Route	Exposure Frequency Remark
benzyl alcohol CAS: 100-51-6	У	ional 110 mg/m3	27 mg/m3	Human Inhalation	Short Term, systemic effects
		22 mg/m3	5.4 mg/m3	Human Inhalation	Long Term, systemic effects
		40 mg/kg	20 mg/kg	Human Dermal	Short Term, systemic effects
		8 mg/kg	4 mg/kg	Human Dermal	Long Term, systemic effects
			20 mg/kg	Human Oral	Short Term, systemic effects
			4 mg/kg	Human Oral	Long Term, systemic effects
4,4'- Isopropylidenediphe nol, oligomeric reaction products with 1-chloro-2,3- epoxypropane, reaction products with m- phenylenebis (methylamine) CAS: 113930-69-1		0.493 mg/m3	74 μg/m3	Human Inhalation	Long Term, systemic effects
		0.14 mg/kg	50 µg/kg	Human Dermal	Long Term, systemic effects
			50 µg/kg	Human Oral	Long Term, systemic effects
phenol, styrenated CAS: 61788-44-1 Date 08/06/2023		2.87 mg/kg		1.21 mg/m3	HumanDermal

Human Inhalation

L o n g T e r m , y s t e m i c e f f e c t s L o n g T e r m , s y s t e m c f f e c t s

2,4,6- tris (dimethylaminometh yl)phenol CAS: 90-72-2	0.53 mg/m3	0.13 mg/m3	Human Inhalation	Long Term, systemic effects
	2.1 mg/m3	0.13 mg/m3	Human Inhalation	Short Term, systemic effects
	0.15 mg/kg	0.075 mg/kg	Human Dermal	Long Term, systemic effects
	0.6 mg/kg	0.075 mg/kg	Human Dermal	Short Term, systemic effects
		0.075 mg/kg	Human Oral	Long Term, systemic effects
m- phenylenebis (methylamine) CAS: 1477-55-0	0.33 mg/kg		Human Dermal	Long Term, systemic effects
	0.2 mg/m3		Human Inhalation	Long Term, local effects
	1.2 mg/m3		Human Inhalation	Long Term, systemic effects
2,2,4(or 2,4,4)- trimethylhexane-1, 6-diamine CAS: 25513-64-8		0.05 mg/kg	Human Oral	Long Term, systemic effects
Oligomerisation and alkylation reaction products of 2- phenylpropene and phenol		0.2 mg/kg	Human Oral	Long Term, systemic effects
	3.5 mg/kg	1.7 mg/kg	Human Dermal	Long Term, systemic effects
	1.4 mg/m3	0.35 mg/m3	Human Inhalation	Long Term, systemic effects
salicylic acid CAS: 69-72-7	5 mg/m3	4 mg/m3	Human Inhalation	Long Term, systemic effects
	5 mg/m3		Human Inhalation	Long Term, local effects
	2.3 mg/kg	1 mg/kg	Human Dermal	Long Term, systemic effects
		1 mg/kg	Human Oral	Long Term, systemic effects
		4 mg/kg	Human Oral	Short Term, systemic effects

8.2. Exposure controls

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.

Eye protection:

Eye glasses with side protection (EN 166).

Protection for skin:

Use suitable clothing that provides complete protection to the skin according to activity and exposure (EN 14605/EN 13982), e.g. overall, apron, safety shoes, suitable clothing.

Protection for hands:

There is no material or combination of materials for gloves that can guarantee unlimited resistance to any individual chemical or combination of chemicals.

For prolonged or repeated handling, use chemical resistant gloves.

Suitable materials for safety gloves (EN 374/EN 16523); FKM (Fluorinated rubber): thickness >= 0.4 mm; permeation time >= 480 min.; NBR (Nitril rubber): thickness >= 0.4 mm; permeation time >= 480 min.

The choice of suitable gloves does not only depend on the material, but also on other quality characteristics that vary from one manufacturer to another and on the manner and times according to which the mixture is used.

Respiratory protection:

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. Combination filtering device (EN 14387).

Environmental exposure controls:

See point 6.2 Hygienic and Technical measures

See section 7.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: thick liquid Color: translucent Odour: slightly ammoniacal Odour threshold: N.D. Melting point / freezing point: N.D. Initial boiling point and boiling range: N.D. Flammability: Non-flammable Upper/lower flammability or explosive limits: N.D. Flash point: > 93°C (Internal assessment) Auto-ignition temperature: N.D. Decomposition temperature: N.D. pH: N.A. (Not applicable due to nature of the product) Kinematic viscosity: > 20,5 mm2/sec (40 °C) Relative density: $1.52 \pm 0.03 \text{ kg/l}$ (Internal method) Vapour density: N.D. Vapour pressure: N.D. Solubility in water: Insoluble Solubility in oil: No data available Partition coefficient (n-octanol/water): N.A. **Particle characteristics:** Based on the available data, the product does not contain nanomaterials.

9.2. Other information

Conductivity: N.D. Explosive properties: N.D. Oxidizing properties: N.D. Evaporation rate: N.A. VOC content % in the product (2010/75/UE) 9.53

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

The product can generate liquid phases over time.

10.3. Possibility of hazardous reactions

It may catch fire on contact with powerful oxidising agents.

It may generate flammable and/or toxic gases on contact with elementary metals (alkalis and alkaline earths), oxidising mineral acids, halogenated organic substances, organic peroxides and hydroperoxides, powerful oxidising agents, powerful reducing agents.

10.4. Conditions to avoid

Keep away from heat sources.

10.5. Incompatible materials

See chapter 10.3

10.6. Hazardous decomposition products

No hazardous decomposition products when stored and handled correctly. See chapter 5.2

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Information of the Preparation

a) acute toxicity

Not classified

	Based on available data, the classification criteria are not met
b) skin corrosion/irritation	The product is classified: Skin Corr. 1B(H314)

c) serious eye da	mage/irritation	The product is classified: Eye Dam. 1(H318)			
d) respiratory or	skin sensitisation	The product is classified: Skin Sens. 1(H317) Not classified			
e) germ cell muta	agenicity				
		Based on available data, the classification criteria are not met			
f) carcinogenicity	,	Not classified			
		Based on available data, the classification criteria are not met			
g) reproductive to	oxicity	Not classified			
		Based on available data, the classification criteria are not met			
h) STOT-single ex	xposure	Not classified			
		Based on available data, the classification criteria are not met			
i) STOT-repeated	exposure	Not classified			
		Based on available data, the classification criteria are not met			
j) aspiration haza	ırd	Not classified			
		Based on available data, the classification criteria are not met			
Toxicological information	on on main comp	ponents of the mixture:			
benzyl alcohol	a) acute toxicity	ATE - Inhalation (Vapours) : 11 mg/l			
		LD50 Oral Rat 1620 mg/kg			
3-aminomethyl-3,5,5- trimethylcyclohexylamine	a) acute toxicity	ATE - Oral : 1030 mg/kg bw			
phenol, styrenated	a) acute toxicity	LD50 Oral Rat > 2000 mg/kg			
. , ,	, ,	LD50 Skin Rat > 2000 mg/kg			
		5, 5			
2,4,6- tris (dimethylaminomethyl) phenol	a) acute toxicity	ATE - Oral : 500 mg/kg bw			
		LD50 Skin Rat > 1 mg/kg 6h			
m- phenylenebis (methylamine)	a) acute toxicity	LD50 Skin Rat > 3100 mg/kg			
		LD50 Oral Pat 930 mg/kg			
		1050 or an Rat 950 mg/kg			
2,2,4(or 2,4,4)- trimethylhexane-1,6- diamine	a) acute toxicity	LD50 Oral Rat 910 mg/kg			
Oligomerisation and alkylation reaction products of 2- phenylpropene and phenol	a) acute toxicity	LD50 Oral Rat > 2000 mg/kg			
		LD50 Skin Rat > 2000 mg/kg			
		LC0 Inhalation of aerosol Rat 4.9 mg/l 4h			
aaliaulia a -i-t					
Sancylic acid	a) acute toxicity	LD50 Oral Raddit > 891 mg/kg LD50 Skin Rat > 2000 mg/kg			

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >=0.1%

SECTION 12: Ecological information

Adopt good working practices, so that the product is not released into the environment.

12.1. Toxicity

Eco-Toxicological Information:

Harmful to aquatic life with long lasting effects.

List of Eco-Toxicological properties of the product

The product is classified: Aquatic Chronic 3(H412)

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data	
benzyl alcohol	CAS: 100-51-6 - EINECS: 202- 859-9 - INDEX: 603-057-00-5	a) Aquatic acute toxicity :	LC50 Fish 460 mg/l 96h
		a) Aquatic acute toxicity :	EC50 Daphnia 230 mg/l 48h
		a) Aquatic acute toxicity :	EC50 Algae 770 mg/l 72h
		b) Aquatic chronic toxicity	: NOEC Daphnia 51 mg/l 21d
		b) Aquatic chronic toxicity	: NOEC Algae 310 mg/l 72h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with m- phenylenebis(methylamine)	CAS: 113930- 69-1 - EINECS: 500-302-7	a) Aquatic acute toxicity :	LC50 Fish 64 mg/l 96h
		a) Aquatic acute toxicity :	LC50 Daphnia 1.46 mg/l 48h
		a) Aquatic acute toxicity :	LC50 Algae 30 mg/l 72h
		b) Aquatic chronic toxicity	: NOEC Algae 30 mg/l 72h
3-aminomethyl-3,5,5- trimethylcyclohexylamine	CAS: 2855-13-2 - EINECS: 220- 666-8 - INDEX: 612-067-00-9	a) Aquatic acute toxicity :	LC50 Fish 110 mg/l 96h
		a) Aquatic acute toxicity :	EC50 Daphnia 23 mg/l 48h
		a) Aquatic acute toxicity :	EC50 Algae > 50 mg/l 72h
phenol, styrenated	CAS: 61788-44- 1 - EINECS: 262-975-0	a) Aquatic acute toxicity :	LC50 Fish 14.8 mg/l 96h
		a) Aquatic acute toxicity :	EC50 Algae 3.14 mg/l 72h
		a) Aquatic acute toxicity :	EC50 Daphnia > 1 mg/l 48h
2,4,6- tris(dimethylaminomethyl)phenol	CAS: 90-72-2 - EINECS: 202- 013-9 - INDEX: 603-069-00-0	a) Aquatic acute toxicity :	LC50 Fish 175 mg/l 96h
		a) Aquatic acute toxicity :	LC50 Daphnia 718 mg/l 96h
		a) Aquatic acute toxicity :	ErC50 Algae 84 mg/l 72h
		a) Aquatic acute toxicity :	NOEC Algae 6.25 mg/l 72h
m-phenylenebis(methylamine)	CAS: 1477-55-0 - EINECS: 216- 032-5	a) Aquatic acute toxicity :	LC50 Fish 87.6 mg/l 96h
		a) Aquatic acute toxicity :	EC50 Algae 20.3 mg/l 72h
		a) Aquatic acute toxicity :	EC50 Daphnia 15.2 mg/l 48h
		b) Aquatic chronic toxicity	: NOEC Daphnia 4.7 mg/l 21d
		b) Aquatic chronic toxicity	: NOEC Algae 10.5 mg/l 72h
2,2,4(or 2,4,4)-trimethylhexane- 1,6-diamine	CAS: 25513-64- 8 - EINECS: 247-063-2	a) Aquatic acute toxicity :	LC50 Fish 174 mg/l 48h
		a) Aquatic acute toxicity :	EC50 Daphnia 31.5 mg/l 24h
		a) Aquatic acute toxicity :	EC50 Algae 29.5 mg/l 72h
Oligomerisation and alkylation reaction products of 2- phenylpropene and phenol	EINECS: 700- 960-7	a) Aquatic acute toxicity :	EL50 Daphnia 14 mg/l 48h
		a) Aquatic acute toxicity :	EC50 Algae 15 mg/l 72h

a) Aquatic acute toxicity : LL50 Fish 25.8 mg/l 96ha) Aquatic acute toxicity : LC50 Fish 1380 mg/l 96h

salicylic acid

CAS: 69-72-7 -EINECS: 200-712-3 - INDEX: 607-732-00-5

a) Aquatic acute toxicity : EC50 Daphnia 870 mg/l 48h
a) Aquatic acute toxicity : EC50 Algae > 100 mg/l 72h

b) Aquatic chronic toxicity: NOEC Daphnia 10 mg/l 21d

12.2. Persistence and degradability

Component benzyl alcohol 3-aminomethyl-3,5,5- trimethyleydebawdamina	Persitence/Degradability: Readily biodegradable Non-readily biodegradable
phenol, styrenated 2,4,6- tris(dimethylaminomethyl)phenol	Non-readily biodegradable Non-readily biodegradable
m-phenylenebis(methylamine) 2,2,4(or 2,4,4)-trimethylhexane- 1,6-diamine	Non-readily biodegradable Non-readily biodegradable
Oligomerisation and alkylation reaction products of 2- phenylpropene and phenol	Non-readily biodegradable

salicylic acid	Readily biodegradable
----------------	-----------------------

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT/vPvB in percentage $\geq 0.1\%$.

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

Do not allow it to enter drains or watercourses.

Dispose of containers contaminated by the product in accordance with local or national legal provisions.

SECTION 14: Transport information



14.1. UN number or ID number 1759

14.2. UN proper shipping name Date 08/06/2023 ADR-Shipping Name: CORROSIVE SOLID, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3epoxypropane, reaction products with m-phenylenebis(methylamine) - 3-aminomethyl-3,5,5trimethylcyclohexylamine)

IATA-Technical name: CORROSIVE SOLID, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-

epoxypropane, reaction products with m-phenylenebis(methylamine) - 3-aminomethyl-3,5,5trimethylcyclohexylamine)

IMDG-Technical name: CORROSIVE SOLID, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3epoxypropane, reaction products with m-phenylenebis(methylamine) - 3-aminomethyl-3,5,5trimethylcyclohexylamine)

14.3. Transport hazard class(es)

ADR-Class: 8

IATA-Class: 8

IMDG-Class: 8

14.4. Packing group

ADR-Packing Group: II IATA-Packing group: II IMDG-Packing group: II

14.5. Environmental hazards

Marine pollutant: No Environmental Pollutant: No IMDG-EMS: F-A, S-B

14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR exempt:

ADR-Label: 8

ADR - Hazard identification number: 80

ADR-Special Provisions: 274

ADR-Transport category (Tunnel restriction code):

Air (IATA):

IATA-Passenger Aircraft: 859 IATA-Cargo Aircraft: 863 IATA-Label: 8

IATA-Subsidiary hazards: -

IATA-Erg: 8L

IATA-Special Provisions: A3 A803

Sea (IMDG):

IMDG-Stowage Code: Category A IMDG-Stowage Note: -

IMDG-Subsidiary hazards: -

IMDG-Special Provisions: 274

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Directive 2010/75/EU Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None.

Restrictions related to the substances contained: 75

Provisions related to directive EU 2012/18 (Seveso III):

None

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

German Water Hazard Class.

2: Hazard to waters

SVHC Substances:

On the basis of available data, the product does not contain any SVHC in percentage $\geq 0.1\%$.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description		
EUH071	Corrosive to the respiratory tract.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H361d	Suspected of damaging the unborn child.		
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Code	Hazard class and hazard category	Description	
3.1/4/Inhal	Acute Tox. 4	Acute toxicity (inhalation), Category 4	
3.1 /4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4	
3.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A	
3.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B	
3.2/2	Skin Irrit. 2	Skin irritation, Category 2	
3.3/1	Eye Dam. 1	Serious eye damage, Category 1	
3.3/2	Eye Irrit. 2	Eye irritation, Category 2	
3.4.2/1	Skin Sens. 1	Skin Sensitisation, Category 1	
3.4.2/1A	Skin Sens. 1A	Skin Sensitisation, Category 1A	
3.4.2/1B	Skin Sens. 1B	Skin Sensitisation, Category 1B	
3.7/2	Repr. 2	Reproductive toxicity, Category 2	
3.9/1	STOT RE 1	Specific target organ toxicity $-$ repeated exposure, Category 1	
4.1/C2	Aquatic Chronic 2	Chronic (long term) aquatic hazard, category 2	
4.1/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008

[CLP]:

Classification according to Regulation Classification procedure (EC) Nr. 1272/2008

Calculation method

3.3/1	Calculation method
3.4.2/1	Calculation method
4.1/C3	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Safety data sheets of raw materials suppliers.

CCNL - Appendix 1

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.