SAFETY DATA SHEET



ARBO® MIRROR ADHESIVE

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: ARBO® MIRR
Product description	: Sealants Adhe
Other means of identification	: Not available.

- RROR ADHESIVE
- lhesive.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Sealants Adhesive.		
Uses advised against	Reason	
Use only for intended applications.	-	

1.3 Details of the supplier of the safety data sheet

Adshead Ratcliffe & Co. Ltd.	
Derby Road, Belper	
Derbyshire.	
DE56 1WJ	
+44 (0)1773 826661	
e-mail address of person responsible for this SDS	: SDSQueries@carlisleccm.com

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number	 National Poisons Information Service (NPIS) Tel: 0344 892 0111 (for healthcare professionals only) Website: http://www.npis.org/ Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111. In Northern Ireland contact your local GP.
<u>Supplier</u>	

Telephone number	: +44 (0)1773 826661
	(Office hours: 8.30 - 17.00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture **Product definition** : Mixture

Classification according to UK CLP/GHS

Eye Irrit. 2, H319

Skin Sens. 1, H317

The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

SECTION 2: Hazards identification

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.
Precautionary statements		
Prevention	:	P280 - Wear protective gloves/protective clothing/eye protection/face protection. P261 - Avoid breathing vapour.
Response	:	 P362 + P364 - Take off contaminated clothing and wash it before reuse. P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
Storage	1	Not applicable.
Disposal	1	Not applicable
Supplemental label elements	:	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	en	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture contains substances that are assessed to be a PBT or a vPvB, refer to Section 3.2.
Other hazards which do not result in classification	:	Curing process releases a small amount of methanol.

SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Classification	Туре
titanium dioxide	EC: 236-675-5 CAS: 13463-67-7 Index: 022-006-00-2	≤10	Not classified.	[2]
trimethoxyvinylsilane	REACH #: 01-2119513215-52 EC: 220-449-8 CAS: 2768-02-7 Index: 014-049-00-0	≤3	Acute Tox. 4, H332 Eye Irrit. 2, H319 Skin Sens. 1B, H317	[1]
N-(3-(trimethoxysilyl)propyl) ethylenediamine	REACH #: 01-2119970215-39 EC: 217-164-6 CAS: 1760-24-3	<3	Acute Tox. 4, H332 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373 (respiratory tract) (inhalation)	[1]

SECTION 3: 0	Composition/information on ingredients
	somposition/information on myrcalents

SECTION 3: Compositio	n/mormation on h	igreatents		
dioctylbis(pentane-2,4-dionato-O, O')tin	REACH #: 01-0000020199-67 EC: 483-270-6 CAS: 54068-28-9	<1	Skin Sens. 1, H317 STOT SE 2, H371 (immune system) (oral)	[1] [2]
bumetrizole	REACH #: 01-2119971796-18 EC: 223-445-4 CAS: 3896-11-5	<1	Not classified.	[3]
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	REACH #: 01-2119537297-32 EC: 258-207-9 CAS: 52829-07-9	<1	Eye Dam. 1, H318 Repr. 2, H361f Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	[1]
methanol	EC: 200-659-6 CAS: 67-56-1 Index: 603-001-00-X	<0.1	Flam. Liq. 2, H225 Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT SE 1, H370	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for vPvB

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid me	asures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It
Frotection of Inst-aluers	may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves
4.2 Most important sympton	ns and effects, both acute and delayed
Over-exposure signs/symp	<u>otoms</u>
Eye contact	: Adverse symptoms may include the following:
	pain or irritation
	watering redness
Inhalation	: No specific data.
Skin contact	Adverse symptoms may include the following:
	irritation
	redness
Ingestion	: No specific data.
4.3 Indication of any immedi	ate medical attention and special treatment needed
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: No specific fire or explosion hazard.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SECTION 6: Accidental release measures

6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material	for containment and cleaning up
Small spill	: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections	 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SECTION 8: Exposu	re controls/personal protection
Industrial sector specific solutions	: Not available.
Recommendations	: Not available.
7.3 Specific end use(s)	

8.1 Control parameters Occupational exposure limits

SECTION 8: Exposure controls/personal protection

Product/ingredient name	Exposure limit values
titanium dioxide	EH40/2005 WELs (United Kingdom (UK), 1/2020).
	TWA: 4 mg/m ³ 8 hours. Form: respirable
	TWA: 10 mg/m ³ 8 hours. Form: total inhalable
dioctylbis(pentane-2,4-dionato-O,O')tin	EH40/2005 WELs (United Kingdom (UK), 1/2020). [tin
	compounds, organic, except cyhexatin (ISO) as Sn] Absorbed
	through skin.
	STEL: 0.2 mg/m³, (as Sn) 15 minutes.
	TWA: 0.1 mg/m³, (as Sn) 8 hours.
methanol	EH40/2005 WELs (United Kingdom (UK), 1/2020). Absorbed
	through skin.
	STEL: 333 mg/m ³ 15 minutes.
	STEL: 250 ppm 15 minutes.
	TWA: 266 mg/m ³ 8 hours.
	TWA: 200 ppm 8 hours.

Biological exposure indices

No exposure indices known.

Recommended monitoring : Refe procedures natio

: Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
trimethoxyvinylsilane	DNEL	Long term Oral	0.3 mg/kg	General	Systemic
			bw/day	population	-
	DNEL	Long term Dermal	3.9 mg/kg	Workers	Systemic
			bw/day		
	DNEL	Long term	6.7 mg/m ³	General	Systemic
		Inhalation	Ū	population	
	DNEL	Long term Dermal	7.8 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Long term	27.6 mg/m ³	Workers	Systemic
		Inhalation	0		5
	DNEL	Short term	26400 mg/	General	Systemic
		Inhalation	m³	population	-
N-(3-(trimethoxysilyl)propyl)	DNEL	Long term	0.1 mg/m ³	General	Local
ethylenediamine		Inhalation	Ŭ	population	
•	DNEL	Long term	0.6 mg/m ³	Workers	Local
		Inhalation	Ū		
	DNEL	Short term	4 mg/m³	General	Local
		Inhalation	Ũ	population	
	DNEL	Short term	5.36 mg/m ³	Workers	Local
		Inhalation	-		
	DNEL	Long term Oral	8 mg/kg	General	Systemic
		U U	bw/day	population	, , , , , , , , , , , , , , , , , , ,
	DNEL	Short term	50 mg/m ³	General	Systemic
		Inhalation	ů,	population	, , , , , , , , , , , , , , , , , , ,
	DNEL	Long term	50 mg/m³	General	Systemic
		Inhalation	Ŭ	population	
	DNEL	Short term	260 mg/m ³	Workers	Systemic
		Inhalation			-
	DNEL	Long term	260 mg/m ³	Workers	Systemic
		Inhalation	-		-
dioctylbis(pentane-2,4-dionato-O,O')	DNEL	Long term Dermal	0.07 mg/	Workers	Systemic
tin			kg bw/day		-
	DNEL	Short term	84 mg/m ³	Workers	Systemic
		Inhalation			
bis(2,2,6,6-tetramethyl-4-piperidyl)	DNEL	Long term Oral	0.18 mg/	General	Systemic
sebacate			kg bw/day	population	
	DNEL	Long term	0.31 mg/m ³	General	Systemic
	1	Inhalation		population	

SECTION 8: Exposure controls/personal protection

BECTION 6. Exposure com	1013/p				
	DNEL	Long term Dermal	0.9 mg/kg	General	Systemic
		-	bw/day	population	-
	DNEL	Long term	1.27 mg/m ³	Workers	Systemic
		Inhalation			
	DNEL	Long term Dermal	1.8 mg/kg	Workers	Systemic
		-	bw/day		-
methanol	DNEL	Short term Oral	4 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Long term Oral	4 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Short term Dermal	4 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Long term Dermal	4 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Short term Dermal	20 mg/kg	Workers	Systemic
			bw/day		
	DNEL	Long term Dermal	20 mg/kg	Workers	Systemic
			bw/day		
	DNEL	Short term	26 mg/m³	General	Local
		Inhalation		population	
	DNEL	Long term	26 mg/m³	General	Local
		Inhalation		population	
	DNEL	Short term	26 mg/m³	General	Systemic
		Inhalation		population	
	DNEL	Long term	26 mg/m³	General	Systemic
		Inhalation		population	
	DNEL	Short term	130 mg/m³	Workers	Local
		Inhalation			
	DNEL	Long term	130 mg/m³	Workers	Local
		Inhalation			
	DNEL	Short term	130 mg/m³	Workers	Systemic
		Inhalation			
	DNEL	Long term	130 mg/m³	Workers	Systemic
		Inhalation			

PNECs

Product/ingredient name	Compartment Detail	Value	Method Detail
N-(3-(trimethoxysilyl)propyl)ethylenediamine	Fresh water	0.05 mg/l	-
	Fresh water	0.072 mg/l	-
	Marine water	0.005 mg/l	-
	Sewage Treatment Plant	20 mg/l ັ	-
	Fresh water sediment	0.181 mg/kg	-
	Marine water sediment	0.018 mg/kg	-
	Soil	0.007 mg/kg	-
dioctylbis(pentane-2,4-dionato-O,O')tin	Fresh water	0.026 mg/l	-
	Fresh water	0.26 mg/l	-
	Marine water	0.003 mg/l	-
	Sewage Treatment Plant	1 mg/l	-
	Fresh water sediment	0.155 mg/kg	-
	Marine water sediment	0.015 mg/kg	-
	Soil	0.016 mg/kg	-
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	Fresh water	0.004 mg/l	-
	Fresh water	0.007 mg/l	-
	Marine water	0.38 µg/ľ	-
	Sewage Treatment	1 mg/l	-
	Plant	J.	
	Fresh water sediment	5.9 mg/kg	-
	Marine water sediment	0.59 mg/kg	-
	Soil	1.18 mg/kg	-

SECTION 8: Exposure controls/personal protection

8.2 Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measu	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>		
Physical state	: Solid. [paste]	
Colour	: White.	
Odour	: Mild.	
Odour threshold	: Not available.	
Melting point/freezing point	: Not available.	
Initial boiling point and boiling	: Not available.	
range		
Flammability (solid, gas)	: Not available.	
Upper/lower flammability or	: Not applicable.	
explosive limits		
Flash point	: Not applicable.	
Auto-ignition temperature	: 400°C (752°F)	
Decomposition temperature	: Not available.	

SECTION 9: Physical and chemical properties

-	• •		
pH	: Not applicable.		
Viscosity	: Dynamic: 600000 to 1000000 mPa⋅s		
Solubility(ies)	:		
Media	Result		
cold water	Not soluble		
Solubility in water	: Insoluble		
Miscible with water	: No.		
Partition coefficient: n-octanol/ water	: Not applicable.		
Vapour pressure	: Not available.		
Relative density	: 1.5		
Vapour density	: Not applicable.		
Explosive properties	: Not available.		
Oxidising properties	: Not available.		
Particle characteristics			
Median particle size	: Not available.		

SECTION 10: Stability and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.		
10.2 Chemical stability	: The product is stable.		
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur. Curing process releases a small amount of methanol.		
10.4 Conditions to avoid	: Keep away from heat and direct sunlight.		
10.5 Incompatible materials	: No specific data.		
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.		

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
trimethoxyvinylsilane	LC50 Inhalation Vapour	Rat	16.8 mg/l	4 hours
	LD50 Dermal	Rabbit -	3158 mg/kg	-
		Female		
	LD50 Oral	Rat - Male,	6899 mg/kg	-
		Female		
	LD50 Oral	Rat	7340 uL/kg	-
N-(3-(trimethoxysilyl)propyl) ethylenediamine	LC50 Inhalation Dusts and mists	Rat	1.49 mg/l	4 hours
	LD50 Oral	Rat	2413 mg/kg	-
dioctylbis(pentane-	LD50 Dermal	Rat	>2000 mg/kg	-
2,4-dionato-O,O')tin				
	LD50 Oral	Rat	2500 mg/kg	-
bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate	LC50 Inhalation Dusts and mists	Rat	500 mg/m³	4 hours
	LD50 Dermal	Rat	3170 mg/kg	-
e of issue/Date of revision	17 May 2023 Date of previous issue	e : No prev	vious validation Ve	rsion :1

SECTION 11: Toxicological information

	oxicological information				
	LD50 Oral	Rat	3700 mg/kg	-	
methanol	LC50 Inhalation Gas.	Rat	145000 ppm	1 hours	
	LC50 Inhalation Gas.	Rat	64000 ppm	4 hours	
	LD50 Dermal	Rabbit	15800 mg/kg	-	
	LD50 Oral	Rat	5600 mg/kg	-	

Conclusion/Summary : Based on available data, the classification criteria are not met.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
ARBO® MIRROR ADHESIVE	N/A	N/A	N/A	1263.2	112.0
trimethoxyvinylsilane	6899	3158	N/A	16.8	N/A
N-(3-(trimethoxysilyl)propyl)ethylenediamine	2413	N/A	N/A	N/A	1.49
dioctylbis(pentane-2,4-dionato-O,O')tin	2500	N/A	N/A	N/A	N/A
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	3700	3170	N/A	N/A	N/A
methanol	100	300	64000	3	N/A

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
titanium dioxide	Skin - Mild irritant	Human	-	72 hours 300 ug l	-
trimethoxyvinylsilane	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Skin - Mild irritant	Rabbit	-	mg 24 hours 500	-
N-(3-(trimethoxysilyl)propyl) ethylenediamine	Eyes - Severe irritant	Rabbit	-	mg 15 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-
bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate	Eyes - Severe irritant	Rabbit	-	-	21 days
methanol	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant Skin - Moderate irritant	Rabbit Rabbit	-	40 mg 24 hours 20	-
				mg	

Conclusion/Summary

Skin	: Based on available data, the classification criteria are not met.
Eyes	: Eye Irrit. 2
Respiratory	: Based on available data, the classification criteria are not met.

Sensitisation

Product/ingredient name	Route of exposure	Species	Result
N-(3-(trimethoxysilyl)propyl) ethylenediamine	skin	Guinea pig	Sensitising
dioctylbis(pentane- 2,4-dionato-O,O')tin	skin	Mouse	Sensitising
Conclusion/Summary			1

Conclusion/Summary Skin : Skin Sens. 1 Respiratory : Based on available data, the classification criteria are not met. Mutagenicity Conclusion/Summary Conclusion/Summary : Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Conclusion/Summary : Based on available data, the classification criteria are not met. Conclusion/Summary : Based on available data, the classification criteria are not met. Reproductive toxicity : Based on available data, the classification criteria are not met.

 Date of issue/Date of revision
 17 May 2023
 Date of previous issue
 : No previous validation
 Version
 : 1
 10/16

SECTION 11: Toxicological information

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Teratogenicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
	Category 2	oral	immune system
	Category 1	-	-

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
N-(3-(trimethoxysilyl)propyl)ethylenediamine	Category 2	inhalation	respiratory tract

Aspiration hazard

Not available.

Information on likely routes : Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes. of exposure

Potential acute health effects

Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure	
Potential immediate effects	: Irritating to eyes. Sensitisation
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
dioctylbis(pentane- 2,4-dionato-O,O')tin	Sub-acute NOAEL Oral	Rat	1.8 mg/kg	7 days
Conclusion/Summary	: Not available.	·		
General	: Once sensitized, a severe very low levels.	allergic reaction	may occur when sul	bsequently exposed to
Carcinogenicity	: No known significant effe	cts or critical haza	ards.	
Date of issue/Date of revision	17 May 2023 Date of previo	ous issue : N	lo previous validation	Version : 1 11/1

SECTION 11: Toxicological information

- Mutagenicity Reproductive toxicity
- : No known significant effects or critical hazards.
- : No known significant effects or critical hazards.

Other information

: Not available.

SECTION 12: Ecological information

	_				
4	2.1	. т	OX	iait	
	Ζ.		UX	ICII	.v

Product/ingredient name	Result	Species	Exposure
titanium dioxide	Acute LC50 3 mg/l Fresh water	Crustaceans - Water flea -	48 hours
		Ceriodaphnia dubia - Neonate	40.1
	Acute LC50 6.5 mg/l Fresh water	Daphnia - Water flea - Daphnia	48 hours
		pulex - Neonate	001
	Acute LC50 >1000000 μg/l Marine	Fish - Mummichog - Fundulus	96 hours
	water	heteroclitus	
trimethoxyvinylsilane	Acute EC50 >89 mg/l Fresh water	Algae	72 hours
	Acute EC50 168.7 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 191 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
N-(3-(trimethoxysilyl)propyl) ethylenediamine	Acute EC50 8.8 mg/l Fresh water	Algae	72 hours
	Acute EC50 81 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 597 mg/l Fresh water	Fish - Brachydanio rerio	96 hours
	Chronic NOEC 1 mg/l Fresh water	Daphnia - Daphnia magna	21 days
bumetrizole	Acute EC50 >100 mg/l Fresh water	Algae	72 hours
	Acute EC50 >100 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 >100 mg/l Fresh water	Fish - Danio rerio	96 hours
	Chronic NOEC 10 mg/l Fresh water	Daphnia - Daphnia magna	21 days
	Chronic NOEC 100 µg/l Fresh water	Fish - Zebra danio - Danio rerio - Juvenile (Fledgling, Hatchling, Weanling)	28 days
bis(2,2,6,6-tetramethyl-	Acute EC50 0.705 mg/l Fresh water	Algae - Pseudokirchneriella	72 hours
4-piperidyl) sebacate		subcapitata	
	Acute EC50 8.58 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 4.4 mg/I Fresh water	Fish - Lepomis macrochirus	96 hours
	Chronic NOEC 0.23 mg/l Fresh water	Daphnia - Daphnia magna	21 days
methanol	Acute EC50 16.912 mg/l Marine water	Algae - Green algae - Ulva pertusa	96 hours
	Acute LC50 2500000 μg/l Marine water	Crustaceans - Common shrimp, sand shrimp - Crangon crangon - Adult	48 hours
	Acute LC50 3289 mg/l Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	48 hours
	Acute LC50 290 mg/l Fresh water	Fish - Zebra danio - Danio rerio - Egg	96 hours
	Chronic NOEC 9.96 mg/l Marine water	Algae - Green algae - Ulva pertusa	96 hours

Conclusion/Summary : Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose	Inoculum	
bumetrizole	-	10 % - Not readily - 28 days		-	-	
Conclusion/Summary	: Not available.	1			L	
Product/ingredient name	Aquatic half-life	alf-life Photolysis		is	Biodegradabilit	
N-(3-(trimethoxysilyl)propyl) ethylenediamine	-		-		Readily	
bumetrizole bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate	Fresh water >180 -) days, 20°C	-		Not readily Not readily	

SECTION 12: Ecological information

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
bumetrizole bis(2,2,6,6-tetramethyl-	- 0.35	6356 -	high Iow
4-piperidyl) sebacate methanol	-0.77	<10	low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
trimethoxyvinylsilane dioctylbis(pentane- 2,4-dionato-O,O')tin	No No	N/A N/A	N/A N/A	No No	N/A N/A	N/A N/A	N/A N/A
bumetrizole methanol	No No	Yes N/A	Yes No	No No	Yes No	Yes N/A	Yes No

12.6 Other adverse effects

: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.
Waste catalogue	

 Waste catalogue

 Waste code
 Waste designation

 08 04 09*
 waste adhesives and sealants containing organic solvents or other hazardous substances

 Packaging
 Methods of disposal
 : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

 Special precautions
 : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk : Not available. according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>UK (GB)/REACH</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Part	Ingredient name	Status
Part 1	dioctyltin compounds	Listed

Persistent Organic Pollutants

Not listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Seveso Directive

This product is not controlled under the Seveso Directive.

EU regulations

Industrial emissions : Not listed (integrated pollution prevention and control) -Air

Date of issue/Date of revision

17 May 2023 Da

SECTION 15: Regulatory information

Industrial emissions (integrated pollution	: Not listed
prevention and control) - Water	
International regulations	
	on List Schedules I, II & III Chemicals
Not listed.	
Montreal Protocol	
Not listed.	
Stockholm Convention on Pe	ersistent Organic Pollutants
Not listed.	
Rotterdam Convention on Pr	ior Informed Consent (PIC)
Not listed.	
UNECE Aarhus Protocol on I	POPs and Heavy Metals
Not listed.	
Inventory list	
Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Eurasian Economic Union	: Russian Federation inventory: Not determined.
Japan	: Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.
5.2 Chemical safety assessment	: This product contains substances for which Chemical Safety Assessments are still required.

ther information

Indicates information that has changed from previously issued version.

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = GB CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group	9
SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative	

Procedure used to derive the classification

Classification			Justification		
Eye Irrit. 2, H319 Skin Sens. 1, H317			Calculation method Calculation method		
Date of issue/Date of revision	17 May 2023	Date of previous issue	: No previous validation	Version : 1	15/16

SECTION 16: Other information

Full text of abbreviated H statements

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H361f	Suspected of damaging fertility.
H370	Causes damage to organs.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Full text of classifications

A suite Tax 2		
Acute Tox. 3	ACUTE TOXICITY - Category 3	
Acute Tox. 4	ACUTE TOXICITY - Category 4	
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1	
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2	
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1	
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2	
Flam. Liq. 2	FLAMMABLE LIQUIDS - Category 2	
Repr. 2	REPRODUCTIVE TOXICITY - Category 2	
Skin Sens. 1	SKIN SENSITISATION - Category 1	
Skin Sens. 1B	SKIN SENSITISATION - Category 1B	
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2	
STOT SE 1	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 1	
STOT SE 2	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 2	
Date of printing	: 17 May 2023	
	•	

	2
Date of issue/ Date of revision	: 17 May 2023
Date of previous issue	: No previous validation
Version	: 1
Notice to reader	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.