

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: **Crystal Clean**
- Article number: 10955, 10956, 10907
- UFI: AQUP-SJ1A-T01X-FWYD

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Cleaning agent/ Cleaner

1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH
Lechstrasse 28
D 90451 Nürnberg
- Tel. +49(0)911-642960
Fax. +49(0)911-644456
e-mail info@akemi.de

Further information obtainable from:

Laboratory

1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH
Tel. +49(0)911-64296-59
Reachable during the following office hours:
Monday – Thursday from 07:30 a.m. to 16:30 p.m.
Friday from 07:30 a.m. to 13:30 p.m.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS02 GHS05

Signal word

Danger

Hazard-determining components of labelling:

Alcohols, C12-C14, ethoxylated, sulphates, sodium salts

Hazard statements

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P280 Wear protective gloves / eye protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P403+P235 Store in a well-ventilated place. Keep cool.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

Trade name: Crystal Clean

P501

(Contd. of page 1)

 Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties

For information on endocrine disrupting properties see section 11.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

	anionic surfactants	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412	1-5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	12.5-25%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

anionic surfactants, perfumes ((R)-p-mentha-1,8-diene)

<5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information: Take affected persons out into the fresh air.
Keep warm, position comfortably and cover well.
Immediately remove any clothing soiled by the product.
No special measures required.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulty

Dizziness

Dizziness

Nausea

Hazards

Danger of impaired breathing.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures**5.1 Extinguishing media**Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

Trade name: Crystal Clean

(Contd. of page 2)

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

Hydrogen chloride (HCl)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· **5.3 Advice for firefighters**

· Protective equipment:

Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

No dangerous substances are released.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

When diluting always pour product into water and not vice versa.

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:

No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· Storage:

· Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

· Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

· Further information about storage conditions:

Protect from frost.

Store receptacle in a well ventilated area.

· Storage class:

3

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

Trade name: Crystal Clean

(Contd. of page 3)

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection· **8.1 Control parameters**

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

67-63-0 propan-2-ol

Oral	DNEL (Langzeit-wiederholt)	26 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	888 mg/kg bw/day (ARB)
		319 mg/kg bw/day (BEV)
Inhalative	DNEL (Langzeit-wiederholt)	500 mg/m ³ Air (ARB)
		89 mg/m ³ Air (BEV)

Alcohols, C12-C14, ethoxylated, sulphates, sodium salts

Oral	DNEL (Langzeit-wiederholt)	15 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	2,750 mg/kg bw/day (ARB)
		1,650 mg/kg bw/day (BEV)
Inhalative	DNEL (Langzeit-wiederholt)	175 mg/m ³ Air (ARB)
		52 mg/m ³ Air (BEV)

· PNECs

67-63-0 propan-2-ol

PNEC (wässrig)	2,251 mg/l (KA)
	140.9 mg/l (MW)
	140.9 mg/l (SW)
	140.9 mg/l (WAS)
PNEC (fest)	28 mg/kg Trockengew (BO)
	552 mg/kg Trockengew (MWS)
	552 mg/kg Trockengew (SWS)

Alcohols, C12-C14, ethoxylated, sulphates, sodium salts

PNEC (wässrig)	10,000 mg/l (KA)
	0.024 mg/l (MW)
	0.24 mg/l (SW)
	0.071 mg/l (WAS)
PNEC (fest)	7.5 mg/kg Trockengew (BO)
	0.09168 mg/kg Trockengew (MWS)
	0.9168 mg/kg Trockengew (SWS)

· Additional information: The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· Appropriate engineering controls No further data; see section 7.
 · Individual protection measures, such as personal protective equipment
 · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.
 Apply water proof skin cream before starting work.
 Immediately remove all soiled and contaminated clothing
 Do not inhale gases / fumes / aerosols.

(Contd. on page 5)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

Trade name: Crystal Clean

(Contd. of page 4)

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

**Protective gloves**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:

STOKO EMULSION (<http://www.stoko.com>)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (<http://www.stoko.com>)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (<http://www.stoko.com>)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type.

The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

· Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: Level ≤ 6 , 480 min

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Camatril (KCL, Art_No. 730, 731, 732, 733)

Butyl rubber, BR

Butoject (KCL, Art_No. 897, 898)

Fluorocarbon rubber (Viton)

Vitoject (KCL, Art_No. 890)

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

Trade name: Crystal Clean

(Contd. of page 5)

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR
Camatril (KCL, 730, 731, 732, 733)
- Not suitable are gloves made of the following materials: Leather gloves
Strong material gloves
- Eye/face protection Goggles recommended during refilling
- Body protection: Protective work clothing

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

- General Information
- Colour: Colourless
- Odour: Characteristic
- Melting point/freezing point: Undetermined.
- Boiling point or initial boiling point and boiling range 82 °C
- Lower and upper explosion limit
- Lower: 2 Vol %
- Upper: 12 Vol %
- Flash point: 55 °C
- Auto-ignition temperature: 425 °C
- pH at 20 °C 9
- Viscosity:
- Kinematic viscosity at 20 °C 11 s (DIN 53211/4)
- Dynamic: Not determined.
- Solubility
- water: Not miscible or difficult to mix.
- Vapour pressure at 20 °C: 43 hPa
- Density and/or relative density
- Density at 20 °C: 0.98 g/cm³

9.2 Other information

- Appearance:
- Form: Fluid
- Important information on protection of health and environment, and on safety.
- Ignition temperature: Product is not selfigniting.
- Explosive properties: Product does not present an explosion hazard.
- Solvent content:
- Organic solvents: 14.4 %
- Water: 81.4 %
- Solids content: 16.6 %

Information with regard to physical hazard classes

- Explosives Void
- Flammable gases Void
- Aerosols Void
- Oxidising gases Void
- Gases under pressure Void
- Flammable liquids Flammable liquid and vapour.
- Flammable solids Void
- Self-reactive substances and mixtures Void
- Pyrophoric liquids Void
- Pyrophoric solids Void

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

Trade name: Crystal Clean

(Contd. of page 6)

· <u>Self-heating substances and mixtures</u>	Void
· <u>Substances and mixtures, which emit flammable gases in contact with water</u>	Void
· <u>Oxidising liquids</u>	Void
· <u>Oxidising solids</u>	Void
· <u>Organic peroxides</u>	Void
· <u>Corrosive to metals</u>	Void
· <u>Desensitised explosives</u>	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity	No further relevant information available.
· 10.2 Chemical stability	
· <u>Thermal decomposition / conditions to be avoided:</u>	No decomposition if used and stored according to specifications.
· 10.3 Possibility of hazardous reactions	Reacts with strong acids.
· 10.4 Conditions to avoid	No further relevant information available.
· 10.5 Incompatible materials:	No further relevant information available.
· 10.6 Hazardous decomposition products:	No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008	
· <u>Acute toxicity</u>	Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:**67-63-0 propan-2-ol**

Oral	LD50	>2,000 mg/kg (rabbit) 5,840 mg/kg (rat) (OECD 401)
	NOAEL-Werte	400 mg/kg (rat)
Dermal	LD50	13,900 mg/kg (rabbit) (OECD 402)
	Inhalative	
	LC50/8h	47.5 ppm (rat)
	LC50/4 h	>25 mg/l (rat)
	LC50	25,000 mg/m ³ (rat)
	LC50/48h	>100 mg/l (Leuciscus idus)

Alcohols, C12-C14, ethoxylated, sulphates, sodium salts

Oral	LD50	>2,000-5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

· <u>Skin corrosion/irritation</u>	Based on available data, the classification criteria are not met.
· <u>Serious eye damage/irritation</u>	Causes serious eye damage.
· <u>Respiratory or skin sensitisation</u>	Based on available data, the classification criteria are not met.
· <u>Germ cell mutagenicity</u>	Based on available data, the classification criteria are not met.
· <u>Carcinogenicity</u>	Based on available data, the classification criteria are not met.
· <u>Reproductive toxicity</u>	Based on available data, the classification criteria are not met.
· <u>STOT-single exposure</u>	Based on available data, the classification criteria are not met.
· <u>STOT-repeated exposure</u>	Based on available data, the classification criteria are not met.
· <u>Aspiration hazard</u>	Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

Trade name: Crystal Clean

(Contd. of page 7)

11.2 Information on other hazards· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information**12.1 Toxicity**· Aquatic toxicity:**67-63-0 propan-2-ol**

EC50/24h	9,714 mg/l (daphnia magna)
EC50	>1,000 mg/l (BES)
LC50/24h	9,714 mg/l (daphnia magna)
EC50/15min	22,000 mg/l (Photobac. phosphoreum)
IC50/72h	>1,000 mg/l (Desmodesmus subspicatus)
EC10/18h	5,175 mg/l (pseudomonas putida) (DIN 38412)
EC50/48h	9,714 mg/l (daphnia magna) (OECD 202)
EC50/72h	>1,000 mg/l (green alge) >100 mg/l (Scenedesmus subspicatus)
LC50/96h	6,550 mg/l (piscis) 9,640 mg/l (Pimephales promelas)

Alcohols, C12-C14, ethoxylated, sulphates, sodium salts

EC50/48h	7.4 mg/l (daphnia magna)
NOEC/21d	0.27 mg/l (daphnia magna)
NOELR/28d	0.14 mg/l (Oncorhynchus mykiss)
EC50/72h	27 mg/l (Scenedesmus subspicatus)
LC50/96h	7.1 mg/l (Brachydanio rerio)

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects· Additional ecological information:· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

SECTION 13: Disposal considerations**13.1 Waste treatment methods**· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
Smaller quantities can be disposed of with household waste.

(Contd. on page 9)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

Trade name: Crystal Clean

(Contd. of page 8)

· European waste catalogue

20 00 00	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 29*	detergents containing hazardous substances
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 02	plastic packaging

· Uncleaned packaging:· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information· **14.1 UN number or ID number**

· ADR, IMDG, IATA

UN1993

· **14.2 UN proper shipping name**

· ADR

1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))

· IMDG, IATA

FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))

· **14.3 Transport hazard class(es)**

· ADR



· Class

3 (F1) Flammable liquids.

· Label

3

· IMDG, IATA



· Class

3 Flammable liquids.

· Label

3

· **14.4 Packing group**

· ADR, IMDG, IATA

III

· **14.5 Environmental hazards:**

· Marine pollutant:

No

· **14.6 Special precautions for user**

Warning: Flammable liquids.

· Hazard identification number (Kemler code):

30

· EMS Number:

F-E,S-E

· Stowage Category

A

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

(Contd. on page 10)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

Trade name: Crystal Clean

(Contd. of page 9)

· Transport/Additional information:

· <u>ADR</u>	5L
· <u>Limited quantities (LQ)</u>	Code: E1
· <u>Excepted quantities (EQ)</u>	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· <u>Transport category</u>	3
· <u>Tunnel restriction code</u>	D/E

· <u>IMDG</u>	5L
· <u>Limited quantities (LQ)</u>	Code: E1
· <u>Excepted quantities (EQ)</u>	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

· <u>UN "Model Regulation":</u>	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, III
---------------------------------	--

SECTION 15: Regulatory information· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· <u>Directive 2012/18/EU</u>	
· <u>Named dangerous substances - ANNEX I</u>	None of the ingredients is listed.
· <u>Seveso category</u>	P5c FLAMMABLE LIQUIDS
· <u>Qualifying quantity (tonnes) for the application of lower-tier requirements</u>	5,000 t
· <u>Qualifying quantity (tonnes) for the application of upper-tier requirements</u>	50,000 t
· <u>REGULATION (EC) No 1907/2006 ANNEX XVII</u>	Conditions of restriction: 3

· <u>DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II</u>

None of the ingredients is listed.

· <u>REGULATION (EU) 2019/1148</u>

· <u>Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))</u>

None of the ingredients is listed.

· <u>Annex II - REPORTABLE EXPLOSIVES PRECURSORS</u>
--

None of the ingredients is listed.

· <u>Regulation (EC) No 273/2004 on drug precursors</u>

None of the ingredients is listed.

· <u>Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors</u>

None of the ingredients is listed.

· <u>National regulations:</u>

· <u>Waterhazard class:</u>	Water hazard class 2 (Self-assessment): hazardous for water.
-----------------------------	--

· <u>Substances of very high concern (SVHC) according to REACH, Article 57</u>
--

None of the ingredients is listed.

(Contd. on page 11)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2023

Version number 3 (replaces version 2)

Revision: 31.05.2023

Trade name: Crystal Clean

(Contd. of page 10)

· VOC EU 140.4 g/l· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Laboratory· Date of previous version: 20.01.2022· Version number of previous version: 2

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 2: Flammable liquids – Category 2
 Flam. Liq. 3: Flammable liquids – Category 3
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EU