

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.03.2024 Version number 7 (replaces version 6) Revision: 27.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· <u>Trade name:</u> <u>Quartz Intensive Cleaner</u>

• <u>Article number:</u> 11948, 11954, 11962 • UFI: K4V1-U01T-P00C-NRYT

1.2 Relevant identified uses of the substance or mixture and

uses advised againstNo further relevant information available.

Laboratory

· Application of the substance / the

mixture Cleaning agent/ Cleaner

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960

Lechstrasse 28 Fax. +49(0)911-644456
D 90451 Nürnberg e-mail info@akemi.de

· Further information obtainable

from:

1.4 Emergency telephone

<u>number:</u> Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008

· Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

· Signal word Warning

· Hazard-determining components of

labelling: Not applicable.

Hazard statements H319 Causes serious eye irritation.

Precautionary statements P101 If medical advice is needed, have product container or label at

hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

(Contd. on page 2)



Page 2/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.03.2024 Version number 7 (replaces version 6) Revision: 27.03.2024

Trade name: Quartz Intensive Cleaner

(Contd. of page 1)

· Determination of endocrine-

disrupting properties For information on endocrine disrupting properties see section 11.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Mixture: consisting of the following components. · Description:

· Dangerous components:		
CAS: 157627-86-6	Alcohols, C13-C15 branched and linear, ethoxylated	1-5%
EC number: 935-523-1	Eye Dam. 1, H318	
Reg.nr.: 02-2119548515-35-0000		
	Aquatic Chronic 3, H412	
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	1-5%
EINECS: 203-961-6	Eye Irrit. 2, H319	
Index number: 603-096-00-8		
Reg.nr.: 01-2119475104-44-xxxx		
02-2119751533-40-0000		

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants, perfumes <5%

For the wording of the listed hazard phrases refer to section 16. · Additional information:

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: No special measures required.

· After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Generally the product does not irritate the skin.

· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and

delaved

· 4.3 Indication of any immediate

medical attention and special

treatment needed If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures

5.1 Extinguishing media

 Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

No further relevant information available.

resistant foam.

5.2 Special hazards arising from

the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and

emergency procedures Product forms slippery surface when combined with water.

(Contd. on page 3)



Page 3/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.03.2024 Version number 7 (replaces version 6) Revision: 27.03.2024

Trade name: Quartz Intensive Cleaner

(Contd. of page 2)

• <u>6.2 Environmental precautions:</u> Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

· 6.4 Reference to other sections No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling No special measures required.

· Information about fire - and

explosion protection:

The product is not flammable.

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one

common storage facility: Store away from foodstuffs.

Store away from oxidising agents.

40.5 mg/m³ Air (BEV)

· Further information about storage

<u>conditions:</u> Protect from frost.

· Storage class: 12

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

 Ingredients with 	limit values that re	auire monitorina	at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

IOELV Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

· DNELs

112-34-5 2-(2-butoxyethoxy)ethanol

· · - · · · - (- · · · · · · · · · · · ·			
Oral	DNEL (Langzeit-wiederholt)	6.25 mg/kg bw/day (BEV)	
Dermal	DNEL (Langzeit-wiederholt)		
		50 mg/kg bw/day (BEV) 101.2 mg/m³ Air (ARB)	
Inhalative	DNEL (Kurzzeit-akut)	101.2 mg/m³ Air (ARB)	
		60.7 mg/m³ Air (BEV)	
	DNEL (Langzeit-wiederholt)	67.5 ma/m³ Air (ARB)	

· PNECs

112-34-5 2-(2-butoxyethoxy)ethanol

(Contd. on page 4)



Page 4/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.03.2024 Version number 7 (replaces version 6) Revision: 27.03.2024

Trade name: Quartz Intensive Cleaner

(Contd. of page 3)

1.1 mg/l (SW)

1 mg/l (WAS)

PNEC (fest) 0.32 mg/kg Trockengew (BO)

0.44 mg/kg Trockengew (MWS) 4.4 mg/kg Trockengew (SWS)

· Additional information:

The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic

measures: The usual precautionary measures are to be adhered to when handling

chemicals.

Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Clean skin thoroughly immediately after handling the product.

· Respiratory protection: Not required.

· Hand protection Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Skin protection agent recommendation for preventive skin shelter without use of protective gloves:

orolective gloves:

STOKO EMULSION (http://www.stoko.com) STOKODERM (http://www.stoko.com)

Skin protection agent recommendation for preventive skin shelter in application

and combination of protective gloves: STOKO EMULSION (http://www.stoko.com)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (http://www.stoko.com)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (http://www.stoko.com)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Butyl rubber, BR

Nitrile rubber. NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 5)



Page 5/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.03.2024 Version number 7 (replaces version 6) Revision: 27.03.2024

Trade name: Quartz Intensive Cleaner

(Contd. of page 4)

As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior

to the application.

· Penetration time of glove material Value for the permeation: Level \leq 6, 480 min

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

 For the permanent contact gloves made of the following materials are

suitable:

Butyl rubber, BR

 As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR Camatril (KCL, 730, 731, 732, 733)

· Not suitable are gloves made of

the following materials:

Leather gloves

Strong material gloves

 Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Colourless · Odour: Characteristic · Odour threshold: Not determined. 0°C

· Melting point/freezing point:

· Boiling point or initial boiling point and boiling range 100 °C

Not applicable. Flammability

· Lower and upper explosion limit

· Lower: Not determined. Not determined. · Upper: Not applicable. · Flash point: · Decomposition temperature: Not determined.

· pH at 20 °C

· Viscosity:

Kinematic viscosity at 20 °C 11 s (DIN 53211/4) Not determined. Dynamic:

· Solubility · water:

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C:

Density and/or relative density

· Density at 20 °C:

1 a/cm³ · Relative density Not determined. · Vapour density Not determined.

9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

Ignition temperature:

Product is not selfigniting.

Not miscible or difficult to mix.

23 hPa

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Organic solvents: 1.2 %

· Water: 96.7 %

(Contd. on page 6)



Page 6/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Version number 7 (replaces version 6) Printing date 27.03.2024 Revision: 27.03.2024

Trade name: Quartz Intensive Cleaner		
		(Contd. of page 5)
· Molecular weight	18.02 g/mol	
· Change in condition		
· Evaporation rate	Not determined.	
· Information with regard to physical hazard classes		
· Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammable gases in		
contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· <u>Organic peroxides</u>	Void	
· Corrosive to metals	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

Desensitised explosives

conditions to be avoided:

No decomposition if used according to specifications.

Void

· 10.3 Possibility of hazardous

reactions

No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available. 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

· <u>LD/LC50 values relevant for classification:</u>			
ATE (A	ATE (Acute Toxicity Estimates)		
Oral	LD50	0 >33,400-111,333 mg/kg (rat)	
157627	157627-86-6 Alcohols, C13-C15 branched and linear, ethoxylated		
Oral	LD50	>600-2,000 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)	
	LC50/48h	1-10 mg/l (Oncorhynchus mykiss)	
112-34-	112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	2,410-5,530 mg/kg (mouse) (OECD 401)	
		5,660 mg/kg (rat)	
Dermal	LD50	2,764 mg/kg (rat) (OECD 402)	
		>2,000 mg/kg (rabbit) (OECD 401)	
		(Contd. on page 7)	



List II

Page 7/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.03.2024 Version number 7 (replaces version 6) Revision: 27.03.2024

Trade name: Quartz Intensive Cleaner

(Contd. of page 6)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Germ cell mutagenicity Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · STOT-single exposure STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

118-58-1 benzyl salicylate

SECTION 12: Ecological information

· 12.1 Toxicity Aquatic toxicity:

157627-86-6 Alcohols	, C13-C15 branched and linear, ethoxylated

EC50/48h 1-10 mg/l (daphnia magna)

EC10 >1,000 mg/l (BES)

EC50/72h 1-10 mg/l (Scenedesmus subspicatus)

112-34-5 2-(2-butoxyethoxy)ethanol

EC50/24h | 2,850 mg/l (daphnia magna) (DIN 38412)

EC50/96h |>100 mg/l (Desmodesmus subspicatus) (OECD 201)

>100 mg/l (Scenedesmus subspicatus)

EC10/16h 1,170 mg/l (pseudomonas putida)

EC₅ 73 mg/l (Entosiphon sulcatum)

EC50/48h >100 mg/l (daphnia magna) (EU method C.2)

1,101 mg/l (Pseudokirchneriella subcapitata) (OECD 201) ErC50/72h

NOEC >100 mg/kg (Desmodesmus subspicatus)

EC10 >1,995 mg/l (Klärschlamm: Atmungs-/Vermehrungshemmung)

EC50/48h 4,950 mg/l (daphnia magna)

EC50/72h >100 mg/l (Desmodesmus subspicatus) (OECD 201)

LC50/96h 1,300 mg/l (lepomis macrochirus) (OECD 203)

> >100 mg/l (Leuciscus idus) 1,150 mg/l (poecilia reticulata)

· 12.2 Persistence and

No further relevant information available. degradability · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

Not applicable. · PBT: vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

Additional ecological information:

Do not allow undiluted product or large quantities of it to reach ground water, · General notes:

water course or sewage system.

(Contd. on page 8)



Page 8/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.03.2024 Version number 7 (replaces version 6) Revision: 27.03.2024

Trade name: Quartz Intensive Cleaner

(Contd. of page 7)

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

· <u>European waste catalogue</u>		
	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND	
	INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	
20 01 00	separately collected fractions (except 15 01)	
20 01 29*	detergents containing hazardous substances	

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· <u>ADR, ADN, IMDG, IATA</u>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· <u>Class</u>	Void	
· 14.4 Packing group		
· <u>ADR, IMDG, IATA</u>	Void	
· 14.5 Environmental hazards:		
· <u>Marine pollutant:</u>	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO		
instruments	Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances -

ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006

ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 9)



Page 9/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.03.2024 Version number 7 (replaces version 6) Revision: 27.03.2024

Trade name: Quartz Intensive Cleaner

· REGULATION (EU) 2019/1148

(Contd. of page 8)

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU 12.0 g/l

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:
 Date of previous version:
 Laboratory
 25.01.2024

· Version number of previous

reision.

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

ΕU