

## Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 20.12.2022

Version number 14 (replaces version 13)

Revision: 20.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**

- **Trade name:** illbruck SP050

- **MSDS code:** T-I-SP050

- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

- **Product category** PC1 Adhesives, sealants

- **Application of the substance / the mixture**

Adhesives

Spacings sealant

- **1.3 Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

Tremco CPG Germany GmbH

Zweigniederlassung Traunreut

Traunring 65, D - 83301 Traunreut

Tel: +49 (0) 8669 34100, Fax: +49 (0) 8669 9784

msds@cpg-europe.com

- **Further information obtainable from:**

Tremco CPG UK Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.cpg-europe.com, info.uk@cpg-europe.com

- **1.4 Emergency telephone number:**

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**

- **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the GB CLP regulation.

---

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008** Void

- **Hazard pictograms** Void

- **Signal word** Void

- **Hazard statements** Void

- **Supplemental information:**

EUH208 Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine, trimethoxyvinylsilane. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

(Contd. on page 2)

GB

## Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 20.12.2022

Version number 14 (replaces version 13)

Revision: 20.12.2022

**Trade name: illbruck SP050**

(Contd. of page 1)

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· **Description:** Silane-terminated, hydrocarbon-based polymer with inorganic fillers

#### · **Dangerous components:**

|  |   |         |
|--|---|---------|
| CAS: 28553-12-0<br>EINECS: 249-079-5<br>Reg.nr.: 01-2119430798-28-xxxx | di-"isononyl" phthalate<br>substance with a Community workplace exposure limit          | 10-<20% |
| CAS: 1760-24-3<br>EINECS: 217-164-6<br>Reg.nr.: 01-2119970215-39-xxxx  | N-(3-(trimethoxysilyl)propyl)ethylenediamine<br>Eye Dam. 1, H318; Skin Sens. 1, H317    | 0.1-<1% |
| CAS: 2768-02-7<br>EINECS: 220-449-8<br>Reg.nr.: 01-2119513215-52-xxxx  | trimethoxyvinylsilane<br>Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B,<br>H317 | 0.1-<1% |

· **EU SVHC** see Section 15· **GB SVHC** see Section 15

#### · **Additional information:**

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity:

Methanol (CAS 67-56-1)

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

· **General information:** Take affected persons out into the fresh air.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

#### · **After skin contact:**

Remove from the skin using a cloth or paper. Then clean with water and soap.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· **Information for doctor:** No further relevant information available.

#### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

(Contd. on page 3)

## Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 20.12.2022

Version number 14 (replaces version 13)

Revision: 20.12.2022

Trade name: illbruck SP050

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Pick up mechanically.  
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**  
By a reaction with atmospheric humidity by-products are released. See chapter 8.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

|  |
|--|
| · <b>Ingredients with limit values that require monitoring at the workplace:</b> |
|--|

|  |
|--|
| <b>CAS: 28553-12-0 di-"isononyl" phthalate</b> |
|--|

|  |
|--|
| WEL   Long-term value: 5 mg/m <sup>3</sup> |
|--|

(Contd. on page 4)

## Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 20.12.2022

Version number 14 (replaces version 13)

Revision: 20.12.2022

Trade name: illbruck SP050

(Contd. of page 3)

- **Ingredients with biological limit values:**

- **Additional Occupational Exposure Limit Values for possible hazards during processing:**

While curing the following substances are formed and released by a reaction with atmospheric humidity:

Methanol (CAS 67-56-1)

|                              |   |
|------------------------------|---|
| <b>CAS: 67-56-1 methanol</b> |   |
| WEL                          | Short-term value: 333 mg/m <sup>3</sup> , 250 ppm |
|                              | Long-term value: 266 mg/m <sup>3</sup> , 200 ppm  |
|                              | Sk  |

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see item 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

- **Respiratory protection:**

Not necessary if room is well-ventilated.

Filter AX

Use suitable respiratory protective device in case of insufficient ventilation.

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

- **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection** Safety glasses

- **Body protection:**



Protective work clothing

GB

(Contd. on page 5)

## Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 20.12.2022

Version number 14 (replaces version 13)

Revision: 20.12.2022

Trade name: illbruck SP050

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### General Information

|   |  |
|---|--|
| · Physical state                                    | Fluid  |
| · Colour:   | According to product specification                   |
| · Odour:  | Alcohol-like   |
| · Odour threshold:                                  | Not determined.                                      |
| · Melting point/freezing point:                     | Undetermined.  |
| · Flammability                                      | Not applicable.                                      |
| · Lower and upper explosion limit                   |  |
| · Lower:  | <0.1 Vol % (CAS: 28553-12-0 di-"isononyl" phthalate) |
| · Upper:  | 0.2 Vol %  |
| · Flash point:                                      | >151 °C  |
| · Decomposition temperature:                        | Not determined.                                      |
| · pH  | Mixture is non-polar/aprotic.                        |
| · Viscosity:  |  |
| · Kinematic viscosity                               | Not determined.                                      |
| · Solubility  |  |
| · water:  | Fully miscible.                                      |
| · Partition coefficient n-octanol/water (log value) | Not determined.                                      |
| · Vapour pressure at 219 °C:                        | 2.6 hPa (CAS: 28553-12-0 di-"isononyl" phthalate)    |
| · Density and/or relative density                   |  |
| · Density at 20 °C:                                 | 1.68 g/cm <sup>3</sup>                               |
| · Relative density                                  | Not determined.                                      |
| · Vapour density                                    | Not determined.                                      |

#### 9.2 Other information

|   |   |
|---|---|
| · Appearance:   |   |
| · Form:   | Pasty   |
| · Important information on protection of health and environment, and on safety. |   |
| · Auto-ignition temperature:  | Product is not selfigniting.                  |
| · Explosive properties:   | Product does not present an explosion hazard. |
| · Solvent content:  |   |
| · Organic solvents:   | 0.0 %   |
| · VOC (EU)  | 0.01 %  |
|   | 0.2 g/l                                       |
| · VOC (EC)  | 0.01 %  |
| · Evaporation rate  | Not determined.                               |

#### Information with regard to physical hazard classes

|                   |      |
|-------------------|------|
| · Explosives      | Void |
| · Flammable gases | Void |

(Contd. on page 6)

## Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 20.12.2022

Version number 14 (replaces version 13)

Revision: 20.12.2022

**Trade name: illbruck SP050**

(Contd. of page 5)

|  |      |
|--|------|
| · <b>Aerosols</b>  | Void |
| · <b>Oxidising gases</b>   | Void |
| · <b>Gases under pressure</b>  | Void |
| · <b>Flammable liquids</b>   | Void |
| · <b>Flammable solids</b>  | Void |
| · <b>Self-reactive substances and mixtures</b>                                     | Void |
| · <b>Pyrophoric liquids</b>  | Void |
| · <b>Pyrophoric solids</b>   | Void |
| · <b>Self-heating substances and mixtures</b>                                      | Void |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Void |
| · <b>Oxidising liquids</b>   | Void |
| · <b>Oxidising solids</b>  | Void |
| · <b>Organic peroxides</b>   | Void |
| · <b>Corrosive to metals</b>   | Void |
| · <b>Desensitised explosives</b>   | Void |

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
None if stored according to specifications.  
Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

**CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine**

|            |          |                               |
|------------|----------|-------------------------------|
| Oral       | LD50     | >2,000 mg/kg (rat) (OECD 401) |
| Dermal     | LD50     | >2,000 mg/kg (rat)            |
| Inhalative | LC50/4 h | 1.49-2.44 mg/L (unknown)      |

**CAS: 2768-02-7 trimethoxyvinylsilane**

|            |          |                 |
|------------|----------|-----------------|
| Inhalative | LC50/4 h | 16.8 mg/L (rat) |
|------------|----------|-----------------|

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Slight irritation possible.

(Contd. on page 7)

## Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 20.12.2022

Version number 14 (replaces version 13)

Revision: 20.12.2022

Trade name: illbruck SP050

(Contd. of page 6)

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

**CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine**

|           |  |
|-----------|--|
| LC0/96 h  | 344 mg/L (brachydanio rerio)             |
| LC50/96 h | 597 mg/L (brachydanio rerio)             |
| EC50/48 h | 81 mg/L (daphnia magna)                  |
| EC50/72 h | 126 mg/L (scenedesmus subspicatus)       |
| EC50/96 h | 8.8 mg/L (pseudokirchneriella subcapit.) |

- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** The product is not biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** No further relevant information available.

- **Ecotoxicological effects:**

**CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine**

|      |  |
|------|--|
| NOEC | 3.1 mg/L (pseudokirchneriella subcapit.) |
|      | 20 mg/L (scenedesmus subspicatus)        |

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product.

(Contd. on page 8)

## Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 20.12.2022

Version number 14 (replaces version 13)

Revision: 20.12.2022

**Trade name: illbruck SP050**

(Contd. of page 7)

Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

- **European waste catalogue**  
2008/98/EC (UK WM3) : n/a

|          |   |
|----------|---|
| 08 04 10 | waste adhesives and sealants other than those mentioned in 08 04 09 |
|----------|---|

- **Uncleaned packaging:**
- **Recommendation:**  
Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred.

### SECTION 14: Transport information

- **14.1 UN number or ID number**

- **ADR, ADN, IMDG, IATA** Void

- **14.2 UN proper shipping name**

- **ADR, ADN, IMDG, IATA** Void

- **14.3 Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

- **Class** Void

- **14.4 Packing group**

- **ADR, IMDG, IATA** Void

- **14.5 Environmental hazards:**

- **Marine pollutant:** No

- **14.6 Special precautions for user**

Not applicable.

- **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

- **UN "Model Regulation":**

Void

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)

"GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 52a

(Contd. on page 9)



## Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 20.12.2022

Version number 14 (replaces version 13)

Revision: 20.12.2022

**Trade name: illbruck SP050**

(Contd. of page 8)

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations** No further relevant information available.

· **Substances of very high concern (SVHC) according to EU REACH, Article 57** Not applicable.

· **Substances of very high concern (SVHC) according to UK REACH** Not applicable.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

· **Department issuing SDS:**

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 10)

**Safety data sheet**  
**acc. (EC) 1907/2006, as amended by UK SI 2019/758**

Printing date 20.12.2022

Version number 14 (replaces version 13)

Revision: 20.12.2022

**Trade name: illbruck SP050**

(Contd. of page 9)

PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1B: Skin sensitisation – Category 1B

· **\* Data compared to the previous version altered.**

GB