

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 02/03/2010 Revision date: 28/07/2022 Supersedes version of: 13/05/2022 Version: 5.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Name	: METOFIX 31 ACTIVATOR
UFI	: 488W-QKS3-EG0Y-R1QJ
Product code	: 54166
Type of product	: Building and Repair application
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	:	Industrial use, Professional use
Use of the substance/mixture	:	Building and Repair application
Function or use category	:	Building and construction work

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Chemfix Products Limited
A Briolf Group Company Ctra. N-II, km 706,5
17457 RIUDELLOTS DE LA SELVA (Girona)
SPAIN
T +44 (0)1924 453886/+34 872 729 763 - F +44 (0)1924 458995
sds@chemfix.co.uk - www.chemfix.co.uk

1.4. Emergency telephone number

Emergency number

: Emergency Number Association (EENA) : 112 / UK Manufacturer +44 (0)1924 431679

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Repeated exposure, Category 2	H373
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

May cause damage to organs through prolonged or repeated exposure. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation Hazard pictograms (CLP)

Ilation (EC) No. 1272/20	008 [CLP]			
:				
	GHS05	GHS07	GHS08	
:	Danger			

Signal word (CLP) Contains

: 2,2,4-TRIMETHYLHEXANE-1,6-DIAMINE, QUARTZ (FINE FRACTION)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	 H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction.
	H373 - May cause damage to organs (lungs) through prolonged or repeated exposure (Inhalation of dust).
Precautionary statements (CLP)	 P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective clothing, eye protection, face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,2,4-TRIMETHYLHEXANE-1,6-DIAMINE	CAS-No.: 25513-64-8 EC-No.: 247-063-2 REACH-no: 01-2119560598- 25	20 – 30	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1, H317
QUARTZ FLOUR substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4	20 – 30	Not classified
SILCA SAND substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4 REACH-no: Exempt according to Article 2 (7) of REACH	10 – 20	Not classified
QUARTZ (FINE FRACTION) substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4 REACH-no: Exempted in accordance with Annex V.7	1 – 3	STOT RE 1, H372
P-TOLUENESULPHONIC ACID	CAS-No.: 104-15-4 EC-No.: 203-180-0 EC Index-No.: 016-030-00-2 REACH-no: 01-2119538811- 39	1 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
P-TOLUENESULPHONIC ACID	CAS-No.: 104-15-4 EC-No.: 203-180-0 EC Index-No.: 016-030-00-2 REACH-no: 01-2119538811- 39	(20 ≤C ≤ 100) STOT SE 3, H335	

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	 Call a physician immediately. Remove person to fresh air and keep comfortable for breathing. Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact First-aid measures after ingestion	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Burns. May cause an allergic skin reaction. Serious damage to eyes. Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	ment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment a	and cleaning up	
Methods for cleaning up Other information	Mechanically recover the product.Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage	ge
7.1. Precautions for safe handling	
Precautions for safe handling	 Ensure good ventilation of the work station. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	cluding any incompatibilities

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

Building and construction work.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

SILCA SAND (14808-60-7)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Silica crystaline (Quartz)		
IOEL TWA	0.05 mg/m ³ (respirable dust)		
Remark	(Year of adoption 2003)		
Regulatory reference	SCOEL Recommendations		
QUARTZ (FINE FRACTION) (14808-60-7)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Silica crystaline (Quartz)		
IOEL TWA	0.05 mg/m ³ (respirable dust)		
Remark	(Year of adoption 2003)		
Regulatory reference	SCOEL Recommendations		
QUARTZ FLOUR (14808-60-7)			
EU - Indicative Occupational Exposure Limit (IOEL)	EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Silica crystaline (Quartz)		
IOEL TWA	0.05 mg/m ³ (respirable dust)		
Remark	(Year of adoption 2003)		
Regulatory reference	SCOEL Recommendations		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses (EN 166)

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Reusable gloves	Nitrile rubber (NBR), Butyl rubber, Viton® II	6 (> 480 minutes)	0.4	As the product is a preperation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN141

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties				
9.1. Information on basic pl	hysical and chemical prop	perties		
Physical state	: Solid			
Appearance	: Paste.			
Colour	: Grey.			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour	: Characteristic odour.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: > 200 °C
Flash point	: > 100 °C
Auto-ignition temperature	: Not applicable
Decomposition temperature	No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.3
Solubility	: Material insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1 Information on toxicologica	effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified 	
2,2,4-TRIMETHYLHEXANE-1,6-DIAMINE (25513-64-8)		
LD50 oral rat	910 mg/kg bodyweight Animal: rat, Animal sex: male	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SILCA SAND (14808-60-7)	
LD50 oral rat	> 2000 ml/kg
LD50 dermal rat	> 2000 ml/kg
Skin corrosion/irritation :	Causes severe skin burns.
2,2,4-TRIMETHYLHEXANE-1,6-DIAMINE (255	13-64-8)
рН	11.6
Serious eye damage/irritation :	Causes serious eye damage.
2,2,4-TRIMETHYLHEXANE-1,6-DIAMINE (255	13-64-8)
рН	11.6
Respiratory or skin sensitisation :	May cause an allergic skin reaction.
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
SILCA SAND (14808-60-7)	
IARC group	1 - Carcinogenic to humans
QUARTZ (FINE FRACTION) (14808-60-7)	
IARC group	1 - Carcinogenic to humans
QUARTZ FLOUR (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
P-TOLUENESULPHONIC ACID (104-15-4)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	May cause damage to organs (lungs) through prolonged or repeated exposure (Inhalation or dust).
QUARTZ (FINE FRACTION) (14808-60-7)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
METOFIX 31 ACTIVATOR	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information

12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	Before neutralisation, the product may represent a danger to aquatic organisms. Not classified Not classified
(chronic)	
Not rapidly degradable	
2,2,4-TRIMETHYLHEXANE-1,6-DIAMINE (2551	3-64-8)
EC50 - Other aquatic organisms [1]	174 mg/l
EC50 72h - Algae [1]	43.5 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	1.02 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2,2,4-TRIMETHYLHEXANE-1,6-DIAMINE (2551	3-64-8)		
NOEC (chronic)	1.02 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	≥ 10.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '30 d'		
NOEC chronic algae	> 10 mg/l		
12.2. Persistence and degradability			
No additional information available			
12.3. Bioaccumulative potential			
2,2,4-TRIMETHYLHEXANE-1,6-DIAMINE (25513-64-8)			
Partition coefficient n-octanol/water (Log Pow)	tion coefficient n-octanol/water (Log Pow) 1.11 Source: Lookchem		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Other adverse effects			
No additional information available			
SECTION 13: Disposal considerations			

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IME	DG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN 3259	UN 3259	UN 3259	UN 3259	UN 3259
14.2. UN proper shippin	g name			
AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4- TRIMETHYLHEXANE-1,6- DIAMINE)	AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4- TRIMETHYLHEXANE-1,6- DIAMINE)	Amines, solid, corrosive, n.o.s. (2,2,4- TRIMETHYLHEXANE-1,6- DIAMINE)	AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4- TRIMETHYLHEXANE-1,6- DIAMINE)	AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4- TRIMETHYLHEXANE-1,6- DIAMINE)
Transport document description				
UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4- TRIMETHYLHEXANE-1,6- DIAMINE), 8, III, (E)	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4- TRIMETHYLHEXANE-1,6- DIAMINE), 8, III	UN 3259 Amines, solid, corrosive, n.o.s. (2,2,4- TRIMETHYLHEXANE-1,6- DIAMINE), 8, III	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4- TRIMETHYLHEXANE-1,6- DIAMINE), 8, III	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4- TRIMETHYLHEXANE-1,6- DIAMINE), 8, III
14.3. Transport hazard class(es)				
8	8	8	8	8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID
B	8	B	B	B
14.4. Packing group	I	I	I	I
111				111
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	on available	1	1	1
No supplementary informatic				

14.6. Special precautions for user

Overland transport	
Classification code (ADR)	: C8
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1
	: TP33
(ADR)	
Tank code (ADR)	: SGAV, L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP7
Hazard identification number (Kemler No.)	: 80
Orange plates	80 3259
Tunnel restriction code (ADR)	: E
EAC code	: 2X
Transport by sea	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Segregation (IMDG)	: SGG18, SG35
Properties and observations (IMDG)	: Colourless to yellowish solids with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Cause burns to skin, eyes and mucous membranes. React violently with acids.

Air transport

PCA Excepted quantities (IATA)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

		0 ()
PCA Limited quantities (IATA)	:	Y845
PCA limited quantity max net quantity (IATA)	:	5kg
PCA packing instructions (IATA)	:	860
PCA max net quantity (IATA)	:	25kg
CAO packing instructions (IATA)	:	864
CAO max net quantity (IATA)	:	100kg
Special provisions (IATA)	:	A3, A803
ERG code (IATA)	:	8L
Inland waterway transport		
Classification code (ADN)	:	C8
Special provisions (ADN)	:	274
Limited quantities (ADN)	:	5 kg
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	Т
Equipment required (ADN)	:	PP, EP
Number of blue cones/lights (ADN)	:	0
Rail transport		
Classification code (RID)	:	C8
Special provisions (RID)	:	274
Limited quantities (RID)	:	5kg
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P002, IBC08, LP02, R001
Special packing provisions (RID)	:	B3
Mixed packing provisions (RID)	:	MP10
Portable tank and bulk container instructions (RID)	:	T1
Portable tank and bulk container special provisions	:	TP33
(RID)		
Tank codes for RID tanks (RID)	:	SGAV, L4BN
Transport category (RID)	:	3
Special provisions for carriage – Bulk (RID)		VC1, VC2, AP7
Colis express (express parcels) (RID)		CE11
Hazard identification number (RID)	:	80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Abbreviations and acronyms: ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR European Agreement concerning the International Carriage of Dangerous Goods by Road ATE Acute Toxicity Estimate BCF **Bioconcentration factor** BI V **Biological limit value** BOD Biochemical oxygen demand (BOD) COD Chemical oxygen demand (COD) DMEL Derived Minimal Effect level DNFI Derived-No Effect Level EC-No. European Community number EC50 Median effective concentration FN European Standard IARC International Agency for Research on Cancer : ΙΑΤΑ International Air Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration OECD Organisation for Economic Co-operation and Development OFI Occupational Exposure Limit PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration RID Regulations concerning the International Carriage of Dangerous Goods by Rail

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.