

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN

Date: 20.06.2024

Replaces: N/A Ref: 0638.0.BF/DL

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT AND ADHESIVE BROWN

Mixture

Pure substance/mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against None known

#### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Siroflex Limited Dodworth Business Park Dodworth, Barnsley South Yorkshire, S75 3SP

Tel +44 (0)1226 771600 Fax +44 (0)1226 771601

Further information available from: www.ob1original.com

#### 1.4. Emergency telephone number

United Kingdom Ireland

+ 44 (0) 1226 771600 (Office Hours Only)

NPIC - National Poison Information Centre

Members of the Public: +353 (01 8092166 (8.00 am to 10.00 pm - 7 days a week

Healthcare Professionals: +353 (01 8092566 (24 hour service

Europe 112

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH210 - Safety data sheet available on request

EUH208 - Contains Trimethoxyvinylsilane & 1-o-Tolylbiguanide. May produce an allergic reaction

United Kingdom - BE Page 1 / 13

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Date: 20.06.2024 Ref: 0638.0.BF/DL

#### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Trimethoxyvinylsilane 1 - <3 %	220-449-8 (014-049-00- 0)	2768-02-7	Acute Tox. 4 (H332) Skin Sens. 1B (H317) Flam. Liq. 3 (H226)	-	-	-	01-2119513215- 52-XXXX
1-o-Tolylbiguanide 0.1 - <0.3 %	202-268-6	93-69-6	Skin Sens. 1 (H317) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)	-	-	-	01-2119976311- 39

#### Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Methyl alcohol 67-56-1	200-659-6 (603-001-00-X)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-	01-2119433307- 44-XXXX

Full text of H- and EUH-phrases: see section 16

#### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

	Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
ſ	Trimethoxyvinylsilane	220-449-8	2768-02-7	-	-	-	11	-

United Kingdom - BE Page 2 / 13

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Date: 20.06.2024 Ref: 0638.0.BF/DL

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
	(014-049-00-0)						
1-o-Tolylbiguanide	202-268-6	93-69-6	-	3171	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Small amounts of toxic methanol are released by hydrolysis. Call a doctor immediately.

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with

water.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

**Effects of Exposure** No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Suitable Extinguishing Media

Unsuitable extinguishing media Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon

United Kingdom - BE Page 3 / 13

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Date: 20.06.2024 Ref: 0638.0.BF/DL

dioxide. Thermal decomposition can lead to release of irritating and toxic gases and

vapours.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Do not scatter spilled material with high pressure water streams. **Methods for containment** 

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

Do not eat, drink or smoke when using this product. Wash hands before breaks and after General hygiene considerations

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. **Storage Conditions** 

Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

#### SECTION 8: Exposure controls/personal protection

United Kingdom - BE Page 4 / 13

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN

Replaces: N/A Ref: 0638.0.BF/DL Date: 20.06.2024

#### 8.1. Control parameters

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 250 ppm
		STEL: 333 mg/m <sup>3</sup>
		CL*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

**Derived No Effect Level (DNEL)** No information available

Derived No Effect Level (DNEL)					
Trimethoxyvinylsilane (2768-02-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Systemic health effects Long term	Inhalation	27,6 mg/m³			
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d			

1-o-Tolylbiguanide (93-69-6)	1-o-Tolylbiguanide (93-69-6)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	5.88 mg/m³			
worker Short term Systemic health effects	Inhalation	35.26 mg/m³			
worker Long term Local health effects	Inhalation	5.88 mg/m³			
worker Short term Systemic health effects	Inhalation	35.26 mg/m³			
worker Short term Systemic health effects	Dermal	55.6 mg/kg bw/d			
worker Short term Local health effects	Dermal	55.6 mg/kg bw/d			

Derived No Effect Level (DNEL)		
Trimethoxyvinylsilane (2768-02-7)		
Туре	 Derived No Effect Level (DNEL)	Safety factor

United Kingdom - BE Page 5 / 13

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Ref: 0638.0.BF/DL Date: 20.06.2024

Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	

1-o-Tolylbiguanide (93-69-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Inhalation	1.47 mg/m³	
Long term			
Systemic health effects			
Consumer	Inhalation	8.82 mg/m³	
Short term			
Systemic health effects			
Consumer	Inhalation	1.47 mg/m³	
Long term			
Local health effects			
Consumer	Inhalation	8.82 mg/m³	
Short term			
Systemic health effects			
Consumer	Dermal	27.8 mg/kg bw/d	
Short term			
Systemic health effects			
Consumer	Oral	1.67 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Oral	10 mg/kg bw/d	
Short term			
Systemic health effects			
Consumer	Dermal	27.8 mg/kg bw/d	
Short term			
Local health effects			

#### Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)		
Trimethoxyvinylsilane (2768-02-7)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.34 mg/l	
Marine water	0.034 mg/l	
Microorganisms in sewage treatment	110 mg/l	

1-o-Tolylbiguanide (93-69-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.15 mg/l
Marine water	0.15 mg/l
Sewage treatment plant	50 mg/l

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

United Kingdom - BE Page 6 / 13

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Date: 20.06.2024 Ref: 0638.0.BF/DL

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber. Hand protection

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

None known

gloves. Gloves must conform to standard EN 374

None under normal use conditions. Skin and body protection

In case of inadequate ventilation wear respiratory protection. Wear a respirator Respiratory protection

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Organic gases and vapours filter conforming to EN 14387. White. Brown. Recommended filter type:

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

**Physical state** Solid **Appearance** Paste Colour brown Odour Characteristic.

Property Values Remarks • Method

No data available Melting point / freezing point None known None known Initial boiling point and boiling No data available

range

No data available **Flammability** None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point **Autoignition temperature** No data available None known **Decomposition temperature** None known No data available None known.

No data available

pH (as aqueous solution) No data available Not applicable Kinematic viscosity None known No data available

approx 13000 Pa.s Dynamic viscosity

No data available. Water solubility None known No data available Solubility(ies) None known **Partition coefficient** No data available None known Vapour pressure No data available None known Relative density No data available None known

**Bulk density** No data available 1.49 g/cm<sup>3</sup> Density

Relative vapour density No data available None known

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

**VOC** content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

United Kingdom - BE Page 7 / 13

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Ref: 0638.0.BF/DL Date: 20.06.2024

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity

Product cures with moisture. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition. Product cures with

moisture.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

#### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation in susceptible persons. Based on available data, the

classification criteria are not met.

Based on available data, the classification criteria are not met. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

**Acute toxicity** 

Page 8 / 13 United Kingdom - BE

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Date: 20.06.2024 Ref: 0638.0.BF/DL

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

16,345.40 mg/kg ATEmix (oral) 13,463.80 mg/kg ATEmix (dermal) ATEmix (inhalation-gas) >20000 ppm ATEmix (inhalation-dust/mist) >5 mg/l ATEmix (inhalation-vapour) 489.60 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
1-o-Tolylbiguanide	LD50> 2000 mg/kg (Rattus)	LD50> 2000 mg/kg (Rattus)	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	No sensitisation responses were observed

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		-

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

United Kingdom - BE Page 9 / 13

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Date: 20.06.2024 Ref: 0638.0.BF/DL

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### **Ecotoxicity**

Chemical name	Algae/aquatic	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
		1.050 (0.01.)	microorganisms			(long-term)
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		
	EU Method C.3					
1-o-Tolylbiguanide	EC50 (72h) = 30	LC50 (96h) =	-	EC50 (48h) = 15		
93-69-6	-46 mg/l	150 mg/l		mg/l (Daphnia		
	((Desmodesmus	(Oncorhynchus		magna)		
	subspicatus)	mykiss)		OECD 202		
	OECD 201	,				

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric	_		biodegradable
Respirometry Test (TG 301 F)			-

#### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

Component Information

Component information				
Chemical name	Partition coefficient			
Trimethoxyvinylsilane	1.1			

United Kingdom - BE Page 10 / 13

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Date: 20.06.2024 Ref: 0638.0.BF/DL

1-o-Tolylbiguanide	0.71

#### 12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane	The substance is not PBT / vPvB
1-o-Tolylbiguanide	The substance is not PBT / vPvB

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 **European Waste Catalogue** 

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

#### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name

14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

#### **IMDG**

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant NP

14.6 Special precautions for user

**Special Provisions** None

14.7 Maritime transport in bulk according to IMO instruments

United Kingdom - BE Page 11 / 13

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Date: 20.06.2024 Ref: 0638.0.BF/DL

#### Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

#### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC:** Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### **Export Notification requirements**

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. Chemical Safety Assessment has been carried out for this mixture

United Kingdom - BE Page 12 / 13

**OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE BROWN** 

Replaces: N/A Ref: 0638.0.BF/DL Date: 20.06.2024

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H412 - Harmful to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value Skin designation Sk\*

**SVHC** Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals Very Persistent and very Bioaccumulative (vPvB) Chemicals vPvB

Specific target organ toxicity - Repeated exposure STOT RE Specific target organ toxicity - Single exposure STOT SE

**EWC** European Waste Catalogue

**ADR** European Agreement concerning the International Carriage of Dangerous Goods by

Road

International Maritime Dangerous Goods (IMDG) **IMDG** IATA International Air Transport Association (IATA)

Regulations concerning the International Transport of Dangerous Goods by Rail RID

#### Key literature references and sources for data

No information available

**Prepared By** Product Safety & Regulatory Affairs

**Revision date** 20-Jun-2024

Indication of changes

**Revision note** Not applicable.

**Training Advice** No information available No information available **Further information** 

#### This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 13 / 13