

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Date: 20.06.2024

Replaces: N/A Ref: 0635.0.BF/DL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Mixture

Pure substance/mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Siroflex Limited Dodworth Business Park Dodworth, Barnsley South Yorkshire, S75 3SP

Tel +44 (0)1226 771600 Fax +44 (0)1226 771601

Further information available from: www.ob1original.com

1.4. Emergency telephone number

United Kingdom Ireland

+ 44 (0) 1226 771600 (Office Hours Only)

NPIC - National Poison Information Centre

Members of the Public: +353 (01 8092166 (8.00 am to 10.00 pm - 7 days a week

Healthcare Professionals: +353 (01 8092566 (24 hour service

Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH210 - Safety data sheet available on request

EUH208 - Contains Trimethoxyvinylsilane & 1-o-Tolylbiguanide. May produce an allergic reaction

United Kingdom - BE Page 1 / 14

Replaces: N/A Ref: 0635.0.BF/DL

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Date: 20.06.2024

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Trimethoxyvinylsilane	220-449-8 (014-049-00- 0)	2768-02-7	1 - <3	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
Titanium dioxide	236-675-5 (022-006-00- 2)	13463-67-7	0.1- <1	[C]	-	01-2119489379- 17-XXXX
1-o-Tolylbiguanide	202-268-6	93-69-6	0.1 - <0.3	Skin Sens. 1 (H317) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)	-	01-2119976311- 39

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

Full text of H- and EUH-phrases: see section 16

Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Methyl alcohol 67-56-1	200-659-6 (603-001-00-X)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-	01-2119433307- 44-XXXX

United Kingdom - BE Page 2/14

[[]C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Date: 20.06.2024

Replaces: N/A Ref: 0635.0.BF/DL

Page

3 / 14

STOT SE 1		
(H370)		
Flam. Liq. 2		
(H225)		

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

Chemical name	Notes
Titanium dioxide - 13463-67-7	V,W,10

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Small amounts of toxic methanol are released by hydrolysis. Small amounts of toxic

methanol are released by hydrolysis. Call a doctor immediately. Never give anything by

mouth to an unconscious person. Rinse mouth thoroughly with water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours.

chemical

United Kingdom - BE

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Date: 20.06.2024

Replaces: N/A Ref: 0635.0.BF/DL

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon

dioxide. Thermal decomposition can lead to release of irritating and toxic gases and

vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containmentDo not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

United Kingdom - BE Page 4 / 14

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Replaces: N/A Ref: 0635.0.BF/DL Date: 20.06.2024

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 266 mg/m ³
	*	STEL: 250 ppm
		STEL: 333 mg/m ³
		Sk*
Titanium dioxide	-	TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

No information available **Derived No Effect Level (DNEL)**

Derived No Effect Level (DNEL)						
Trimethoxyvinylsilane (2768	-02-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Systemic health effects Long term	Inhalation	27,6 mg/m³				
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d				

Titanium dioxide (13463-67-7)						
Туре	Exposure route	Derived No Effect Level	Safety factor			
	•	(DNEL)	-			
worker	Inhalation	10 mg/m ³				
Long term						
Local health effects						

1-o-Tolylbiguanide (93-69-6)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	5.88 mg/m ³			
worker Short term Systemic health effects	Inhalation	35.26 mg/m ³			
worker Long term Local health effects	Inhalation	5.88 mg/m ³			
worker	Inhalation	35.26 mg/m ³			

United Kingdom - BE Page 5/14

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE Date: 20.06.2024 Replaces: N/A Ref: 0635.0.BF/DL

Short term Systemic health effects			
worker Short term Systemic health effects	Dermal	55.6 mg/kg bw/d	
worker Short term Local health effects	Dermal	55.6 mg/kg bw/d	

Derived No Effect Level (DNE	Derived No Effect Level (DNEL)						
Trimethoxyvinylsilane (2768-	Trimethoxyvinylsilane (2768-02-7)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³					
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d					
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d					

Titanium dioxide (13463-67-7)						
Туре	1	Derived No Effect Level (DNEL)	Safety factor			
Consumer	Oral	700 mg/kg bw/d				
Long term Systemic health effects						

I-o-Tolylbiguanide (93-69-6)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	1.47 mg/m³			
Consumer Short term Systemic health effects	Inhalation	8.82 mg/m ³			
Consumer Long term Local health effects	Inhalation	1.47 mg/m³			
Consumer Short term Systemic health effects	Inhalation	8.82 mg/m³			
Consumer Short term Systemic health effects	Dermal	27.8 mg/kg bw/d			
Consumer Long term Systemic health effects	Oral	1.67 mg/kg bw/d			
Consumer Short term Systemic health effects	Oral	10 mg/kg bw/d			
Consumer Short term Local health effects	Dermal	27.8 mg/kg bw/d			

United Kingdom - BE Page 6/14

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Date: 20.06.2024

Replaces: N/A Ref: 0635.0.BF/DL

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

1-o-Tolylbiguanide (93-69-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.15 mg/l
Marine water	0.15 mg/l
Sewage treatment plant	50 mg/l

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. **Engineering controls**

Personal protective equipment

Wear safety glasses with side shields (or goggles). Eye protection must conform to Eye/face protection

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection

None under normal use conditions.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Organic gases and vapours filter conforming to EN 14387. White. Brown. Recommended filter type:

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid **Appearance** Paste Colour White Odour Characteristic.

Property Values Remarks • Method

No data available Melting point / freezing point None known Initial boiling point and boiling No data available None known

range

Flammability No data available None known Flammability Limit in Air None known

United Kingdom - BE Page 7/14

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Replaces: N/A Ref: 0635.0.BF/DL Date: 20.06.2024

Upper flammability or explosive No data available

Lower flammability or explosive No data available

limits

Flash point No data available None known **Autoignition temperature** No data available None known

Decomposition temperature None known

рΗ No data available -None known. pH (as aqueous solution) No data available Not applicable Kinematic viscosity No data available None known

approx 10000 Pa.s Dynamic viscosity

Water solubility No data available. None known Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure No data available None known No data available Relative density None known

Bulk Density No data available **Density** 1.51 - g/cm³

No data available Relative vapour density None known

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

United Kingdom - BE Page 8/14

Replaces: N/A Ref: 0635.0.BF/DL

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Date: 20.06.2024

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

products curing

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 16,008.00 mg/kg
ATEmix (dermal) 13,126.60 mg/kg
ATEmix (inhalation-gas) >20000 ppm

ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) 476.50 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)	
	(Rattus) OECD 401	cuniculus)	OECD TG 403	
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h	
1-o-Tolylbiguanide	LD50> 2000 mg/kg (Rattus)	LD50> 2000 mg/kg (Rattus)	-	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					

United Kingdom - BE Page 9 / 14

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Replaces: N/A Ref: 0635.0.BF/DL Date: 20.06.2024

Irritation/Corrosion			

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information						
Method	Species	Exposure route	Results			
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses			
Sensitisation			were observed			

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Results		
OECD Test No. 406: Skin	Guinea pig	Dermal	Not a skin sensitiser		
Sensitisation					
OECD Test No. 429: Skin	Mouse	Dermal	Not a skin sensitiser		
Sensitisation: Local Lymph Node					
Assay					

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		-

Based on available data, the classification criteria are not met. Carcinogenicity

Reproductive toxicity Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. STOT - single exposure

Based on available data, the classification criteria are not met. STOT - repeated exposure

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Aspiration hazard

Based on available data, the classification criteria are not met.

United Kingdom - BE Page 10/14

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Replaces: N/A Ref: 0635.0.BF/DL Date: 20.06.2024

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		
1-o-Tolylbiguanide 93-69-6	EC50 (72h) = 30 -46 mg/l ((Desmodesmus subspicatus) OECD 201	150 mg/l	-	EC50 (48h) = 15 mg/l (Daphnia magna) OECD 202		

12.2. Persistence and degradability

No information available. Persistence and degradability

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
Trimethoxyvinylsilane	1.1	
1-o-Tolylbiguanide	0.71	

12.4. Mobility in soil

No information available. Mobility in soil

12.5. Results of PBT and vPvB assessment

United Kingdom - BE Page 11/14

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Date: 20.06.2024

threshold of declaration.

Chemical name	PBT and vPvB assessment		
Trimethoxyvinylsilane	The substance is not PBT / vPvB		
Titanium dioxide	The substance is not PBT / vPvB		
1-o-Tolylbiguanide	The substance is not PBT / vPvB		

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

ea

Dispose of contents/container in accordance with local, regional, national, and

Replaces: N/A Ref: 0635.0.BF/DL

international regulations as applicable.

Contaminated packaging

Handle contaminated packages in the same way as the product itself.

European Waste Catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information

Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

<u>IMDG</u>

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 Not regulated
 Not regulated
 Not regulated

14.5 Marine pollutant
 14.6 Special precautions for user
 Special Provisions

None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 Not regulated
 Not regulated
 Not regulated

United Kingdom - BE Page 12 / 14

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Replaces: N/A Ref: 0635.0.BF/DL Date: 20.06.2024

14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user **Special Provisions** None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H318 - Causes serious eve damage

H332 - Harmful if inhaled

H412 - Harmful to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

United Kingdom - BE Page 13 / 14

OB1 BIO-BASED MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE WHITE

Replaces: N/A Ref: 0635.0.BF/DL Date: 20.06.2024

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

Legend

TWA TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)

Ceiling Limit Value Ceiling Sk* Skin designation

SVHC Substance(s) of Very High Concern

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals PBT Very Persistent and very Bioaccumulative (vPvB) Chemicals vPvB

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

European Waste Catalogue **EWC**

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG) IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 27-Feb-2024

Indication of changes

Revision note Not applicable.

No information available **Training Advice** Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 14/14