

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 08.09.2022

Version 3 (replaces version 2)

Revision: 08.09.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: OTTO Cleaner T**
- **UFI: 94A0-W06W-A00H-VD14**
- **Application of the substance / the mixture** *Cleaning agent/ Cleaner*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Hermann Otto GmbH  
 Krankenhausstraße 14  
 D-83413 Fridolfing  
 Tel.: 0049/(0)8684/908-0  
 Fax.: 0049/(0)8684/908-1840*
- **Further information obtainable from:**  
*Tel.: 0049- (0)8684- 908- 2363 ( -4300 )  
 E-Mail: alois.parzinger@otto-chemie.de*
- **1.4 Emergency telephone number:**  
*Tel.: 0049- (0) 89- 192 40 (emergency telephone no.)  
 Tel.: 0049/621/60-43333 (BASF Plant fire brigade)  
 +44 1865 407333 (Carechem 24)*

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



flame

*Flam. Liq. 2 H225 Highly flammable liquid and vapour.*



*Eye Irrit. 2 H319 Causes serious eye irritation.  
 STOT SE 3 H336 May cause drowsiness or dizziness.*

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
*The product is classified and labelled according to the GB CLP regulation.*
- **Hazard pictograms** *GHS02, GHS07*
- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*propan-2-ol*
- **Hazard statements**  
*H225 Highly flammable liquid and vapour.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.*
- **Precautionary statements**

<i>P102</i>	<i>Keep out of reach of children.</i>
<i>P210</i>	<i>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</i>
<i>P271</i>	<i>Use only outdoors or in a well-ventilated area.</i>
<i>P280</i>	<i>Wear protective gloves / eye protection / face protection.</i>
<i>P301+P310</i>	<i>IF SWALLOWED: Immediately call a POISON CENTER/ doctor.</i>
<i>P301+P330+P331</i>	<i>IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</i>
<i>P302+P352</i>	<i>IF ON SKIN: Wash with plenty of soap and water.</i>

(Contd. on page 2)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 08.09.2022

Version 3 (replaces version 2)

Revision: 08.09.2022

**Trade name: OTTO Cleaner T**

(Contd. of page 1)

P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Cleansing agent
- **Dangerous components:**

CAS: 67-63-0	propan-2-ol	50-100%
EINECS: 200-661-7	⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3,	
Reg.nr.: 01-2119457558-25-0000	H336	

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- **After skin contact**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact**  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**  
Rinse out mouth and then drink plenty of water in small amounts (if person is conscious).  
Do not induce vomiting; call for medical help immediately. Show container or label.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Headache  
Dizziness  
Dizziness  
Nausea
- **4.3 Indication of any immediate medical attention and special treatment needed**  
If swallowed or in case of vomiting, danger of entering the lungs

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 08.09.2022

Version 3 (replaces version 2)

Revision: 08.09.2022

Trade name: OTTO Cleaner T

(Contd. of page 2)

- **Additional information** Cool endangered receptacles with water spray.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Keep away from ignition sources
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections** See Section 8 for information on personal protection equipment.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
see item 8: Personal protective equipment
- **Information about fire - and explosion protection:**  
Protect against electrostatic charges.  
Traces of flammable substances may collect in the steam chamber of enclosed systems. Keep clear of ignition sources.  
Highly volatile, flammable constituents are released during processing.  
Flammable gas-air mixtures may form in empty receptacles.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**  
Provide solvent resistant, sealed floor.  
Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.  
Store receptacle in a well ventilated area.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  

---

**67-63-0 propan-2-ol**  
WEL Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm  
Long-term value: 999 mg/m<sup>3</sup>, 400 ppm
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Pregnant women should strictly avoid inhalation or skin contact.
- **Respiratory protection:**  
Use suitable respiratory protective device when high concentrations are present.
- **Hand protection** Protective gloves.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 08.09.2022

Version 3 (replaces version 2)

Revision: 08.09.2022

Trade name: OTTO Cleaner T

(Contd. of page 3)

- **Material of gloves**  
Recommended glove types: nitrile rubber  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.  
Recommended thickness of the material: >0,4 mm
- **Penetration time of glove material** Breakthrough time: 10 - 30 min
- **Eye/face protection** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

- |   |                        |
|---|------------------------|
| · <b>Physical state</b>   | Fluid                  |
| · <b>Colour:</b>  | Colourless             |
| · <b>Odour:</b>   | Alcohol-like           |
| · <b>Melting point/freezing point:</b>                            | 89 °C                  |
| · <b>Boiling point or initial boiling point and boiling range</b> | 82 °C                  |
| · <b>Flammability</b>   | Highly flammable.      |
| · <b>Lower and upper explosion limit</b>                          |                        |
| · <b>Lower:</b>   | 2 Vol %                |
| · <b>Upper:</b>   | 13 Vol %               |
| · <b>Flash point:</b>   | 12 °C                  |
| · <b>Ignition temperature:</b>                                    | 425 °C                 |
| · <b>Decomposition temperature:</b>                               | Not determined.        |
| · <b>pH</b>   | Not determined.        |
| · <b>Viscosity at 20 °C:</b>                                      | 2.43 mPas              |
| · <b>Solubility</b>   |                        |
| · <b>Water at 20 °C:</b>  | 1.000 g/l              |
| · <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.        |
| · <b>Vapour pressure at 20 °C:</b>                                | 48 hPa                 |
| · <b>Density and/or relative density</b>                          |                        |
| · <b>Density at 20 °C:</b>  | 0.79 g/cm <sup>3</sup> |
| · <b>Relative density</b>   | Not determined.        |
| · <b>Vapour density</b>   | Not determined.        |
| · <b>Relative gas density</b>                                     | undetermined           |

#### · 9.2 Other information

- |                                     |   |
|-------------------------------------|---|
| · <b>Form:</b>                      | Fluid   |
| · <b>Auto-ignition temperature:</b> | Product is not selfigniting.  |
| · <b>Explosive properties:</b>      | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |

#### · Information with regard to physical hazard classes

- |                            |                                     |
|----------------------------|-------------------------------------|
| · <b>Aerosols</b>          | Void                                |
| · <b>Flammable liquids</b> | Highly flammable liquid and vapour. |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.  
Avoid strong heating.

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 08.09.2022

Version 3 (replaces version 2)

Revision: 08.09.2022

Trade name: OTTO Cleaner T

(Contd. of page 4)

- **10.3 Possibility of hazardous reactions**  
Danger of receptacles bursting because of high vapour pressure when heated  
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised
- **10.5 Incompatible materials:** Strong oxidizing agents, alkalis, amines, strong acids
- **10.6 Hazardous decomposition products:** see item 5.2

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**
- **LD/LC50 values relevant for classification:**  

---
- **67-63-0 propan-2-ol**  
Oral LD50 5,840 mg/kg (rat)  
Dermal LD50 13,900 mg/kg (rab)
- **Serious eye damage/irritation** Causes serious eye irritation.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**  

---
- None of the ingredients is listed.

### SECTION 12: Ecological information

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Liquid residues must be specially treated adhering to official regulations.
- **Uncleaned packaging:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.  
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

### SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** UN1219
- **14.2 UN proper shipping name**
- **ADR** 1219 ISOPROPANOL
- **IMDG, IATA** ISOPROPANOL

(Contd. on page 6)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 08.09.2022

Version 3 (replaces version 2)

Revision: 08.09.2022

Trade name: OTTO Cleaner T

(Contd. of page 5)

## · 14.3 Transport hazard class(es)

## · ADR



· Class 3 (F1) Flammable liquids.  
 · Label 3

## · IMDG, IATA



· Class 3 Flammable liquids.  
 · Label 3  
 · 14.4 Packing group II  
 · ADR, IMDG, IATA II  
 · 14.5 Environmental hazards:  
 · Marine pollutant: No  
 · 14.6 Special precautions for user Warning: Flammable liquids.  
 · Hazard identification number (Kemler code): 33  
 · EMS Number: F-E, S-D  
 · Stowage Category B  
 · 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

## · Transport/Additional information:

## · ADR

· Limited quantities (LQ) 1L  
 · Excepted quantities (EQ) Code: E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml  
 · Transport category 2  
 · Tunnel restriction code D/E

## · IMDG

· Limited quantities (LQ) 1L  
 · Excepted quantities (EQ) Code: E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml  
 · UN "Model Regulation": UN 1219 ISOPROPANOL, 3, II

### SECTION 15: Regulatory information

## · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- National regulations

## · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 7)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 08.09.2022

Version 3 (replaces version 2)

Revision: 08.09.2022

**Trade name: OTTO Cleaner T**

(Contd. of page 6)

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Details of international registration status:**  
**Listed on or in accordance with the following inventories:**
  - UK REACH - Europe listed
  - AICS - Australia listed
  - DSL- Canada listed
  - IECSC - China listed
  - ENCS - Japan listed
  - NZIoC - New Zealand listed
  - PICCS - Philippines listed
  - ECL - Korea listed
  - TSCA - USA listed
  - TCSI - Taiwan listed
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**  
H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.
- **Department issuing SDS:** Tel.: 0049- (0)8684- 908- 2363
- **Contact:** Tel.: 0049- (0)8684- 908- 2363 ( -4300 )
- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 2: Flammable liquids – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- **\* Data compared to the previous version altered.**

GB