
Printing date 26.02.2021

Version 3

Revision: 26.02.2021



Printing date 26.02.2021

Version 3

Revision: 26.02.2021

#### Trade name: OTTOCOLL P 83

contact, with this product.

(Contd. of page 1)

- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type A1 according to standard EN 14387) is used.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

<ul> <li>3.2 Chemical character</li> <li>Description: Prepolymer, based on e</li> <li>Dangerous component</li> </ul>	diphenylmethandiisocyanat with monomeric and polymeric contents	
CAS: 77703-56-1 ELINCS: 416-600-4	4,4'-METHYLENEBIS(1-BUTYL-3-PHENYLUREA) Aquatic Chronic 4, H413	0-<5%
CAS: 192526-20-8 EC number: 924-669-1	Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane	<1%
	Skin Sens. 1A, H317; Aquatic Chronic 4, H413	
CAS: 932742-30-8 EC number: 700-071-4	Hardener LI (Isophoronedialdimine) ♦ Skin Sens. 1B, H317; Aquatic Chronic 3, H412	<1%
CAS: 1065336-91-5 EC number: 915-687-0	Pentamethylpiperidylsebacate	<1%
CAS: 4098-71-9 EINECS: 223-861-6	3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate Acute Tox. 3, H331; Resp. Sens. 1, H334; Aquatic Chronic 2, H411; Nin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	<1%
CAS: 101-68-8	diphenylmethane-4,4'-di-isocyanante	<1%
EINECS: 202-966-0	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; (1) Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 26471-62-5 EINECS: 247-722-4	m-tolylidene diisocyanate ♦ Acute Tox. 2, H330; ♦ Resp. Sens. 1, H334; Carc. 2, H351; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412	<1%
· Additional informatio	<b>n</b> For the wording of the listed hazard phrases refer to section 16.	

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

#### · General information

Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. **After inhalation** Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. **After skin contact** Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor. **After swallowing** Do not induce vomiting; call for medical help immediately. Show container or label.

(Contd. on page 3)

– GB

Printing date 26.02.2021

Version 3

Revision: 26.02.2021

Trade name: OTTOCOLL P 83

(Contd. of page 2) • **4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

<sup>•</sup> Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:

Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

# SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- · 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

#### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

#### 101-68-8 diphenylmethane-4,4'-di-isocyanante

WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO

4098-71-9 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate

WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO

(Contd. on page 4)

GB

Printing date 26.02.2021

Version 3

Revision: 26.02.2021

Trade name: OTTOCOLL P 83

26471-62-5 m-tolylidene diisocyan	ato
WEL Short-term value: 0.07 mg/m <sup>3</sup>	
Long-term value: 0.02 mg/m <sup>3</sup>	
Sen; as -NCO DNELs	
	lexamethylene diisocyanate, oligomers with
Mercaptopropyltrimet	
Dermal Worker, systemic (long ter	-
Inhalative Worker, systemic (long ter	
Consumer, systemic (long	, <b>C</b>
	alid during the making were used as basis.
8.2 Exposure controls	
Personal protective equipment	
General protective and hygienic m The usual precautionary measures a	neasures are to be adhered to when handling chemicals.
Wash hands before breaks and at th	
Avoid contact with the eyes and skin	
Respiratory protection:	lar conditions of near ventilation unloss a protective marker
	ler conditions of poor ventilation unless a protective mask wi according to standard EN 14387) is used.
<b>Protection of hands:</b> Protective glo	
Material of gloves	
	does not only depend on the material, but also on further ma
of quality and varies from manufactu Recommended glove types: nitrile ru	
Recommended thickness of the mate	
Penetration time of glove material	
Penetration time of glove material	Breakthrough time: > 30 min
<b>Penetration time of glove material</b> <b>Eye protection</b> : Safety glasses	Breakthrough time: > 30 min
<b>Penetration time of glove material</b> <b>Eye protection:</b> Safety glasses <b>Body protection:</b> Protective work cl	l Breakthrough time: > 30 min lothing.
<b>Penetration time of glove material</b> <b>Eye protection</b> : Safety glasses	l Breakthrough time: > 30 min lothing.
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical	Breakthrough time: > 30 min lothing. nemical properties
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information	Breakthrough time: > 30 min lothing. nemical properties
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance:	Breakthrough time: > 30 min lothing. nemical properties and chemical properties
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information	Breakthrough time: > 30 min lothing. <b>nemical properties</b> <b>and chemical properties</b> pasty
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form:	Breakthrough time: > 30 min lothing. nemical properties and chemical properties
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour:	Breakthrough time: > 30 min lothing. <b>nemical properties</b> <b>and chemical properties</b> pasty According to product specification
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour:	Breakthrough time: > 30 min lothing. nemical properties and chemical properties pasty According to product specification Characteristic
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition	Breakthrough time: > 30 min lothing. memical properties and chemical properties pasty According to product specification Characteristic Not determined. Not applicable.
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point:	Breakthrough time: > 30 min lothing. memical properties and chemical properties pasty According to product specification Characteristic Not determined. Not applicable. undetermined
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling re	Breakthrough time: > 30 min lothing. memical properties and chemical properties pasty According to product specification Characteristic Not determined. Not applicable. undetermined ange: undetermined
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour: Odour: PH-value: Change in condition Melting point/freezing point:	Breakthrough time: > 30 min lothing. memical properties and chemical properties pasty According to product specification Characteristic Not determined. Not applicable. undetermined
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling re	Breakthrough time: > 30 min lothing. memical properties and chemical properties pasty According to product specification Characteristic Not determined. Not applicable. undetermined ange: undetermined
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling ra	Breakthrough time: > 30 min lothing. emical properties and chemical properties and chemical properties pasty According to product specification Characteristic Not determined. Not applicable. undetermined range: undetermined >150 °C (closed cup)
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Decomposition temperature: Auto-ignition temperature:	Breakthrough time: > 30 min         lothing.         International properties         and chemical properties         and chemical properties         pasty         According to product specification         Characteristic         Not determined.         Not applicable.         undetermined         >150 °C (closed cup)         Not determined.
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits:	Breakthrough time: > 30 min         Iothing.         International properties         and chemical properties         and chemical properties         pasty         According to product specification         Characteristic         Not determined.         Not applicable.         undetermined         >150 °C (closed cup)         Not determined.         Product is not selfigniting.         Product does not present an explosion hazard.
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower:	Breakthrough time: > 30 min         Iothing.         International properties         and chemical properties         and chemical properties         pasty         According to product specification         Characteristic         Not determined.         Not applicable.         undetermined         >150 °C (closed cup)         Not determined.         Product is not selfigniting.         Product does not present an explosion hazard.         not applicable
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	Breakthrough time: > 30 min         lothing.         Iothing.         pemical properties         and chemical properties         pasty         According to product specification         Characteristic         Not determined.         Not applicable.         undetermined         >150 °C (closed cup)         Not determined.         Product is not selfigniting.         Product does not present an explosion hazard.         not applicable         not applicable
Penetration time of glove material Eye protection: Safety glasses Body protection: Protective work cl SECTION 9: Physical and ch 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower:	Breakthrough time: > 30 min         Iothing.         International properties         and chemical properties         and chemical properties         pasty         According to product specification         Characteristic         Not determined.         Not applicable.         undetermined         >150 °C (closed cup)         Not determined.         Product is not selfigniting.         Product does not present an explosion hazard.         not applicable

Printing date 26.02.2021

Version 3

Revision: 26.02.2021

Trade name: OTTOCOLL P 83

		(Contd. of page 4)
Density: Vapour density Evaporation rate	see technical datasheet Not applicable. Not determined.	
Solubility in / Miscibility with Water:	Hydrolized	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:	Not determined.	

### SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.
- **10.3 Possibility of hazardous reactions** Reacts with alcohols Reacts with amines Exothermic reaction
- **10.5 Incompatible materials:** If isocyanate gets in contact with humidity, carbon dioxide is released. The carbon dioxide causes an overpressure in closed containers.
- · 10.6 Hazardous decomposition products: see item 5.2

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

192526-20-8 Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

#### 932742-30-8 Hardener LI (Isophoronedialdimine)

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rab)

#### 1065336-91-5 Pentamethylpiperidylsebacate

Oral LD50 3,230 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met. • Respiratory or skin sensitisation
- Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product. May cause an allergic skin reaction.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 26.02.2021

Version 3

Revision: 26.02.2021

Trade name: OTTOCOLL P 83

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 5)

## **SECTION 12: Ecological information**

- · 12.2 Persistence and degradability
- · Other information: Product is not biodegradable.
- · 12.4 Mobility in soil
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow product to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation
- Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

- · Uncleaned packaging:
- Recommendation:

*Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.* 

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information	n
· 14.1 UN-Number	N7. 11
• ADR, ADN, IMDG, IATA • 14.2 UN proper shipping name	Void
· ADR, ADN, IMDG, IATA	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA	
<sup>.</sup> Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	Νο
• 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex	
of Marpol and the IBC Code	Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void GB

(Contd. on page 7)

Printing date 26.02.2021

Version 3

Revision: 26.02.2021

(Contd. of page 6)

Trade name: OTTOCOLL P 83

# SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Details of international registration status: Listed on or in accordance with the following inventories: DSL- Canada listed **REACH - Europe** listed AICS - Australia listed IECSC - China not listed ENCS - Japan not listed NZIoC - New Zealand not listed PICCS - Philippines not listed ECL - Korea not listed TSCA - USA listed TCSI - Taiwan not listed · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

- · Department issuing SDS: Tel.: 0049- (0)8684- 908- 641
- · Contact: Tel.: 0049- (0)8684- 908- 641 ( -460 )

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

(Contd. on page 8)

Printing date 26.02.2021

Version 3

Revision: 26.02.2021

### Trade name: OTTOCOLL P 83

	(Contd. of page 7
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Skin Sens. 1B: Skin sensitisation – Category 1B	
Carc. 2: Carcinogenicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4	
* Data compared to the previous version altered.	