

Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021	Version 7.1	Print Date 02.09.2021
Revision Date: 02.09.2021		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikadur[®]-31 CF Rapid (B)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive, Mortar, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire, AL7 1BQ
		
Telephone	-	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1B Serious eye damage, Category 1 Skin sensitisation, Category 1 Long-term (chronic) aquatic hazard, Category 2

- H314: Causes severe skin burns and eye damage.
- H318: Causes serious eye damage.

H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Cat- H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION	(EC)	No 1272/2008)	
Hazard pictograms	:		
Signal word	:	Danger	•
Hazard statements	:	H314 H317 H411	Causes severe skin burns and eye damage. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021	V	ersion 7.1	Print Date 02.09.2021	
Precautionary statements :	Prevention:			
	P273	Avoid release to the environme	nt.	
	P280	Wear protective gloves/ protect eye protection/ face protection.	ive clothing/	
	Response:			
	P303 + P361 + I	P353 IF ON SKIN (or hair): Tal ately all contaminated clothing. with water.		
	P304 + P340 + I	P310 IF INHALED: Remove per air and keep comfortable for brown mediately call a POISON CENT	eathing. Im-	
	P305 + P351 + I	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	se cautiously Remove con- to do. Con-	
	P391	Collect spillage.		

Hazardous components which must be listed on the label:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine

Amines, polyethylenepoly-, triethylenetetramine fraction

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Sikadur®-31 CF Rapid (B)

Date of last issue: 31.08.2021	Version 7.1	Print Date 02.09.2021
Revision Date: 02.09.2021		

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
(1-methylethyl)-1,1'-biphenyl Contains: diisopropyl-1,1'-biphenyl >= 9,9 %	25640-78-2 247-156-8 01-2119982993-17- XXXX	Eye Irrit. 2; H319 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 2,5 - < 5
2,2,4(or 2,4,4)-trimethylhexane- 1,6-diamine	25513-64-8 247-063-2 01-2119560598-25- XXXX	Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317	>= 2,5 - < 3
Amines, polyethylenepoly-, tri- ethylenetetramine fraction Contains: 2-(2-aminoethylamino)ethanol <= 0,3 %	90640-67-8 292-588-2 01-2119487919-13- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Chronic 3; H412 EUH071	>= 2,5 - < 3
benzyl alcohol	100-51-6 202-859-9 01-2119492630-38- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 1 - < 2,5
2,4,6- tris(dimethylaminomethyl)phenol Contains: bis[(dimethylamino)methyl]phenol <= 15 %	90-72-2 202-013-9 01-2119560597-27- XXXX	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately.
Country GB 10000006808	



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021		Version 7.1	Print Date 02.09.202
		Wash off with soap and plenty of water. Immediate medical treatment is necessary a wounds from corrosion of the skin heal slow ty.	
In case of eye contact	:	Small amounts splashed into eyes can caus sue damage and blindness. In the case of contact with eyes, rinse immer of water and seek medical advice. Continue rinsing eyes during transport to hos Remove contact lenses. Keep eye wide open while rinsing.	diately with plenty
If swallowed	:	Do not induce vomiting without medical advi Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconso	
4.2 Most important symptoms an	d e	effects, both acute and delayed	
Symptoms	:	Allergic reactions Dermatitis See Section 11 for more detailed information and symptoms.	າ on health effects
Risks	:	Health injuries may be delayed. corrosive effects sensitising effects	
		May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.	
4.3 Indication of any immediate m	ne	dical attention and special treatment neede	ed
Treatment	:	Treat symptomatically.	-
SECTION 5: Firefighting meas	ur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water j ide/sand/foam/alcohol resistant foam/chemic extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to ente courses.	r drains or water
Hazardous combustion prod-	:	No hazardous combustion products are know	wn
Country GB 10000006808			4 / 16

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021	Version 7.1	Print Date 02.09.2021

ucts

5.3 Advice for firefighters Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protect Personal precautions		equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.			
6.2 Environmental precautions					
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Methods and material for containment and cleaning up					
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.			

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021		Version 7.1	Print Date 02.09.2021
	:	Normal measures for preventive fire protection.	
fire and explosion			
Hygiene measures	:	Handle in accordance with good industrial hygie practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-v place. Store in accordance with local regulations	
Further information on stor- age stability	:	No decomposition if stored and applied as direc	ted.
7.3 Specific end use(s)			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment	ıt	
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.	
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection	: No special measures required.	
Environmental exposure controls		
General advice	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.	



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021	Version 7.1	Print Date 02.09.2021
Revision Date: 02.09.2021		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	liquid paste dark grey amine-like
Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	Not applicable
		No data available
рН	:	ca. 11 Concentration: 500 g/l 50 %
Viscosity		
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,98 g/cm3 (20 °C)

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous r	eaction	S
Hazardous reactions	: :	Stable under recommended storage conditions.
10.4 Conditions to avoid		
Conditions to avoid	: 1	No data available
10.5 Incompatible materials		
Materials to avoid	: 1	No data available
0		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021 Version 7.1

Print Date 02.09.2021

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

(1-methylethyl)-1,1'-biphenyl:

Acute oral toxicity	:	LD50 Oral (Rat): 4.650 mg/kg	
		Method: OECD Test Guideline 401	

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Acute oral toxicity : LD50 Oral (Rat): 910 mg/kg

Amines, polyethylenepoly-, triethylenetetramine fraction:

Acute oral toxicity	:	LD50 Oral (Rat): 1.716 mg/kg
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): 1.465 mg/kg
benzyl alcohol: Acute oral toxicity	:	LD50 Oral (Rat): 1.620 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 4,178 mg/l Exposure time: 4 h Test atmosphere: dust/mist

2,4,6-tris(dimethylaminomethyl)phenol:

Acute oral toxicity	: LD50 (Rat): > 1.999 mg/kg
-	Remarks: Harmful if swallowed.
	Annex VI - Harmonised
	REGULATION (EC) No 1272/2008

Skin corrosion/irritation

Causes severe burns.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021	Version 7.1	Print Date 02.09.2021
Species:Assessment:Method:	Rabbit Corrosive OECD Test Guideline 404	
Assessment : Remarks :	irritating Annex VI - Harmonised REGULATION (EC) No 1272/2008	
Serious eye damage/eye irritat	ion	
Causes serious eye damage.		
Components:		
2,4,6-tris(dimethylaminomethy	l)phenol:	
Species :	Rabbit	
Assessment :	Causes serious eye damage.	
Assessment : Remarks :	irritating Annex VI - Harmonised REGULATION (EC) No 1272/2008	
Respiratory or skin sensitisati	on	
Skin sensitisation		
May cause an allergic skin reacti	on.	
Respiratory sensitisation		
Not classified based on available	information.	

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

•

11.2 Information on other hazards

Endocrine disrupting properties

Product: Assessment

The substance/mixture does not contain components consid-

Country GB 10000006808



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021	Version 7.1	Print Date 02.09.2021

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

(1-methylethyl)-1,1'-biphenyl: Toxicity to daphnia and other aquatic invertebrates		LC50 (Daphnia magna (Water flea)): 0,167 mg/l Exposure time: 48 h	
2,2,4(or 2,4,4)-trimethylhexan	ie-	1,6-diamine:	
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus capricornutum (fresh water algae)): 29,5 mg/l Exposure time: 72 h	
Toxicity to fish (Chronic tox- icity)	:	LC50: 174 mg/l Exposure time: 48 h Species: Leuciscus idus (Golden orfe)	
benzyl alcohol:			
•	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h	
2,4,6-tris(dimethylaminometh	nyl)phenol:	
	•	EC50 (Scenedesmus capricornutum (fresh water algae)): > 10 - 100 mg/l	

Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021		Version 7.1	Print Date 02.09.2021
12.5 Results of PBT and vP	/B assess	ment	
Product:			
Assessment	t v	This substance/mixture contains no con o be either persistent, bioaccumulative very persistent and very bioaccumulation 0.1% or higher	e and toxic (PBT), or
12.6 Endocrine disrupting p	roperties		
Product:			
Assessment	e	The substance/mixture does not contai ered to have endocrine disrupting prop	erties according to
	(REACH Article 57(f) or Commission De EU) 2017/2100 or Commission Regula evels of 0.1% or higher.	
12.7 Other adverse effects	(EU) 2017/2100 or Commission Regula	
12.7 Other adverse effects <u>Product:</u>	(EU) 2017/2100 or Commission Regula	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021 Version 7.1

Print Date 02.09.2021

SECTION 14: Transport information

14.1 UN number	
ADR	: UN 1759
IMDG	: UN 1759
ΙΑΤΑ	: UN 1759
14.2 UN proper shipping name	
ADR	: CORROSIVE SOLID, N.O.S. (2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine, (1-methylethyl)- 1,1'-biphenyl)
IMDG	: CORROSIVE SOLID, N.O.S. (2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine, (1-methylethyl)- 1,1'-biphenyl)
ΙΑΤΑ	: Corrosive solid, n.o.s. (2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine, (1-methylethyl)- 1,1'-biphenyl)
14.3 Transport hazard class(es)	
ADR	: 8
IMDG	: 8
ΙΑΤΑ	: 8
14.4 Packing group	
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: III : C10 : 80 : 8 : (E)
IMDG Packing group Labels EmS Code Remarks	: III : 8 : F-A, S-B : Alkalis
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: 864 : Y845 : III : Corrosive
IATA (Passenger) Packing instruction (passen- ger aircraft)	: 860

Country GB 10000006808

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021		Version 7.1	Print Date 02.09.2021
Packing instruction (LQ) Packing group Labels		Y845 III Corrosive	
14.5 Environmental hazards			
ADR Environmentally hazardous	:	yes	
IMDG Marine pollutant	:	yes	
IATA (Passenger) Environmentally hazardous	:	yes	
IATA (Cargo) Environmentally hazardous	:	yes	
14.6 Special precautions for use			
The transport classification(s)	pro	vided herein are for informational purposes only	, and solely based

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors		:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)		:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals		:	Not applicable
REACH Information:	All substances contain	ed i	n our Products are
untry CD 100000000000			10/11



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021	Version 7.1	Print Date 02.09.2021
	 registered by our upstream suppliers, a registered by us, and/or excluded from the regulation, and/or exempted from the registration. 	and/or
Seveso III: Directive 2012/18/E jor-accident hazards involving c E2	U of the European Parliament and of the Co langerous substances. ENVIRONMENTAL HAZARDS	ouncil on the control of ma-
Volatile organic compounds :	 Law on the incentive tax for volatile orga (VOCV) Volatile organic compounds (VOC) cont no VOC duties 	
	Directive 2010/75/EU of 24 November 2 emissions (integrated pollution prevention Volatile organic compounds (VOC) cont	on and control)
If other regulatory information a Sheet, then it is described in thi	applies that is not already provided elsewhen is subsection.	re in the Safety Data

Health, safety and environ- mental regulation/legislation	Environmental Protection Act 1990 & Subsidiary Health and Safety at Work Act 1974 & Subsidiary	
specific for the substance or mixture:	Control of Substances Hazardous to Health Regulations (COSHH)	
	May be subject to the Control of Major Accident F Regulations (COMAH), and amendments.	lazards

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H400	: Very toxic to aquatic life.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021		
Revision Date: 02.09.2021		

Version 7.1

Print Date 02.09.2021

Acute Tox.	: Acute toxicity	
Aquatic Acute	: Short-term (acute) aquatic hazard	
Aquatic Chronic	: Long-term (chronic) aquatic hazard	
Asp. Tox.	: Aspiration hazard	
Eye Dam.	: Serious eye damage	
Eye Irrit.	: Eye irritation	
Skin Corr.	: Skin corrosion	
Skin Sens.	: Skin sensitisation	
ADR	: European Agreement concerning the International Carriage of	
	Dangerous Goods by Road	
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
ΙΑΤΑ	: International Air Transport Association	
IMDG	: International Maritime Code for Dangerous Goods	
LD50	: Median lethal dosis (the amount of a material, given all at	
	once, which causes the death of 50% (one half) of a group of	
	test animals)	
LC50	: Median lethal concentration (concentrations of the chemical in	
	air that kills 50% of the test animals during the observation	
	period)	
MARPOL	: International Convention for the Prevention of Pollution from	
	Ships, 1973 as modified by the Protocol of 1978	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the European Parliament	
	and of the Council of 18 December 2006 concerning the Reg-	
	istration, Evaluation, Authorisation and Restriction of Chemi-	
	cals (REACH), establishing a European Chemicals Agency	
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccumulative	

Further information			
Classification of the mixture:		Classification procedure:	
Skin Corr. 1B	H314	Calculation method	
Eye Dam. 1	H318	Calculation method	
Skin Sens. 1	H317	Calculation method	
Aquatic Chronic 2	H411	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Country GB 10000006808



Sikadur[®]-31 CF Rapid (B)

Date of last issue: 31.08.2021 Revision Date: 02.09.2021 Version 7.1

Print Date 02.09.2021

GB / EN