

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : 5Min Liquid PU Wood Adhesive

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use, Professional use  
Use of the substance/mixture : adhesives

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Soudal N.V.  
Everdongenlaan 18-20  
2300 Turnhout  
Belgium  
T +32 14 42 42 31, F +32 14 42 65 14  
[sds@soudal.com](mailto:sds@soudal.com), [www.Soudal.com](http://www.Soudal.com)

### 1.4. Emergency telephone number

| Country | Organisation/Company   | Address                      | Emergency number | Comment  |
|---------|--|------------------------------|------------------|--|
| Belgium | Centre Anti-Poisons/Antigifcentrum<br>c/o Hôpital Militaire Reine Astrid | Rue Bruyn 1<br>1120 Brussels | +32 70 245 245   | Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee) |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:dust,mist) Category 4 H332  
Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Respiratory sensitisation, Category 1 H334  
Skin sensitisation, Category 1 H317  
Carcinogenicity, Category 2 H351  
Specific target organ toxicity – Single exposure, Category 3, H335  
Respiratory tract irritation  
Specific target organ toxicity – Repeated exposure, Category 2 H373  
Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS08

Signal word (CLP)

: Danger

Contains

: polymethylene polyphenyl isocyanate

Hazard statements (CLP)

: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation.

H351 - Suspected of causing cancer.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342+P311 - If experiencing respiratory symptoms: Call a doctor, a POISON CENTER.

P405 - Store locked up.

P501 - Dispose of contents, container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Extra phrases

: Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

As from 24 August 2023 adequate training is required before industrial or professional use.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

#### Component

polymethylene polyphenyl isocyanate (9016-87-9)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 3.2. Mixtures

| Name                                     | Product identifier                              | %           | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|--|---|-------------|---|
| polymethylene polyphenyl isocyanate      | CAS-No.: 9016-87-9                              | ≥ 25 – < 50 | Carc. 2, H351<br>Resp. Sens. 1, H334<br>Skin Sens. 1, H317<br>Acute Tox. 4 (Inhalation), H332 (ATE=1,5 mg/l/4h)<br>STOT RE 2, H373<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335  |
| reaction mass of ethylbenzene and xylene | EC-No.: 905-588-0<br>REACH-no: 01-2119488216-32 | ≥ 5 – < 10  | Flam. Liq. 3, H226<br>Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight)<br>Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1,5 mg/l/4h)<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335<br>STOT RE 2, H373<br>Asp. Tox. 1, H304<br>Aquatic Chronic 3, H412 |

Comments : polymethylene polyphenyl isocyanate, contains > 0.1% MDI isomers

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Call a poison center or a doctor if you feel unwell.   |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. Respiratory problems: consult a doctor/medical service.   |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Rinse mouth out with water. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.   |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |   |
|-------------------------------------|---|
| Symptoms/effects after inhalation   | : Cough. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. EXPOSURE TO HIGH CONCENTRATIONS: Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. Dry/sore throat. |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction.  |
| Symptoms/effects after eye contact  | : Eye irritation.   |
| Symptoms/effects after ingestion    | : Irritation of the gastric/intestinal mucosa. AFTER INGESTION OF HIGH QUANTITIES: Central nervous system depression. Enlargement/affection of the liver.   |

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

- Reactivity in case of fire : Reacts with water: release of toxic/harmful substances. Hydrogen cyanide. Reacts slowly with water, generate gases (CO<sub>2</sub>) and overpressure : rupture containers.  
Hazardous decomposition products in case of fire : On burning: release of carbon monoxide - carbon dioxide. Nitrous fumes.

#### 5.3. Advice for firefighters

- Firefighting instructions : Cool closed containers exposed to fire with water spray. Do not allow water to enter the vessels, a violent reaction may occur. Dilute toxic gases with water spray.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : No open flames. No smoking.  
**6.1.1. For non-emergency personnel**  
Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.  
**6.1.2. For emergency responders**  
Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Dam up the liquid spill.  
Methods for cleaning up : Leave the product to solidify.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe vapours. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Keep away from naked flames/heat. Keep only in original container.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.  
Incompatible products : Moisture. Reacts with water. Strong acids. Strong bases.  
Incompatible materials : Heat sources.

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packaging materials : Synthetic material.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

| reaction mass of ethylbenzene and xylene |                           |
|--|---------------------------|
| <b>DNEL/DMEL (Workers)</b>               |                           |
| Acute - systemic effects, inhalation     | 442 mg/m <sup>3</sup>     |
| Acute - local effects, inhalation        | 442 mg/m <sup>3</sup>     |
| Long-term - systemic effects, dermal     | 212 mg/kg bodyweight/day  |
| Long-term - systemic effects, inhalation | 221 mg/m <sup>3</sup>     |
| Long-term - local effects, inhalation    | 221 mg/m <sup>3</sup>     |
| <b>DNEL/DMEL (General population)</b>    |                           |
| Acute - systemic effects, inhalation     | 260 mg/m <sup>3</sup>     |
| Acute - local effects, inhalation        | 260 mg/m <sup>3</sup>     |
| Long-term - systemic effects, oral       | 12,5 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 65,3 mg/m <sup>3</sup>    |
| Long-term - systemic effects, dermal     | 125 mg/kg bodyweight/day  |
| Long-term - local effects, inhalation    | 65,3 mg/m <sup>3</sup>    |
| <b>PNEC (Water)</b>                      |                           |
| PNEC aqua (freshwater)                   | 0,327 mg/l                |
| PNEC aqua (marine water)                 | 0,327 mg/l                |
| PNEC aqua (intermittent, freshwater)     | 0,327 mg/l                |
| <b>PNEC (Sediment)</b>                   |                           |
| PNEC sediment (freshwater)               | 12,46 mg/kg dwt           |
| PNEC sediment (marine water)             | 12,46 mg/kg dwt           |
| <b>PNEC (Soil)</b>                       |                           |
| PNEC soil                                | 2,31 mg/kg dwt            |
| <b>PNEC (STP)</b>                        |                           |
| PNEC sewage treatment plant              | 6,58 mg/l                 |

#### 8.1.5. Control banding

No additional information available

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station. Measure concentrations regularly, and at the time of any change occurring in conditions likely to have consequences on workers exposure.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

###### Eye protection:

Chemical goggles or face shield. ISO 16321-1

##### 8.2.2.2. Skin protection

###### Skin and body protection:

Protective clothing (EN 14605 or EN 13034)

###### Hand protection:

Protective gloves against chemicals (EN 374)

#### Hand protection

| Type | Material             | Permeation        | Thickness (mm) | Penetration | Standard   |
|------|----------------------|-------------------|----------------|-------------|------------|
|      | Nitrile rubber (NBR) | 6 (> 480 minutes) | >0.35          |             | EN ISO 374 |

##### 8.2.2.3. Respiratory protection

###### Respiratory protection:

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                           |  |
|---------------------------|--|
| Physical state            | : Liquid                                     |
| Colour                    | : brown. orange. light beige. Yellow. white. |
| Appearance                | : Liquid.                                    |
| Odour                     | : solvent-like.                              |
| Odour threshold           | : Not available                              |
| Melting point             | : Not applicable                             |
| Freezing point            | : Not available                              |
| Boiling point             | : Not available                              |
| Flammability              | : Not applicable                             |
| Lower explosion limit     | : Not available                              |
| Upper explosion limit     | : Not available                              |
| Flash point               | : ≈ 80,5 °C (ISO 2719A)                      |
| Auto-ignition temperature | : Not available                              |

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |                                 |
|---|---------------------------------|
| Decomposition temperature                       | : Not available                 |
| pH  | : Not available                 |
| Viscosity, kinematic                            | : Not available                 |
| Solubility                                      | : Not available                 |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                 |
| Vapour pressure                                 | : Not available                 |
| Vapour pressure at 50°C                         | : Not available                 |
| Density   | : 1100 kg/m <sup>3</sup> (20°C) |
| Relative density                                | : 1,1 (20°C)                    |
| Relative vapour density at 20°C                 | : > 2                           |
| Particle characteristics                        | : Not applicable                |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : < 7,5 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions. Moisture sensitive.

### 10.3. Possibility of hazardous reactions

Reacts with water, generates gases or heat and overpressure : rupture containers. Reacts with (some) acids/bases. Reacts with (some) acids. alcohol. Amines.

### 10.4. Conditions to avoid

Keep away from heat.

### 10.5. Incompatible materials

water. alcohols. Amines. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On burning: release of (highly) toxic gases/vapours.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |   |
|-----------------------------|---|
| Acute toxicity (oral)       | : Not classified                            |
| Acute toxicity (dermal)     | : Not classified                            |
| Acute toxicity (inhalation) | : Inhalation:dust,mist: Harmful if inhaled. |

| 5Min Liquid PU Wood Adhesive                    |   |
|---|---|
| ATE CLP (dust,mist)                             | 2,319 mg/l/4h                                   |
| polymethylene polyphenyl isocyanate (9016-87-9) |   |
| LD50 oral rat                                   | > 10000 mg/kg (Rat, Literature study, Oral)     |
| LD50 dermal rabbit                              | > 5000 mg/kg (Rabbit, Literature study, Dermal) |

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| polymethylene polyphenyl isocyanate (9016-87-9) |                 |
|---|-----------------|
| LC50 Inhalation - Rat                           | 10 – 20 mg/l/4h |
| LC50 Inhalation - Rat (Dust/Mist)               | 0,49 mg/l/4h    |
| LC50 Inhalation - Rat (Vapours)                 | 0,387 mg/l/4h   |

Skin corrosion/irritation : Causes skin irritation.

| polymethylene polyphenyl isocyanate (9016-87-9) |                                     |
|---|-------------------------------------|
| pH  | No data available in the literature |

Serious eye damage/irritation : Causes serious eye irritation.

| polymethylene polyphenyl isocyanate (9016-87-9) |                                     |
|---|-------------------------------------|
| pH  | No data available in the literature |

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

| reaction mass of ethylbenzene and xylene |                                   |
|--|-----------------------------------|
| STOT-single exposure                     | May cause respiratory irritation. |

| polymethylene polyphenyl isocyanate (9016-87-9) |                                   |
|---|-----------------------------------|
| STOT-single exposure                            | May cause respiratory irritation. |

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

| reaction mass of ethylbenzene and xylene |   |
|--|---|
| LOAEL (oral, rat, 90 days)               | 150 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity) |
| STOT-repeated exposure                   | May cause damage to organs through prolonged or repeated exposure.  |

| polymethylene polyphenyl isocyanate (9016-87-9) |   |
|---|---|
| STOT-repeated exposure                          | May cause damage to organs through prolonged or repeated exposure (if inhaled). |

Aspiration hazard : Not classified

| reaction mass of ethylbenzene and xylene |  |
|--|--|
| Viscosity, kinematic                     | ≈ 0,76 mm <sup>2</sup> /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)' |

| polymethylene polyphenyl isocyanate (9016-87-9) |                                     |
|---|-------------------------------------|
| Viscosity, kinematic                            | No data available in the literature |

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified



# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term (chronic) : Not classified  
Not rapidly degradable

### reaction mass of ethylbenzene and xylene

|                      |  |
|----------------------|--|
| EC50 - Crustacea [1] | > 3,4 mg/l Test organisms (species): Ceriodaphnia dubia  |
| LOEC (chronic)       | 3,16 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |
| NOEC chronic fish    | > 1,3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '56 d' |

### polymethylene polyphenyl isocyanate (9016-87-9)

|                                    |                                      |
|------------------------------------|--------------------------------------|
| LC50 - Other aquatic organisms [1] | > 1000 mg/l (96 h, Literature study) |
|------------------------------------|--------------------------------------|

### 12.2. Persistence and degradability

#### polymethylene polyphenyl isocyanate (9016-87-9)

|                               |                                  |
|-------------------------------|----------------------------------|
| Persistence and degradability | not readily degradable in water. |
|-------------------------------|----------------------------------|

### 12.3. Bioaccumulative potential

#### polymethylene polyphenyl isocyanate (9016-87-9)

|   |  |
|---|--|
| BCF - Fish [1]                                  | 268 l/kg (BCFBAF v3.01, Estimated value, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 10 (Calculated, KOWWIN)                                |
| Bioaccumulative potential                       | Low potential for bioaccumulation (BCF < 500).         |

### 12.4. Mobility in soil

#### polymethylene polyphenyl isocyanate (9016-87-9)

|  |   |
|--|---|
| Surface tension  | No data available in the literature                     |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 9,1 – 11 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil   | Adsorbs into the soil.                                  |

### 12.5. Results of PBT and vPvB assessment

#### Component

|   |   |
|---|---|
| polymethylene polyphenyl isocyanate (9016-87-9) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
|---|---|

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|                                 |   |
|---------------------------------|---|
| Regional waste regulation       | : Collect all waste in suitable and labelled containers and dispose according to local legislation. |
| Waste treatment methods         | : Dispose of contents/container in accordance with licensed collector's sorting instructions.       |
| Sewage disposal recommendations | : Do not discharge into drains or the environment.  |

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ecological waste information : Avoid release to the environment.  
European List of Waste (LoW, EC 2000/532) : 08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances  
15 01 10\* - packaging containing residues of or contaminated by dangerous substances

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID /

| ADR                                     | IMDG          | IATA          | ADN           | RID           |
|---|---------------|---------------|---------------|---------------|
| <b>14.1. UN number or ID number</b>     |               |               |               |               |
| Not regulated for transport             |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b>    |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available  |               |               |               |               |

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) |   |   |
|--|---|---|
| Reference code                         | Applicable on   | Entry title or description  |
| 3(a)                                   | reaction mass of ethylbenzene and xylene                                | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F          |
| 3(b)                                   | 5Min Liquid PU Wood Adhesive ; reaction mass of ethylbenzene and xylene | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

###### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

###### VOC Directive (2004/42)

VOC content : < 7,5 %

###### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

###### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

| Indication of changes |  |          |          |
|-----------------------|--|----------|----------|
| Section               | Changed item   | Change   | Comments |
|                       | according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 |          |          |
| 8.2                   |  | Modified |          |

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| COD                         | Chemical oxygen demand (COD)  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC-No.                      | European Community number   |
| EC50                        | Median effective concentration  |
| EN                          | European Standard   |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| OECD                        | Organisation for Economic Co-operation and Development  |
| OEL                         | Occupational Exposure Limit   |
| PBT                         | Persistent Bioaccumulative Toxic  |
| PNEC                        | Predicted No-Effect Concentration   |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS                         | Safety Data Sheet   |
| STP                         | Sewage treatment plant  |
| ThOD                        | Theoretical oxygen demand (ThOD)  |
| TLM                         | Median Tolerance Limit  |
| VOC                         | Volatile Organic Compounds  |
| CAS-No.                     | Chemical Abstract Service number  |
| N.O.S.                      | Not Otherwise Specified   |
| vPvB                        | Very Persistent and Very Bioaccumulative  |
| ED                          | Endocrine disruptor   |

| Full text of H- and EUH-statements: |                                     |
|-------------------------------------|-------------------------------------|
| Acute Tox. 4 (Dermal)               | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation)           | Acute toxicity (inhal.), Category 4 |

# 5Min Liquid PU Wood Adhesive

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements:    |  |
|--|--|
| Acute Tox. 4<br>(Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4   |
| Aquatic Chronic 3                      | Hazardous to the aquatic environment – Chronic Hazard, Category 3                          |
| Asp. Tox. 1                            | Aspiration hazard, Category 1  |
| Carc. 2                                | Carcinogenicity, Category 2  |
| Eye Irrit. 2                           | Serious eye damage/eye irritation, Category 2  |
| Flam. Liq. 3                           | Flammable liquids, Category 3  |
| H226                                   | Flammable liquid and vapour.   |
| H304                                   | May be fatal if swallowed and enters airways.  |
| H312                                   | Harmful in contact with skin.  |
| H315                                   | Causes skin irritation.  |
| H317                                   | May cause an allergic skin reaction.   |
| H319                                   | Causes serious eye irritation.   |
| H332                                   | Harmful if inhaled.  |
| H334                                   | May cause allergy or asthma symptoms or breathing difficulties if inhaled.                 |
| H335                                   | May cause respiratory irritation.  |
| H351                                   | Suspected of causing cancer.   |
| H373                                   | May cause damage to organs through prolonged or repeated exposure.                         |
| H412                                   | Harmful to aquatic life with long lasting effects.   |
| Resp. Sens. 1                          | Respiratory sensitisation, Category 1  |
| Skin Irrit. 2                          | Skin corrosion/irritation, Category 2  |
| Skin Sens. 1                           | Skin sensitisation, Category 1   |
| STOT RE 2                              | Specific target organ toxicity – Repeated exposure, Category 2                             |
| STOT SE 3                              | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: |      |                    |
|---|------|--------------------|
| Acute Tox. 4<br>(Inhalation:dust,mist)  | H332 | Calculation method |
| Skin Irrit. 2   | H315 | Calculation method |
| Eye Irrit. 2  | H319 | Calculation method |
| Resp. Sens. 1   | H334 | Calculation method |
| Skin Sens. 1  | H317 | Calculation method |
| Carc. 2   | H351 | Calculation method |
| STOT SE 3   | H335 | Calculation method |
| STOT RE 2   | H373 | Calculation method |

Safety Data Sheet (SDS), EU-2023-1

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.