

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: 100001346
Issue date: 07/03/2022 Revision date: 23/09/2024 Supersedes version of: 07/03/2022 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture

Trade name **PVC Spray Cleaner** 

Type of product Detergent Vaporizer Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use.Professional use

Use of the substance/mixture : Cleaning agent

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Soudal N.V.

Everdongenlaan 18-20

2300 Turnhout

Belgium

T +32 14 42 42 31, F +32 14 42 65 14

sds@soudal.com, www.Soudal.com

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Rue Bruyn 1 1120 Brussels	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

H222;H229 Aerosol, Category 1 H319 Serious eye damage/eye irritation, Category 2 Specific target organ toxicity - Single exposure, Category 3, H336

Narcosis

Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS09

Signal word (CLP)

: Danger

Contains

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics; acetone; n-butyl acetate

Hazard statements (CLP)

: H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.

H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP)

H411 - Toxic to aquatic life with long lasting effects.

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P271 - Use only outdoors or in a well-ventilated area.

P391 - Collect spillage. P405 - Store locked up.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50  $^{\circ}$ C, 122

°F

P501 - Dispose of contents, container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation. EUH066 - Repeated exposure may cause skin dryness or cracking.

EUH-statements

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
butane (106-97-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
propane (74-98-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
acetone (67-64-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
n-butyl acetate (123-86-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	EC-No.: 920-750-0 REACH-no: 01-2119473851- 33	≥ 25 – < 50	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 EUH066
ethanol substance with national workplace exposure limit(s) (BE)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-	≥ 25 – < 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319
acetone substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330-	≥ 10 – < 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066
n-butyl acetate substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit	CAS-No.: 123-86-4 EC-No.: 204-658-1 EC Index-No.: 607-025-00-1 REACH-no: 01-2119485493-	≥ 5 – < 10	Flam. Liq. 3, H226 STOT SE 3, H336 EUH066
butane substance with national workplace exposure limit(s) (BE)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	≥ 5 – < 10	Flam. Gas 1A, H220 Press. Gas (Liq.), H280
propane substance with national workplace exposure limit(s) (BE)	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	≥1-<5	Flam. Gas 1A, H220 Press. Gas (Liq.), H280

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	(50 ≤ C < 100) Eye Irrit. 2; H319	

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

23/09/2024 (Revision date) 23/09/2024 (Printing date)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal

protective equipment.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

butane (106-97-8)		
Belgium - Occupational Exposure Limits		
Local name	Butane, tous isomères: n-butane # Butaan, alle isomeren: n-butaan	
OEL STEL	2370 mg/m³	
	980 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023	
propane (74-98-6)		
Belgium - Occupational Exposure Limits		
Local name	Hydrocarbures aliphatiques sous forme gazeuse: (Alcanes C1-C3) # Alifatische koolwaterstoffen in gas-vorm: Alkanen (C1-C3)	
OEL TWA	1000 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023	
ethanol (64-17-5)		
Belgium - Occupational Exposure Limits		
Local name	Alcool éthylique # Ethanol	
OEL TWA	1907 mg/m³	
	1000 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023	
acetone (67-64-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	1210 mg/m³	
	500 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	594 mg/m³	
	246 ppm	
OEL STEL	1187 mg/m³	
	492 ppm	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

n-butyl acetate (123-86-4)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	241 mg/m³
	50 ppm
IOEL STEL	723 mg/m³
	150 ppm
Belgium - Occupational Exposure Limits	
OEL TWA	238 mg/m³
	50 ppm
OEL STEL	712 mg/m³
	150 ppm

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	773 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	2035 mg/m³		
DNEL/DMEL (General population)	DNEL/DMEL (General population)		
Long-term - systemic effects,oral	699 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	608 mg/m³		
Long-term - systemic effects, dermal	699 mg/kg bodyweight/day		
ethanol (64-17-5)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	343 mg/kg bw/day		
Long-term - systemic effects, inhalation	950 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	87 mg/kg bw/day		
Long-term - systemic effects, inhalation	114 mg/m³		
Long-term - systemic effects, dermal	206 mg/kg bw/day		
PNEC (Water)			
PNEC aqua (freshwater)	0,96 mg/l		
PNEC aqua (marine water)	0,79 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	3,6 mg/kg dwt		
PNEC sediment (marine water)	2,9 mg/kg dwt		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol (64-17-5)	
PNEC (Soil)	
PNEC soil	0,63 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	0,38
PNEC (STP)	
PNEC sewage treatment plant	580 mg/l
acetone (67-64-1)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	2420 mg/m³
Long-term - systemic effects, dermal	186 mg/kg bw/day
Long-term - systemic effects, inhalation	1210 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	62 mg/kg bw/day
Long-term - systemic effects, inhalation	200 mg/m³
Long-term - systemic effects, dermal	62 mg/kg bw/day
PNEC (Water)	
PNEC aqua (freshwater)	10,6 mg/l
PNEC aqua (marine water)	1,06 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	30,4 mg/kg dwt
PNEC sediment (marine water)	3,04 mg/kg dwt
PNEC (Soil)	
PNEC soil	29,5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
n-butyl acetate (123-86-4)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	11 mg/kg bw/day
Acute - systemic effects, inhalation	600 mg/m³
Acute - local effects, inhalation	600 mg/m³
Long-term - systemic effects, dermal	11 mg/kg bw/day
Long-term - systemic effects, inhalation	300 mg/m³
Long-term - local effects, inhalation	300 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	6 mg/kg bw/day
Acute - systemic effects, inhalation	300 mg/m³
Acute - systemic effects, oral	2 mg/kg bw/day
Acute - local effects, inhalation	300 mg/m³

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

n-butyl acetate (123-86-4)			
Long-term - systemic effects,oral	2 mg/kg bw/day		
Long-term - systemic effects, inhalation	35,7 mg/m³		
Long-term - systemic effects, dermal	6 mg/kg bw/day		
Long-term - local effects, inhalation	35,7 mg/m³		
PNEC (Water)			
PNEC aqua (freshwater)	0,18 mg/l		
PNEC aqua (marine water)	0,018 mg/l		
PNEC (Sediment)	PNEC (Sediment)		
PNEC sediment (freshwater)	0,981 mg/kg dwt		
PNEC sediment (marine water)	0,098 mg/kg dwt		
PNEC (Soil)			
PNEC soil	0,09 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	35,6 mg/l		

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

# $\label{protective} \textbf{Personal protective equipment symbol(s):}$







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses (EN 166)

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Protective clothing (EN 14605 or EN 13034)

#### Hand protection:

Protective gloves against chemicals (EN 374)

#### 8.2.2.3. Respiratory protection

# Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

## Environmental exposure controls:

Avoid release to the environment.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour Not available **Appearance** Aerosol. Odour Not available Odour threshold Not available Melting point Not applicable Freezing point Not available Boiling point : Not available

Flammability : Extremely flammable aerosol.

Explosive properties : Pressurised container: May burst if heated.

Lower explosion limit Not available : Not available Upper explosion limit Flash point : Not applicable Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : 0,74 g/cm3 (20°C) Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

% of flammable ingredients : 100,5 %

9.2.2. Other safety characteristics

VOC content : 100 %

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

## 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

23/09/2024 (Revision date) EU - en 9/20 23/09/2024 (Printing date)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (dermal) :	Not classified Not classified Not classified		
butane (106-97-8)			
LC50 Inhalation - Rat [ppm]	> 800000 ppm (15 minutes, Rat, Male / female, Experimental value of similar product, Inhalation (gases))		
propane (74-98-6)			
LC50 Inhalation - Rat [ppm]	> 800000 ppm (15 minutes, Rat, Male / female, Experimental value, Inhalation (gases))		
hydrocarbons, C7-C9, n-alkanes, isoalkanes,	hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		
LD50 oral	> 5840 mg/kg bodyweight		
LD50 dermal rat	2800 – 3100 mg/kg bodyweight Animal: rat, Remarks on results: other:		
LD50 dermal	> 2920 mg/kg bodyweight		
LC50 Inhalation - Rat	> 23,3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)		
LC50 Inhalation - Rat (Dust/Mist)	> 23300 mg/l		
ethanol (64-17-5)			
LD50 oral rat	10470 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))		
LD50 oral	10470 mg/kg bodyweight		
LD50 dermal rabbit	> 15800 mg/kg bodyweight (Rabbit, Experimental value, Dermal)		
LD50 dermal	15800 mg/kg bodyweight		
LC50 Inhalation - Rat	124,7 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))		
LC50 Inhalation - Rat (Dust/Mist)	> 99999 mg/l		
acetone (67-64-1)			
LD50 oral rat	5800 mg/kg (Rat, Female, Experimental value, Oral, 14 day(s))		
LD50 dermal rabbit	> 15800 mg/kg bodyweight (24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))		
LC50 Inhalation - Rat	132 mg/l (3 h, Rat, Male, Experimental value, Inhalation (vapours))		
n-butyl acetate (123-86-4)			
LD50 oral rat	10760 – 12789 mg/kg bodyweight (Equivalent or similar to OECD 423, Rat, Male / female, Experimental value, Oral, 14 day(s))		
LD50 dermal rabbit	> 14112 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))		
LC50 Inhalation - Rat	> 21 mg/l		
Skin corrosion/irritation :	Not classified		
butane (106-97-8)			
рН	No data available in the literature		
propane (74-98-6)			
pH	No data available in the literature		

23/09/2024 (Revision date) 23/09/2024 (Printing date)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol (64-17-5)	
рН	7 (789 g/l, 20 °C)
acetone (67-64-1)	
рН	5 – 6 (20 °C)
n-butyl acetate (123-86-4)	·
рН	6,2 (0.53 %, 20 °C)
Serious eye damage/irritation	: Causes serious eye irritation.
butane (106-97-8)	
pH	No data available in the literature
propane (74-98-6)	
рН	No data available in the literature
ethanol (64-17-5)	
рН	7 (789 g/l, 20 °C)
acetone (67-64-1)	
рН	5 – 6 (20 °C)
n-butyl acetate (123-86-4)	,
рН	6,2 (0.53 %, 20 °C)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
hydrocarbons, C7-C9, n-alkanes, isoalkane	es, cyclics
STOT-single exposure	May cause drowsiness or dizziness.
acetone (67-64-1)	
STOT-single exposure	May cause drowsiness or dizziness.
n-butyl acetate (123-86-4)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
hydrocarbons, C7-C9, n-alkanes, isoalkane	es, cyclics
NOAEC (inhalation, rat, vapour, 90 days)	24,3 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
Aspiration hazard	: Not classified
PVC Spray Cleaner	
Vaporizer	Aerosol
butane (106-97-8)	
Viscosity, kinematic	No data available in the literature
propane (74-98-6)	
Viscosity, kinematic	No data available in the literature

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		
Viscosity, kinematic 0,715 – 0,786 mm²/s Temp.: 'other:' Parameter: 'kinematic viscosity (in mm²/s)'		
ethanol (64-17-5)		
Viscosity, kinematic 1,6 mm²/s (20 °C)		
acetone (67-64-1)		
Viscosity, kinematic No data available in the literature		
n-butyl acetate (123-86-4)		
Viscosity, kinematic	0,831 mm²/s (20 °C, ASTM D445: Capillary viscometer)	

# 11.2. Information on other hazards

No additional information available

# SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

Not rapidly degradable

Not rapidly degradable			
butane (106-97-8)			
LC50 - Fish [1]	24 mg/l (ECOSAR, 96 h, Pisces, Fresh water, QSAR)		
EC50 96h - Algae [1]	7,7 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR)		
propane (74-98-6)			
LC50 - Fish [1]	50 mg/l (96 h, Pisces, Fresh water, QSAR, Estimated value)		
EC50 96h - Algae [1]	12 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR)		
hydrocarbons, C7-C9, n-alkanes, isoalkanes,	cyclics		
LC50 - Fish [1]	> 3 mg/l		
EC50 - Other aquatic organisms [1]	4,6 mg/l waterflea		
EC50 - Other aquatic organisms [2]	10 mg/l		
LOEC (chronic)	0,32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	0,17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
ethanol (64-17-5)			
LC50 - Fish [1]	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)		
EC50 - Other aquatic organisms [1]	5012 mg/l waterflea		
EC50 - Other aquatic organisms [2]	275 mg/l		
EC50 72h - Algae [1]	275 mg/l (Equivalent or similar to OECD 201, Chlorella vulgaris, Static system, Fresh water, Experimental value, Growth rate)		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetone (67-64-1)	etone (67-64-1)			
LC50 - Fish [1]	6210 – 8120 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flowthrough system, Fresh water, Experimental value, Measured concentration)			
n-butyl acetate (123-86-4)				
LC50 - Fish [1]	18 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)			
EC50 - Crustacea [1]	44 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia sp., Static system, Fresh water, Experimental value, Locomotor effect)			
ErC50 algae	397 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, GLP)			

# 12.2. Persistence and degradability

butane (106-97-8)			
Persistence and degradability	Readily biodegradable in water.		
propane (74-98-6)			
Persistence and degradability	Readily biodegradable in water.		
ethanol (64-17-5)			
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	$0.8 - 0.967$ g $O_2$ /g substance		
Chemical oxygen demand (COD)	1,7 g O <sub>2</sub> /g substance		
ThOD	2,1 g O <sub>2</sub> /g substance 84 % (% degradation (O2 consumption), 20d)		
Biodegradation			
acetone (67-64-1)			
Persistence and degradability	Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	1,43 g O <sub>2</sub> /g substance		
Chemical oxygen demand (COD)	1,92 g O <sub>2</sub> /g substance		
ThOD	2,2 g O <sub>2</sub> /g substance		
n-butyl acetate (123-86-4)			
Persistence and degradability	Readily biodegradable in water.		
ThOD	2,21 g O <sub>2</sub> /g substance		

# 12.3. Bioaccumulative potential

butane (106-97-8)			
Partition coefficient n-octanol/water (Log Pow)	2,8 (Experimental value, 20 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
propane (74-98-6)			
Partition coefficient n-octanol/water (Log Pow)	1,1 – 2,8 (Experimental value, 20 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics			
Partition coefficient n-octanol/water (Log Pow)	4,85		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol (64-17-5)			
Partition coefficient n-octanol/water (Log Pow)	-0,35 (Experimental value, Equivalent or similar to OECD 107, 24 °C)		
Bioaccumulative potential	Not bioaccumulative.		
acetone (67-64-1)			
BCF - Fish [1]	0,69 (Pisces, Literature study)		
Partition coefficient n-octanol/water (Log Pow)	-0,23 (Test data)		
Bioaccumulative potential	not bioaccumulable.		
n-butyl acetate (123-86-4)			
Partition coefficient n-octanol/water (Log Pow)	2,3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		

# 12.4. Mobility in soil

ethanol (64-17-5)			
Surface tension	22,31 mN/m (20 °C, 100 %)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,2 (log Koc, Experimental value)		
Ecology - soil	Highly mobile in soil.		
acetone (67-64-1)			
Surface tension	23,3 mN/m (20 °C)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,374 – 0,988 (log Koc, SRC PCKOCWIN v2.0, Calculated value)		
Ecology - soil	Highly mobile in soil.		
n-butyl acetate (123-86-4)			
Surface tension	61,3 mN/m (20 °C, 0.1 %, OECD 115: Surface Tension of Aqueous Solutions)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1,268 – 1,844 (log Koc, SRC PCKOCWIN v2.0, Calculated value)		
Ecology - soil	Highly mobile in soil.		

# 12.5. Results of PBT and vPvB assessment

Component	
butane (106-97-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
propane (74-98-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
acetone (67-64-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
n-butyl acetate (123-86-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Sewage disposal recommendations

Ecological waste information

European List of Waste (LoW, EC 2000/532)

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Do not discharge into drains or the environment.
- : Avoid release to the environment.
- : 16 05 04\* gases in pressure containers (including halons) containing dangerous substances

20 01 29\* - detergents containing dangerous substances

15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID /

IMDG	IATA	ADN	RID
umber			
UN 1950	UN 1950	UN 1950	UN 1950
name			
AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
ption			
UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1 ENVIRONMENTALLY HAZARDOUS
lass(es)			
2.1	2.1	2.1	2.1
2	2	2	**************************************
'			
Not applicable	Not applicable	Not applicable	Not applicable
ards			
Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
	UN 1950  I name  AEROSOLS  ption  UN 1950 AEROSOLS, 2.1,  MARINE  POLLUTANT/ENVIRONME  NTALLY HAZARDOUS  ass(es)  2.1  Not applicable  ards  Dangerous for the environment: Yes	UN 1950 UN 1950 UN 1950 UN 1950  AEROSOLS Aerosols, flammable  ption  UN 1950 AEROSOLS, 2.1,     MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS  2.1  Not applicable  Not applicable  Dangerous for the environment: Yes  UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS  Not applicable  Dangerous for the environment: Yes	UN 1950 UN 1950 UN 1950  I name  AEROSOLS Aerosols, flammable AEROSOLS  Dition  UN 1950 AEROSOLS, 2.1, MARINE Flammable, 2.1, ENVIRONMENTALLY HAZARDOUS  POLLUTANT/ENVIRONME NTALLY HAZARDOUS  ASS(es)  2.1 2.1 2.1 2.1 3.1 4.1 4.1 4.2 4.1 5.1 5.1 5.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6

### 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

23/09/2024 (Revision date) EU - en 15/20 23/09/2024 (Printing date)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADR) : 1I Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V14

Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

### Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

#### Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

#### **Inland waterway transport**

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

#### Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L

Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200

Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Transport category (RID) : 2

Transport category (RID) : MP9

Special provisions for carriage – Packages (RID) : W14

Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

23/09/2024 (Revision date) EU - en 16/20 23/09/2024 (Printing date)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (R	J restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	PVC Spray Cleaner; hydrocarbons, C7-C9, n- alkanes, isoalkanes, cyclics; ethanol; acetone ; n-butyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	PVC Spray Cleaner; hydrocarbons, C7-C9, n- alkanes, isoalkanes, cyclics; ethanol; acetone ; n-butyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	PVC Spray Cleaner; hydrocarbons, C7-C9, n- alkanes, isoalkanes, cyclics	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### VOC Directive (2004/42)

VOC content : 100 %

### **Detergent Regulation (648/2004)**

Labelling of contents				
Component	%			
aliphatic hydrocarbons	≥30%			

#### **Explosives Precursors Regulation (2019/1148)**

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **ANNEX II REPORTABLE EXPLOSIVES PRECURSORS**

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name		Nomenclature	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives\_en

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Indication of changes				
Section	Changed item	Change	Comments	
2.2	Precautionary statements (CLP)			

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

23/09/2024 (Revision date) 23/09/2024 (Printing date)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:		
Aerosol 1	Aerosol, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aerosol 1	H222;H229	On basis of test data
Eye Irrit. 2	H319	Calculation method

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
STOT SE 3	H336	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU-2023-1

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.