

Printing Date: 31.01.2017 Revision: 31.01.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier
Trade name: Miracle Seal
Article number: MS 740103

• 1.2 Relevant identified uses of the substance or mixture and uses advised against

• Product Use [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;

• [PC37] Water treatment chemicals;

• **Application of the substance / the preparation** Domestic, Commercial, Industrial and Automotive Heating Systems.

• 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier:

C-Tec N.I Limited

Unit 6 Ashtree Enterprise Park,

Rathfriland Road, Newry, Co.Down,

N. Ireland, BT34 1BY. Email: info@ct1ltd.com

• Website: <u>www.ct1ltd.com</u>

• Further information obtainable from:

Product safety department.

info@ct1ltd.com

• 1.4 Emergency telephone number:

Tel: +44(0)28 3083 4892 (Monday – Friday 9am - 5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| 2.1.1. Classification - EC 1272/2008 | Repr. 1B: H360FD; | | |
|--|---|--|--|
| 2.2. Label elements | | | |
| Hazard pictograms | | | |
| Signal Word | Danger | | |
| Hazard Statement | 1B: H360FD - May damage fertility. May damage the unborn child. | | |
| Precautionary Statement: Prevention | P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves/protective clothing/eye protection/face protection. | | |
| Precautionary Statement: Response | P308+P313 - IF exposed or concerned: Get medical advice/attention. | | |
| Precautionary Statement: Storage | P405 - Store locked up. | | |
| Precautionary Statement: Disposal | P501 - Dispose of contents/container to a facility that complies with all local, state region, national and international regulations. | | |



Printing Date: 31.01.2017 Revision: 31.01.2017

Miracle Seal

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

67/548/EEC / 1999/45/EC

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification | M-factor. |
|---|--------------|-----------|-----------|------------------------------|-----------------|----------------------|-----------|
| Mono ethylene glycol (Ethane-1,2-diol particulate) | 603-027-00-1 | 107-21-1 | 203-473-3 | 01-2119456816-28 | 20 - 30% | Xn; R22 | |
| disodium tetraborate decahydrate | 005-011-01-1 | 1303-96-4 | 215-540-4 | | 1 - 10% | Repr. Cat. 2; R60-61 | |
| EC 1272/2008 | | | | | | | |
| Mono ethylene glycol (Ethane-1,2-diol particulate) | 603-027-00-1 | 107-21-1 | 203-473-3 | 01-2119456816-28 | 20 - 30% | Acute Tox. 4: H302; | |
| disodium tetraborate decahydrate | 005-011-01-1 | 1303-96-4 | 215-540-4 | | 1 - 10% | Repr. 1B: H360FD; | |

SECTION 4: First aid measures

- · 4.1. Description of first aid measures
- · Inhalation May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention
- Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
- Skin contact May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
- Ingestion Harmful if swallowed. May cause dizziness and headache. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

· 5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

· 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

· 5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

· 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

· 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

· 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

· 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection.



Printing Date: 31.01.2017 Revision: 31.01.2017

Miracle Seal

SECTION 7: Handling and storage

· 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

· 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · 8.1.1. Exposure Limit Values

| _ | | | | - |
|---|----------------------------|----|------------------------------|-----|
| Mono ethylene glycol (Ethane-1,2-diol particulate) | WEL 8-hr limit ppm: | - | WEL 8-hr limit mg/m3: | 10 |
| | WEL 15 min limit ppm: | - | WEL 15 min limit mg/m3: | - |
| | WEL 8-hr limit mg/m3 total | - | WEL 15 min limit mg/m3 total | - |
| | inhalable dust:- | | inhalable dust: | |
| | WEL 8-hr limit mg/m3 total | - | WEL 15 min limit mg/m3 total | - |
| | respirable dust: | | respirable dust: | |
| Mono ethylene glycol (Ethane-1,2-diol vapour) | WEL 8-hr limit ppm: | 20 | WEL 8-hr limit mg/m3: | 52 |
| • • | WEL 15 min limit ppm: | 40 | WEL 15 min limit mg/m3: | 104 |
| | WEL 8-hr limit mg/m3 total | - | WEL 15 min limit mg/m3 total | - |
| | inhalable dust: | | inhalable dust: | |
| | WEL 8-hr limit mg/m3 total | - | WEL 15 min limit mg/m3 total | - |
| | respirable dust: | | respirable dust: | |

- · 8.2. Exposure controls
- · **8.2.1. Appropriate engineering controls** Ensure adequate ventilation of the working area.
- · 8.2.2. Individual protection measures Wear chemical protective clothing.
- Eye / face protection Approved safety goggles.
- · Skin protection -
- · Handprotection Chemical resistant gloves (PVC).

Respiratory protection Self-contained breathing apparatus. Wear protective clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Appearance Liquid

Colour Brown

Odour Mild

Odour threshold No data available

pH Not applicable.

Melting point Not applicable.

Freezing Point No data available

Initial boiling point No data available

(Contd. on page 4)



Printing Date: 31.01.2017 Revision: 31.01.2017

Miracle Seal

(Contd. of page 3)

Flash point Not applicable.

Evaporation rate No data available

Flammability (solid, gas) No data available

Vapour pressure No data available

Vapour density No data available

Relative density Not applicable.

Fat Solubility No data available

Partition coefficient No data available

Autoignition temperature No data available

Viscosity > 90 mPas (Cone & Plate)

Explosive properties No data available

Oxidising properties No data available

Solubility Not applicable.

· 9.2. Other information

Conductivity No data available

Surface tension No data available

Gas group No data available

Benzene Content No data available

Lead content No data available

VOC (Volatile organic compounds) No data available

SECTION 10: Stability and reactivity

- 10.1. Reactivity No precautions required to be mentioned.
- 10.2. Chemical stability Stable under normal conditions.
- 10.3. Possibility of hazardous reactions No data is available on this product.
- 10.4. Conditions to avoid Heat will increase pressure in sealed containers.
- \cdot 10.5. Incompatible materials Keep away from food, drink and animal feedingstuffs.
- 10.6. Hazardous decomposition products Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

· 11.1.4. Toxicological Information

| disodium tetraborate decahydrate | Oral Rat LD50: 6000mg/kg Inhalation Rat LC50/4 h: >2.0mg/l | Dermal Rabbit LD50: >2000mg/kg |
|----------------------------------|---|--------------------------------|
| Mono ethylene glycol | Oral Rat LD50: 4700mg/kg | |

SECTION 12: Ecological information 12.1. Toxicity

· 12.1. Toxicity

| disodium tetraborate decahydrate | Fish LC50/96h: 74.0000 mg/l |
|------------------------------------|----------------------------------|
| disoulum ten aboi ate decanyul ate | 1 1511 LC 30/3011. 74.0000 Hig/1 |

- 12.2. Persistence and degradability No data is available on this product.
- · 12.3. Bioaccumulative potential
- · Partition coefficient Miracle Seal No data available
- 12.4. Mobility in soil No data is available on this product.

(Contd. on page 5)



Printing Date: 31.01.2017 Revision: 31.01.2017

Miracle Seal

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

Disposal methods

For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

Disposal of packaging

Do not empty into drains; dispose of this material and its container in a safe way.

SECTION 14: Transport information

- 14.1 UN-Number The product is not classified as dangerous for carriage.
- 14.2 UN proper shipping name The product is not classified as dangerous for carriage.
- 14.3 Transport hazard class(es) The product is not classified as dangerous for carriage.
- 14.4 Packing group The product is not classified as dangerous for carriage.
- 14.5 Environmental hazards: The product is not classified as dangerous for carriage.
- · 14.6 Special precautions for user The product is not classified as dangerous for carriage.
- **14.7.** Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

SECTION 16: Other information

Revision This document differs from the previous version in the following areas:

- 1 Product Use.
- 2 Precautionary Statement: Disposal.
- 4 Inhalation.
- 4 Ingestion.
- 6 6.4. Reference to other sections.
- 10 10.4. Conditions to avoid.
- 10 10.3. Possibility of hazardous reactions.
- 10 10.6. Hazardous decomposition products.
- 10 10.1. Reactivity.
- 10 10.5. Incompatible materials.



Printing Date: 31.01.2017 Revision: 31.01.2017

Miracle Seal

(Contd. of page 5)

- 12 12.1. Toxicity.
- 12 12.4. Mobility in soil.
- 12 12.2. Persistence and degradability.
- 13 Disposal methods.
- 13 Disposal of packaging.
- 15 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Text of risk phrases in Section 3

- R22 Harmful if swallowed.
- R60 May impair fertility.
- R61 May cause harm to the unborn child.

Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Repr. 1B: H360FD - May damage fertility. May damage the unborn child.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.